

Fișă tehnică | Număr articol: 211-862

Conductor markers for thread-on mounting; for Smart Printer; 7 x 10.5 mm;
white



www.wago.com/211-862



RoHS
Compliant

BOMcheck.net

Culoare:

Date

Technical Data

Suitable	for wire cross-section 2.5 ... 6 mm ²
Marking	plain
Marking	plain
Pre-assembly	1000 pcs/reel
Properties	for conductor cross-sections 2.5 ... 6 mm ²
Marking device	Smart Printer (Thermal Transfer Printer)

Geometrical Data

Depth	0,22 mm
Marking surface	7 x 26 mm

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

Mechanical data

Mounting type	Sliding
Smear resistance	smudge-proof in conjunction with 258-5005 Ink Ribbon

Material Data

Color	white
Material	Polyester
UV resistance	per EN 60068-2-5:2010 Procedure B
Halogen-free	Yes
Weight	156 g

Environmental Requirements

Surrounding air temperature (operation)	-40 ... 150 °C
Relative humidity	40 ... 50 %

Commercial data

Product Group	2 (Terminal Block Accessories)
Packaging type	BOX
Country of origin	DE
GTIN	4050821688662
Customs tariff number	39269097900

Counterpart

Produse compatibile

Marking accessories



Nr. articol: 258-5000

Thermal transfer printer; Smart Printer; for complete control cabinet marking; 300 dpi

www.wago.com/258-5000

Descărcări


Documentation

Additional Information

211-861, Information on handling print material	V004.08.2017	pdf 1,6 MB	Descărcare
---	--------------	---------------	------------

Supus modificărilor.

Installation Notes



Conductor marker for thread-on mounting

Supus modificărilor.