

Fișă tehnică | Număr articol: 790-115

Carrier with 2 grounding feet; parallel to carrier rail; 125 mm long; Cu 10 mm x 3 mm

www.wago.com/790-115



RoHS 
Compliant

[BOMcheck.net](https://www.bomcheck.net)

Date

Technical Data

Main product function

Shield termination

Material Data

Weight

60,4 g

Commercial data

Product Group

2 (Terminal Block Accessories)

Packaging type

BOX

Country of origin

DE

GTIN

4045454230937

Customs tariff number

85369010000

Counterpart









Produse compatibile

shield connection

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

	Nr. articol: 790-108 Shield clamping saddle; 11 mm wide; diameter of compatible conductor; 3 ... 8 mm	www.wago.com/790-108
	Nr. articol: 790-116 Shield clamping saddle; 19 mm wide; diameter of compatible conductor; 7 ... 16 mm	www.wago.com/790-116
	Nr. articol: 790-124 Shield clamping saddle; 27 mm wide; diameter of compatible conductor; 6 ... 24 mm	www.wago.com/790-124
	Nr. articol: 790-140 Shield clamping saddle; diameter of compatible conductor	www.wago.com/790-140
	Nr. articol: 791-107 Shield clamp; diameter of compatible conductor; 1.5 mm to 6.5 mm; H max. 40 mm; 10 mm wide	www.wago.com/791-107
	Nr. articol: 791-111 Shield clamp; diameter of compatible conductor; 5 mm to 11 mm; H max. 47 mm; 17 mm wide	www.wago.com/791-111
	Nr. articol: 791-117 Shield clamp; diameter of compatible conductor; 10 mm to 17 mm; H max. 63 mm; 23 mm wide	www.wago.com/791-117
	Nr. articol: 791-124 Shield clamp; diameter of compatible conductor; 16 mm to 24 mm; H max. 78 mm; 30 mm wide	www.wago.com/791-124

Descărcări

CAD/CAE-Data

CAD data

2D/3D Models 790-115	URL	Descărcare
----------------------	---------------------	----------------------------

CAE data


WSCAD Universe 790-115	URL	Descărcare
------------------------	---------------------	----------------------------

Installation Notes

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.



Carrier with grounding foot* (790-115),
125 mm long, busbar parallel to the rail

* for all sizes of shield clamping saddles

Supus modificărilor.