

**Date**

**Electrical data**

**Ratings per IEC/EN 60664-1**

Legend (ratings)

(III / 2) ≙ Overvoltage category III / Pollution degree 2

**Approvals per UL 1059**

Approvals per

UL 1059

**Connection data**

Number of connection types

1

Supus modificărilor.

## Geometrical Data

|       |                   |
|-------|-------------------|
| Width | 6 mm / 0.236 inch |
|-------|-------------------|

## Mechanical data

|          |  |
|----------|--|
| Suitable | for 1-conductor male and female connectors |
|----------|--|

## Material Data


|           |            |
|-----------|------------|
| Color     | light gray |
| Fire load | 0,003 MJ   |
| Weight    | 0,1 g      |

## Commercial data

|                       |                        |
|-----------------------|------------------------|
| Product Group         | 3 (Multi Conn. System) |
| Packaging type        | BOX                    |
| Country of origin     | DE                     |
| GTIN                  | 4017332428743          |
| Customs tariff number | 85389099990            |

## Aprobări / certificate

### Ship Approvals

| Emblemă   | Aprobare              | Text de aprobare suplimentar | Nume certificat      |
|---|-----------------------|------------------------------|----------------------|
|  | LR<br>Lloyds Register | IEC 61984                    | 96<br>/20035<br>(E5) |

## Counterpart

## Descărcări

### Documentation

#### Additional Information

|                        |             |               |            |
|------------------------|-------------|---------------|------------|
| Technical explanations | Apr 3, 2019 | pdf<br>3,6 MB | Descărcare |
|------------------------|-------------|---------------|------------|

Supus modificărilor.

## CAD/CAE-Data

### CAD data


2D/3D Models 734-127

[URL](#)

[Descărcare](#)

## Installation Notes

### Assembly



Strain relief plates for factory or in-the-field assembly.

Supus modificărilor.