

Fișă tehnică | Număr articol: 282-882

Locking cover; mechanically locks multiple links; 2-pole; transparent

www.wago.com/282-882



Date

Material Data

| | |
|-----------|-------------|
| Color | transparent |
| Fire load | 0,053 MJ |
| Weight | 1,1 g |

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.



Commercial data

| | |
|-----------------------|----------------------------------|
| Product Group | 1 (Rail Mounted Terminal Blocks) |
| Packaging type | BOX |
| Country of origin | DE |
| GTIN | 4017332283182 |
| Customs tariff number | 39269097900 |

Counterpart

Descărcări

Documentation

Additional Information

| | | | |
|------------------------|-------------|---------------|------------|
| Technical explanations | Apr 3, 2019 | pdf 2,1 MB | Descărcare |
|------------------------|-------------|---------------|------------|

CAD/CAE-Data

CAD data

| | | |
|----------------------|-----|------------|
| 2D/3D Models 282-882 | URL | Descărcare |
|----------------------|-----|------------|

CAE data

| | | |
|------------------------|-----|------------|
| WSCAD Universe 282-882 | URL | Descărcare |
|------------------------|-----|------------|


Installation Notes

Locking

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.



Snapping a transparent locking cover onto 1–8 disconnect links:

a) Mechanically lock several links for multi-pole switching applications

b) Protect markers



Snapping a transparent locking cover onto 1–8 disconnect links:

a) Mechanically lock several links for multi-pole switching applications

b) Protect markers

Supus modificărilor.