



Date

Electrical data

Ratings per IEC/EN 60664-1

Legend (ratings)

(III / 2) ≙ Overvoltage category III / Pollution degree 2

Approvals per UL 1059

Approvals per

UL 1059

Connection data

Number of connection types

1

Supus modificărilor.

Geometrical Data

Width	25 mm / 0.984 inch
-------	--------------------

Mechanical data

Suitable	for 1-conductor male and female connectors
----------	--

Material Data


Color	gray
Fire load	0,019 MJ
Weight	0,7 g

Commercial data

Product Group	3 (Multi Conn. System)
Packaging type	BOX
Country of origin	DE
GTIN	4017332650342
Customs tariff number	85389099990

Aprobări / certificate

Ship Approvals

Emblemă	Aprobare	Text de aprobare suplimentar	Nume certificat
	LR Lloyds Register	IEC 61984	96 /20035 (E5)

Counterpart

Descărcări

Documentation

Additional Information

Technical explanations	Apr 3, 2019	pdf 3,6 MB	Descărcare
------------------------	-------------	---------------	------------

Supus modificărilor.

CAD/CAE-Data

CAD data


2D/3D Models 734-329

[URL](#)

[Descărcare](#)

Installation Notes

Assembly



Strain relief plates for factory or in-the-field assembly.

Supus modificărilor.