

## Fișă tehnică | Număr articol: 211-824

Nozzles; Length: 23 mm; For the use of 211-821; halogen-free; Cable outer diameter: 5.0 ... 11.0 mm

[www.wago.com/211-824](http://www.wago.com/211-824)



### Date

#### Technical Data

Suitable	for wire diameter 5 ... 11 mm
Marking	plain
Marking	plain
Properties	for one 211-821 marker
Marking device	Smart Printer (Thermal Transfer Printer)

#### Geometrical Data

Length	23 mm
Length	23 mm

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.



## Mechanical data

Mounting type	Sliding
---------------	---------

## Material Data

Color	transparent
Material	Polyurethane
Halogen-free	Yes
Weight	1,2 g

## Environmental Requirements

Surrounding air temperature (storage)	5 ... 40 °C
Surrounding air temperature (operation)	-40 ... 80 °C
Relative humidity	40 ... 80 %

## Commercial data

Product Group	2 (Terminal Block Accessories)
Packaging type	BOX
Country of origin	IT
GTIN	4050821675020
Customs tariff number	39269097900

## Counterpart

## Installation Notes


Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.



Slide the marker into the marking sleeve receptacle. Exchanging the marker is also possible after the conductor has been terminated.



Compress the sleeve and slide it onto the conductor to be marked.

Supus modificărilor.