

Fișă tehnică | Număr articol: 281-422

Adjacent jumper; insulated; IN = IN terminal block; yellow-green

www.wago.com/281-422



Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

RoHS 
Compliant

BOMcheck.net

Culoare: **Date****Electrical data****Ratings per IEC/EN 60664-1**

Rated current	32 A
---------------	------

Approvals Ex

Rated current (Ex e II)	26 A
-------------------------	------

Geometrical Data

Width	6 mm / 0.236 inch
-------	-------------------

Depth	8 mm / 0.315 inch
-------	-------------------

Material Data

Color	yellow-green
-------	--------------

Fire load	0,01 MJ
-----------	---------

Weight	1,8 g
--------	-------

Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
---------------	----------------------------------

Packaging type	BOX
----------------	-----

Country of origin	DE
-------------------	----

GTIN	4044918253543
------	---------------

Customs tariff number	85366990990
-----------------------	-------------

Counterpart**Descărcări****Documentation****Additional Information**

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

Technical explanations

Apr 3, 2019

pdf
2,1 MB

Descărcare

CAD/CAE-Data

CAD data

2D/3D Models 281-422

URL

Descărcare

CAE data


WSCAD Universe 281-422

URL

Descărcare

Installation Notes

Jumpered



Commoning ground conductor terminal blocks with through terminal blocks is possible in one direction only (via rear side of terminal block) using adjacent jumpers. In addition to the required marking of these blocks, use yellow-green adjacent jumpers.

Supus modificărilor.