

Fișă tehnică | Număr articol: 282-422

Adjacent jumper; insulated; Nominal current 41 A; yellow-green

www.wago.com/282-422



Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

RoHS 
Compliant

BOMcheck.net

Culoare: **Date****Electrical data****Ratings per IEC/EN 60664-1**

Rated current	41 A
---------------	------

Approvals Ex

Rated current (Ex e II)	35 A
-------------------------	------

Geometrical Data

Width	8 mm / 0.315 inch
-------	-------------------

Depth	8 mm / 0.315 inch
-------	-------------------

Material Data

Color	yellow-green
-------	--------------

Fire load	0,012 MJ
-----------	----------

Weight	2,8 g
--------	-------

Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
---------------	----------------------------------

Packaging type	BOX
----------------	-----

Country of origin	DE
-------------------	----

GTIN	4044918396271
------	---------------

Customs tariff number	85366990990
-----------------------	-------------

Counterpart**Descărcări****Documentation****Additional Information**

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG
/Representative Office Romania
Sos. Pipera-Tunari nr. 1/1
building 1, 2nd floor | 077190 Voluntari, Ilfov
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

Technical explanations

Apr 3, 2019

pdf
2,1 MB

Descărcare

CAD/CAE-Data

CAD data

2D/3D Models 282-422

URL

Descărcare

CAE data


WSCAD Universe 282-422

URL

Descărcare

Installation Notes

Jumpered



Commoning ground conductor terminal blocks with through terminal blocks is possible in one direction only (via rear side of terminal block) using adjacent jumpers. In addition to the required marking of these blocks, use yellow-green adjacent jumpers.

Supus modificărilor.