



## Date

### Electrical data

Nominal voltage	250 V
Reverse voltage	1.000 V

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

## Ratings per IEC/EN 60664-1

Rated current	0,5 A
---------------	-------

## Connection data

Actuation type	Operating tool
----------------	----------------

## Geometrical Data

Width	10 mm / 0.394 inch
-------	--------------------

## Material Data

Color	gray
Insulation material	Polyamide 66 (PA 66)
Fire load	0,087 MJ
Weight	4,2 g




## Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
Packaging type	BOX
Country of origin	DE
GTIN	4045454195977
Customs tariff number	85369010000

## Counterpart

## Produse compatibile


### clamps

	<b>Nr. articol: 280-101</b> 2-conductor through terminal block; 2.5 mm <sup>2</sup> ; lateral marker slots; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/280-101">www.wago.com/280-101</a>
	<b>Nr. articol: 280-601</b> 2-conductor through terminal block; 2.5 mm <sup>2</sup> ; lateral marker slots; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/280-601">www.wago.com/280-601</a>
	<b>Nr. articol: 280-603</b> 4-conductor through terminal block; 2.5 mm <sup>2</sup> ; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm <sup>2</sup> ; orange	<a href="http://www.wago.com/280-603">www.wago.com/280-603</a>
	<b>Nr. articol: 280-621</b> 4-conductor through terminal block; 2.5 mm <sup>2</sup> ; lateral marker slots; for DIN-rail 35 x 15 and 35 x 7.5;	<a href="http://www.wago.com/280-621">www.wago.com/280-621</a>

Supus modificărilor.



CAGE CLAMP®; 2,50 mm²; gray




**Nr. articol: 280-633**

4-conductor through terminal block; 2.5 mm²; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm²; gray [www.wago.com/280-633](http://www.wago.com/280-633)



**Nr. articol: 280-681**

3-conductor through terminal block; 2.5 mm²; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm²; gray [www.wago.com/280-681](http://www.wago.com/280-681)



**Nr. articol: 280-833**

4-conductor through terminal block; 2.5 mm²; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm²; gray [www.wago.com/280-833](http://www.wago.com/280-833)



**Nr. articol: 280-901**

2-conductor through terminal block; 2.5 mm²; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm²; gray [www.wago.com/280-901](http://www.wago.com/280-901)

## Descărcări

### Documentation

#### Additional Information

Technical explanations	Apr 3, 2019	pdf 2,1 MB	Descărcare
------------------------	-------------	---------------	------------

## CAD/CAE-Data

### CAD data

2D/3D Models 280-803/281-411	URL	Descărcare
------------------------------	-----	------------

### CAE data

WSCAD Universe 280-803/281-411	URL	Descărcare
--------------------------------	-----	------------


## Installation Notes

### Assembly

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
 /Representative Office Romania  
 Sos. Pipera-Tunari nr. 1/1  
 building 1, 2nd floor | 077190 Voluntari, Ilfov  
 Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
 Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.



Similar to push-in type jumpers, these diode modules are simply pushed into the current bar's contact slots of two adjacent through terminal blocks, providing the following advantages:

- Compatibility with all 280 Series Through Terminal Blocks
- Easy retrofits for existing systems
- Separation into functional and wiring levels
- Fast replacement of other functional units

Supus modificărilor.