

## Fișă tehnică | Număr articol: 280-484

Comb-style jumper bar; insulated; 4-way; IN = IN terminal block; gray

[www.wago.com/280-484](http://www.wago.com/280-484)



### Date

#### Geometrical Data

Width	20 mm / 0.787 inch
Depth	4 mm / 0.157 inch

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.

## Material Data

Color	gray
Fire load	0,012 MJ
Weight	1,9 g

## Commercial data

Packaging type	BOX
Country of origin	DE
GTIN	4044918977104
Customs tariff number	85366990990

## Counterpart

## Produse compatibile

### tools



Nr. articol: 280-434

Operating tool; made of insulating material; 4-way

[www.wago.com/280-434](http://www.wago.com/280-434)

## Descărcări

### Documentation

#### Additional Information

Technical explanations	Apr 3, 2019	pdf 2,1 MB	Descărcare
------------------------	-------------	---------------	------------

## CAD/CAE-Data

### CAD data

2D/3D Models 280-484	URL	Descărcare
----------------------	-----	------------

### CAE data

WSCAD Universe 280-484	URL	Descărcare
------------------------	-----	------------


## Installation Notes

Supus modificărilor.

WAGO Kontakttechnik GmbH & Co. KG  
/Representative Office Romania  
Sos. Pipera-Tunari nr. 1/1  
building 1, 2nd floor | 077190 Voluntari, Ilfov  
Tel.: +40-(0)31 421 85 68 | Email: info-RO@wago.com

Aveți întrebări despre produsele noastre?  
Vă stăm la dispoziție pentru preluarea apelului la +40 (0) 31 421 85 68.


**Jumpered**



Commoning with comb-style jumper bar.

Push comb-style jumper bar down until fully inserted.

**Jumpered**




4-conductor through terminal blocks, angled type –

formation of groups with 3-way, comb-style jumper bars

**Jumpered**

Supus modificărilor.




Carrier terminal blocks with component plugs,

alternate comb-style jumper bars,

3-way, comb-style jumper bar

#### Jumpered



Commoning front-entry disconnect terminal blocks via comb-style jumper bar using a 10-pole operating tool.

Supus modificărilor.