



Svenska Barnmorskeförbundets 10-punktsprogram för en God vård i samband med barnafödande

Referenser till 10-punktsprogrammet

Birthplace in England Collaborative Group, Brocklehurst P, Hardy P, Hollowell J, Linsell L, Macfarlane A, McCourt C, Marlow N, Miller A, Newburn M, Petrou S, Puddicombe D, Redshaw M, Rowe R, Sandall J, Silverton L, Stewart M. "Perinatal and maternal outcomes by planned place of birth for healthy women with low risk pregnancies: the **Birthplace in England** national prospective cohort study. *BMJ*. **2011** Nov 23;343:d7400. doi: 10.1136/bmj.d7400.

Brody H, Sakala C. Revisiting "The maximin strategy in modern obstetrics". 2013 *J Clin Ethics*. 2013 Fall: 24(3)198-206.

Buekens P, Keirse MJ. In the literature: home birth: safe enough, but not for the first baby. *Birth*. **2012** Jun;39(2):165-7.

Bäckström C, Hertfelt Wahn E. Support during labour: first-time fathers' descriptions of requested and received support during the birth of their child. *Midwifery*. 2011 Feb;27(1):67-73. doi: 10.1016/j.midw.2009.07.001. Epub **2009** Sep 23.

Bäckström CA¹, Wahn EI, Ekström AC. Two sides of breastfeeding support: experiences of women and midwives. *Int Breastfeed J*. 2010 Nov 29;5:20. doi: 10.1186/1746-4358-5-20.

Einkin, Keirse, Neilson, Crowther, Duley, Hodnett et al. A guide to effective care in pregnancy and childbirth. #rd ed. Oxford (UK) Oxford University Press. 2009:249. 13 Lederman E Work BA, McCann DS.

Glantz JC. Obstetric variation, intervention, and outcomes: doing more but accomplishing less. *Birth*. 2012 Dec;39(4):286-90.

Hatem M, Sandall J, Devane D, Soltani H, Gates S. Midwife-led versus other models of care for childbearing women. *Cochrane Database Syst Rev*. **2008** Oct 8;(4):CD004667. doi: 10.1002/14651858.CD004667.pub2. Review. Update in: *Cochrane Database Syst Rev*. 2013;8:CD004667.

Hildingsson I, Thomas J, Karlström A, Olofsson RE, Nystedt A. Childbirth thoughts in mid-pregnancy: prevalence and associated factors in prospective parents. *Sex Reprod Healthc*. 2010 Apr;1(2):45-53. doi: 10.1016/j.srhc.2009.11.003. Epub **2010** Jan 4

Hodnett ED, Downe S, Walsh D, Weston J. Alternative versus conventional institutional settings for birth. *Cochrane Database Syst Rev*. **2010** Sep 8;(9):CD000012. doi: 10.1002/14651858.CD000012.pub3. Review. Update in: *Cochrane Database Syst Rev*. 2012;8:CD000012



Svenska Barnmorskeförbundets 10-punktsprogram för en God vård i samband med barnafödande

Hodnett ED, Gates S, Hofmeyr GJ, Sakala C, Weston J. Continuous support for women during childbirth. *Cochrane Database Syst Rev.* **2011** Feb 16;(2):CD003766. doi: 10.1002/14651858.CD003766.pub3. Review. Update in: *Cochrane Database Syst Rev.* 2012;10:CD003766.

Hälso- och sjukvårdslagen (SFS 1982:763) (HSL), Socialstyrelsens föreskrifter och allmänna råd 2 § HSL samt 12 § HS.L

Hodnett ED. Home-like versus conventional institutional settings for birth. *Cochrane Database Syst Rev.* **2000**;(2):CD000012. Review. Update in: *Cochrane Database Syst Rev.* 2001;(4):CD000012.

Kane RL, Shamliyan TA, Mueller C, Duval S, Wilt TJ. The association of registered nurse staffing levels and patient outcomes: systematic review and meta-analysis. *Med Care.* **2007** Dec;45(12):1195-204. Review

Lindgren HE, Rådestad IJ, Christensson K, Hildingsson IM. Outcome of planned home births compared to hospital births in Sweden between 1992 and 2004. A population-based register study. *Acta Obstet Gynecol Scand.* **2008**;87(7):751-9.

Needleman J, Buerhaus P, Mattke S, Stewart M, Zelevinsky K. Nurse-staffing levels and the quality of care in hospitals. *N Engl J Med.* **2002** May 30;346(22):1715-22.

Waldenström U, Nilsson CA. A randomized controlled study of birth center care versus standard maternity care: effects on women's health. *Birth.* **1997** Mar;24(1):17-26.

Sandall J¹, Soltani H, Gates S, Shennan A, Devane D. Midwife-led continuity models versus other models of care for childbearing women. *Cochrane database Syst Rev.* 2013 Aug 21;8

Sasichay-Akkadechanunt T, Scalzi CC, Jawad AF. The relationship between nurse staffing and patient outcomes. *J Nurs Adm.* 2003 Sep;33(9):478-85.

Scott KD, Klaus PH, Klaus MH. The obstetrical and postpartum benefits of continuous support during childbirth. *J Womens Health Gen Based Med.* **1999** Dec;8(10):1257-64. Review.

SFS 2010:659) (PSL), uppdaterad 2013

SFS 2012:957

SFS 2013:276



Svenska Barnmorskeförbundets
10-punktsprogram för en God vård
i samband med barnafödande

Wiklund I, Matthiesen AS, Klang B, Ransjö-Arvidson AB. A comparative study of labour outcome and womens perception of being referred in labor. Midwifery 2002 Sep 18

(http://www.nursingcenter.com/Inc/journalarticle?Article_ID=1163290,
<http://www.sbu.se/sv/Evidensbaserad-varld/>)

www.patientforsakringen.se

Zhang J Bernasko, J,W Leybovich, E, Fahs, M, Hatch, M,C. Continuous labor support from labor attendant for primiparous women: A meta analysis. JOGNN Volume 35. Number 4. Obsterics and gynecology, 88, 839-744