

Operations Committee Report

Charter:

To ensure the community is well maintained and operations runs smoothly by overseeing day to day activities, expenses and priorities of both work orders and maintenance.

Co-chairs: Paul McDaniels - paulm@bigelkmeadows.org & Pat Sorenson - pats@bigelkmeadows.org

Written and Submitted By: Paul Flanagan and Pat Sorenson Date: 15, July 2022

New Committee Members: Pending 16, July 2022 Board approval

Status of Action Items from 18, June 2022 Board Meeting:

SITUATION	OBSERVATION	ACTION
Hickory Drive	Mild amount of erosion observed after 2 recent precipitation events – paved drive and curb appear to concentrate water at Hickory causing some erosion, even in minor runoff events	Upper Hickory will need grading work and road base to shift drainage path on lower road and property to safer location. Op's. will complete ground survey by early August to determine specific extent of grading work and road base. Op's. anticipates recommendation at August 2022 meeting.
Baseball field & backstop	Field rocks are from GC for dams staging area which were covered with "topsoil", but since, rocks have migrated to surface.	Removal of rock will be very labor intensive. Small areas may be available for other activities but for safety all rock near any play areas must be removed. Future use to be reviewed by LTPC
	Backstop dismantled and removed	Fence materials at dumpster were observed to be in fair to good condition for salvaging, but also damaged and have since been hauled away.
CR 47 Update	Road base work very near complete. GC now anticipates paving week of 18 July, 2022	None, work in good progress – Members stay tuned for ribbon cutting to be announced soon
Process for creating work orders	Logging system including closure dates in place noting diligence needs to be improved by any party initiating work order.	Pending committee work order assignee further to provide weekly updates to Pat for review and transfer to Google Drive



SITUATION	OBSERVATION	ACTION
Pool heater	Gas valve and misc. parts needed	Pat has same as current unit is
	replacement. Other minor parts	available US and can be delivered to
	still missing so operation needs	BEM and installed in a couple weeks,
	tweaking and has also installed	however, Pat also found previous
	additional safety cage.	cancelled order was undersized and
		not rated for 7500 elevation. Pat
	Previous supplier withdrew quote	continuing to pursue larger
1	at Pat's request due to lack of firm	"commercial" unit availability and
	shipment date and delays to date.	price. The commercial unit should be
		considered with other major pool
		"remodel" repair matters under
		consideration now and to be reviewed
		in more detail by LTPC and through
		Board this fall.
Meet owner handling	Schedule for completion remains	Paul M met with property owner.
demolition and	unknown	Very cordial. Property owner wants
removal of 1032 Aspen		to continue on his own removal
home severely		process but understands member
damaged by boulder		concerns and will work on safer
from major storm		approach for stockpiles and removals.
runoff		Paul M informed owner BEM is very
		willing to be a helping hand in any
		way they can.
		Site to be spot checked from Aspen by
		op's. committee assignee(s) on weekly
		then monthly basis, depending on
		progress.
Year Long Goals	Some not all in place – first focus	Committee assignee(s) to work on in
	is on fleet	Aug Sept.

Status of "Routine" Operational Matters for Month of June, 2022:

Water Treatment

Our Monthly Water Tests are complete with good results. The Wells are meeting the demand for raw water. The Water Treatment Plant had a minor leak which we repaired. Treatment supplies ordered and received. DMR report completed and submitted.

Roads

Main road has been graded and will be receiving more road base as it becomes available. Interior road work is ongoing.



Equipment

Equipment for Ritchie Bros. August 3 & 4 Auction:

The 1990 white International dump truck received new batteries and is ready for transport.

The 2003 white Dodge sanding truck is ready for transport.

The 1976 track loader is being serviced and will be ready for transport as well.

Utilization of major equipment:

Back Hoe 3.3 Hours Skid Steer 8.1 Hours Road Grader 16 Hours

Maintenance of all equipment:

Recently elected committee along with committee assignee are working extensively toward improving the system of scheduling, frequency and logging, all to be recorded in data-base for continuous monitoring, budgeting and best long term optimization.

Work Orders

5 Work orders completed this month. See action items for improving tracking.

Others

Mower Operations Proceeding with equipment performing well.

Concrete Liner Tank Repair: Pat reviewing bids anticipating work in Aug-Sept
Upper Steel Tank Repair: Paul Flanagan coordinating for work in Aug-Sept

Lower Flume Repair: WIP – minor

Supply line from Mirror to Plant: Needs to go to GC. Pat pursuing expanding L4 GC work

order currently in place on a hydrant raising

Tennis Courts: WIP – see LTPC report and view onsite as you wish

Operations Hours, June 2022

Monthly Total Hours for Typical 8 Hour Work Days		
Monthly Total Hours Logged Incl. Leave with Pay		
Monthly Hours - Water Supply (Treatment Plant, Well, Supply, Lakes)		
Monthly Hours – Roads (Grading and Repairs)		
Monthly Hours – Pool (Startup, Daily Monitoring, Training, Operations, Repairs)	54	
Monthly Hours – Equipment Repair (All Physical Plant and Vehicles)		
Monthly Hours – Admin. (Meetings with Ops., Timesheets, Reviews, Misc.)		
Monthly Hours – Trash, Slash and Dumpster		
Monthly Hours – Bereavement Leave		
Monthly Hours – Spring Cleanup	12	
Monthly Hours – Member Misc. (Partially billable – TBD)		
Monthly Hours – Total Logged (Reconciled to above)		
Above Hours Based on Time Sheet Entries and Op's. First Run on Categorization		