

# **Operations Committee Report**

<u>Charter:</u> To ensure the community is well maintained and operations runs smoothly by overseeing day to day activities, expenses and priorities of both work orders and maintenance.

Co-chairs: Paul McDaniels - paulm@bigelkmeadows.org & Pat Sorenson - pats@bigelkmeadows.org

Written and Submitted By: Paul Flanagan and Pat Sorenson Date: 19, August, 2022

# **Committee Members:**

Ken Battaglini, Paul Cyphers, David Evertson, Curt Loomis, Paul McDaniels, Pat Sorenson, Dan Wray

## Status of Action Items from 16, July 2022 Board Meeting:

SITUATION	OBSERVATION	ACTION	
Hickory Drive	Erosion observed after rainfalls –	Upper Hickory will need grading work	
Thickory Drive	paved drive with curb and gravel	to shift and possibly split drainage	
	drive concentrate water at upper	path. Op's. completed ground survey	
		, , , , , ,	
	Hickory causing significant	and now needs to complete draft plan	
	sediment transport across road	for specific extent of work. Op's. now	
	and into tree area between upper	anticipates recommendation at	
CD 47.11 - 1-1 -	and lower Hickory	September 2022 meeting.	
CR 47 Update	Paving will continue to about	None. County staff is very pleased	
	August 30 due to delays in	with progress and results through this	
	material deliveries. Guard rails	summer. BEMA please stay tuned for	
	near completion, shoulder finish	ribbon cutting to be announced soon.	
	to follow paving.		
Process for creating	Logging system including closure	Pending committee work order	
work orders (Repeat	dates in place noting diligence	assignee further to provide weekly	
from previous month)	needs to be improved by any	updates to Pat for review and transfer	
	party initiating work order.	to Google Drive	
Mirror southwest	Some upper trees near	Water Quality to review remaining	
shoreline trees	Christenson property removed	shoreline. Possibly remove in winter.	
Pool heater update	Parts for existing heater are still	Pat continuing to pursue larger	
	missing so system still in need of	"commercial" unit availability and	
	minor tweaks to assure continued	price. The commercial unit should be	
	heating. Operations has installed	considered with other major pool	
	safety gate above heater. The	"remodel" repair matters under	
	equal size replacement remains	consideration now and to be reviewed	
	available but is on hold as current	in more detail by LTPC and through	
	heater is getting BEM by for now.	Board this fall.	
Year Long Goals	Some but not all in place –	Committee assignee(s) to work on in	
	primary focus is water supply.	Aug Sept.	



## Status of "Routine" Operational Matters for Month of July, 2022:

#### Water Operations:

The Wells are continuing to meet demand and the Water Treatment Plant is performing well. Lead & Copper and Disinfection Bi Products Tests are complete with results coming soon. We performed a full GAC Filter Media change which improves taste order and color of our finished water. Water meter readings are complete.

#### Roads

Main road has been graded and will be receiving more road base as it becomes available. Interior road work is ongoing.

## **Equipment**

Equipment for Ritchie Bros. successful – see finance committee for proceedings

Utilization of major equipment: Back Hoe 3.9 Hours Skid Steer 11.6 Hours Road Grader 15.4 Hours

# Maintenance of all equipment:

Committee goal remains to work toward improving the system of scheduling, frequency and logging, data-base for continuous monitoring, budgeting and best long term optimization.

#### **Work Orders**

Committee is falling behind on work orders but fully expect to be caught up in August.

### Others

Meeting with Water Commissioner: Very productive and highly successful

Supply line from Mirror to Plant: Contractor hired - work scheduled for August 22.

Upper and Lower Steel Tank Repair: Work complete, video forthcoming.

Concrete Liner Tank Repair: Pat reviewing bids anticipating work in Sept.-Oct. Lower Flume Repair: Will need to contract out. Work order pending. **Upper Flume Entry Repairs:** Will need to contract out. Work order pending. Hydrant raising: Under contract with L4, pending material delivery. Proceeding with equipment performing well.

**Mower Operations** 

Tennis Courts: WIP - see LTPC report.



2022 Operations Monthly Work Hour Activities		June Hours	July Hours
1)	Water Supply (Treatment Plant, Well, Supply, Lakes)	130	119
2)	Roads (Grading and Repairs)	18	36
3)	Pool (Startup, Daily Monitoring, Training, Operations, Repairs)	54	31
4)	Equipment Repair (All Physical Plant and Vehicles)	58	46
5)	Meetings with Ops., Timesheets, Reviews, Misc.	36	42
6)	Trash, Slash and Dumpster	24	19
7)	Leave	18	24
8)	Special Projects (June – Spring Cleanup, July - Tennis Courts)	12	45
9)	Member Misc. Communications	<u>12</u>	<u>8</u>
	Total Logged (Dustin and Paul)	362	369