



IS standard



GROWING TOGETHER

AIROMAX

RADIAL CRANE TIRES

AM28

WINTER




PRODUCT DATA SHEET

AIROMAX AM28 WINTER

RADIAL CRANE TIRES



 AIROMAX AM28 WINTER has been specifically designed for high-speed mobile cranes in the construction industry. Indeed, this BKT tire has been optimized for facing challenging tasks on construction sites that require precise handling at high speeds up to 80 km/h (50mph). AIROMAX AM28 WINTER is made of a particularly heat-resistant compound – an important feature in such demanding environments. The specially developed tread block pattern with multiple small, serrated grooves provides exceptional grip and traction, avoiding skidding even on ice and snow. In addition, the tire provides outstanding and smooth riding comfort, even during heavy-duty operations.






-  Radial
-  F
-  174

Technologies



Performance



	Tire size	Type	STAR RATING	LI/SS	Version	O.W.	O.D.	SLR	RC	TREAD DEPTH (mm)	RIM	
						(mm)	(mm)	(mm)	(mm)		Rec.	Alt.
												
Ø 25"	445/95 R 25 (16.00 R 25)	TL	-	174 F	STD	435	1487	694	4578	23.5	11.25/2.0	11.00/1.7 CR ; 11.00/1.7 CRL

STD: Standard



Tolerances: O.D. ± 2% - O.W. ± 2% - RC ± 2.5% - LI/SS = Load Index / Speed Symbol; O.W. = Overall Width; O.D. = Overall Diameter; SLR = Static Loaded Radius; RC = Rolling Circumference

All images, texts and graphics contained in this brochure are the copyright of BKT. Permission is granted to print hard copies of this material. Any other form of reproduction, electronic or otherwise, as well as the application of any changes, partially or entirely, to images, texts, graphs and data is strictly prohibited without prior written permission by BKT. Balkrishna Industries Limited (BKT) reserves itself the right to alter any details contained in the publication without prior notice.