



FL 634 PERFORMA

Descriere

The new FL 634 PERFORMA is an All Steel radial tire that meets the growing demand for logistics in agriculture. Specifically designed for vehicles such as agro trucks and tank trucks, this tire embodies great efficiency and versatility making it suitable for transport operations from the harvest field to the processing or any other farm area. Engineered for high-speed performance, it ensures excellent roadability on asphalt along with smooth and rapid transportation, an essential need in modern agriculture. The innovative open shoulder and tread design significantly enhance tire traction both on the road and in the fields providing outstanding self-cleaning properties. The tread compound, the specific construction features, and a strong steel body ply with four steel belts make FL 634 PERFORMA synonym for robustness and resistance to any kind of damage ensuring a long service life. In addition, the bead has been reinforced with a steel chafer that ensures high clamping stability in any operation mode.



UM

IS Standard

Construcție

 Radial

Utilaje

Agricultură ▪ Camion agro

Version

STANDARD

Tire Type

TL

Dimensiune anvelopă

600/50R22.5

LI/SS

164;J

Dimensiuni IS Standard

| | |
|----------|-----------------|
| OD (mm) | 1170 |
| SLR (mm) | 535 |
| RC (mm) | 3567 |
| Rim Rec | AG 20.00 |
| ECE | E11-54R-0020871 |

Load Capacity (IS)

| | |
|------------|------|
| km/h / bar | 6.50 |
| 40 | 5750 |
| 100 | 5000 |

Valorile circumferinței de rulare și SLR sunt la sarcina nominală și presiunea de umflare nominală. Aceste valori pot varia în condiții diferite de sarcină și presiune.

Tipărit la 26-03-2026

Toate datele despre produse conținute în această publicație au scop exclusiv informativ și pot fi modificate oricând fără notificare prealabilă. Balkrishna Industries Ltd. sau oricare dintre filialele sale nu își asumă nicio responsabilitate pentru erori nedetectate și/sau greșeli de tipar. Toate drepturile rezervate.

Materialele și conținuturile acestei publicații și ale site-ului web sunt proprietatea exclusivă a Balkrishna Industries Ltd. și sunt protejate de legile privind proprietatea industrială și/sau intelectuală. Utilizatorul nu este autorizat să copieze, reproducă, transfere, încarce, utilizeze, publice sau distribuie niciun conținut, integral sau parțial, în format tipărit, electronic sau altfel, fără consimțământul prealabil scris al Balkrishna Industries Ltd.