



STATIC SOLUTIONS WITH SAVINGS



P. 623-582-6700 F. 623-582-6776



GLOBAL SUPPLIER

BOTRON
ESD
CATALOG


STATIC SOLUTIONS WITH SAVINGS

BOTRON CO. INC. ESD CATALOG

Botron Company Inc. is a manufacturer of ESD safe and static control products and equipment. We are pleased to have serviced the EOS/ESD Industry since the 80's. Founded by Robert C. Hooley, it has always been our goal here at Botron to consistently offer the highest quality products at the best value.

From our early days, Botron has been a company that has been approachable, a company with a philosophy of developing relationships with its customers. When you buy our Botron static control products, you are not just getting a piece of equipment packed up in a box, you are getting one-on-one support from the moment you first call. Our sales staff is customer driven, so every order is treated the same whether large or small.

Being a customer driven, family owned and operated business, we have brought our values as a family into our daily work. We believe in taking care of one another and going the extra mile. We have been told "we are the easy ESD manufacturer to work with". Botron Company Inc. hopes that you too will see this when working with us.

Sincerely,
Robert C. Hooley - President

Ordering Info & Locations

P: 623-582-6700
F: 623-582-6776
email: sales@botron.com

Botron Phoenix - Corporate
21601 N. 21st Avenue
Phoenix, AZ 85027
(623) 582-6700

Botron North East - Stocking Warehouse
10 Dunklee Road, Unit 24
Bow, NH 03304



- More Products
- More Information
- Scan for Website



Personal Grounding

Heel Grounders.....	3-5
Coil Cords.....	6
Wrist Straps.....	7-8

ESD Matting

Table Mats.....	9-10
Floor Mats.....	11-13
Field Service Kits.....	14
Grounding & Hardware.....	15-16

ESD Test Equipment

Monitors.....	17
Resistivity Testers.....	18
ELITE Test System/Turnstile.....	19-22
ESD Test Stations.....	21
Resistance Testers.....	22

Ionization

Overhead.....	23
Bench Top.....	23
Compressed Air.....	24
Ionization Audit Equipment.....	25

Material Handling

Bags & Sealers.....	26-27
Labels & Signage.....	28
Production Tools.....	29
Board Handlers & Foam.....	30

Floor Care & Cleaners

Floor Finish.....	31
Concrete Finish.....	31
Mat Cleaner.....	31

Cleanroom

Tacky Mats.....	32
Cleanroom Wear.....	32

Garments

Gloves.....	33
Finger Cots.....	33
Smocks.....	34

Tapes

Cellulose.....	35
Hi-Temp.....	35
Aisle Marking.....	35
Tape Dispensers.....	36

ESD Accessories

Fume Extractors.....	30
Spray Bottles.....	37
Rubber Bands.....	37
Binders.....	38
Sheet Protectors.....	38
Chairs.....	39

STATIC SOLUTIONS WITH SAVINGS

Data Acquisition Has Arrived!

- Failure Prevention
- VTR Technology
- Real Time Results
- Personalized Flexibility

See page 19

ELITE

w/  VTR®




1000'S OF PRODUCTS NEW INNOVATIONS



**BOTRON ELITE
SPEEDLANE
ESD TEST SYSTEM**

See page 20



**THE MOST ADVANCED
CONSTANT MONITOR SYSTEM**

ELITE

See page 17

HEEL GROUNDER ERGO-ONE



**AVAILABLE IN
THESE COLORS**

Blue Ergo-One Heel Grounders

B7500 Blue 1 MegOhm Resistor
B7501 Blue No Resistor
B7502 Blue 2 MegOhm Resistor

Black Ergo-One Heel Grounders

B7510 Black 1 MegOhm Resistor
B7511 Black No Resistor
B7512 Black 2 MegOhm Resistor

Cup Design: 1.5" x 7.5" Two Layer Rubber
Sole Interior: Non-Marking Rubber
Sole Exterior: Conductive Rubber 5x10³
Ribbon: 24" Conductive Nylon
Charge Decay: <0.01Sec
Thickness: 0.080
Resistor: 1 MegOhm, 2 MegOhm, & No-Resistor models
RTG (w/ 1Meg): 1.1x10⁶ (min. rating)
RTG (w/ 2Meg): 2.2x10⁶ (min. rating)
Standards: ANSI/ESD S.20.20 & Mil-263A
Fastening system: ¾" x 7" Stretch Hook & Loop

Cup design:

The cup of all Botron Heel Grounders (w/exception to the hi-visibility models) are a symmetrical design that can be reversed when put on. It also features a dual layer rubber with a non-marking inside and a conductive rubber outside. As with all of our static control heel grounders, the Ergo One Series has a 1.5" wide rubber cup, securing both at the back and underneath the heel. It's 7.5" length rubber provides enough cup volume to fit comfortably on those with larger shoe sizes.

Grounding:

Our ESD heel grounders come standard with a conductive 24" ribbon. All resistors are built in and are available in 1meg or 2meg applications, also available in no resistor.

HEEL GROUNDER DAY-GLOW



Features: The Day-Glow features a hi-visibility yellow stretch hook and loop fastening system for easy identification in the work area.

Resistor: 1 MegOhm, 2 MegOhm, and No-Resistor models
RTG (w/ 1Meg): 1.1x10⁶ (min. rating)
RTG (w/ 2Meg): 2.2x10⁶ (min. rating)
Standards: ANSI/ESD S.20.20 & Mil-263A
Fastening system: ¾" x 7" Stretch Hook & Loop

Yellow Day-Glow Heel Grounders

B7530 Yellow 1 MegOhm Resistor
B7531 Yellow No Resistor
B7532 Yellow 2 MegOhm Resistor

HEEL GROUNDER STANDARD



Features: Botron's Standard Heel Grounder features a non-stretch hook and loop fastening system and meets DOD 263A standards.

Resistor: 1 MegOhm, 2 MegOhm, and No-Resistor models
RTG (w/ 1Meg): 1.1x10⁶ (min. rating)
RTG (w/ 2Meg): 2.2x10⁶ (min. rating)
Standards: ANSI/ESD S.20.20 & Mil-263A
Fastening system: ¾" x 7" Hook & Loop

Black Standard Heel Grounders

B7503 Black 1 MegOhm Resistor
B7504 Black No Resistor
B7508 Black 2 MegOhm Resistor



STATIC SOLUTIONS WITH SAVINGS

Blue Non-Marking Heel Grounders

B7571 Blue No Resistor
B7573 Blue 1 MegOhm Resistor
B7574 Blue 2 MegOhm Resistor



Features: Non-Marking Heel Grounders will not leave scuff marks and blemishes on your floor. It features a durable three layer rubber.

Cup Design:	1.5" x 7.5" Three Layer Rubber
Sole Interior:	Non-Marking Rubber
Sole Inside:	Conductive Rubber
Sole Exterior:	Non-Marking Rubber
Thickness:	0.130
Resistor:	1 MegOhm, 2 MegOhm, and No-Resistor models
RTG (w/ 1Meg):	<10 ⁸ (min. rating)
RTG (w/ 2Meg):	<10 ⁸ (min. rating)
Standards:	ANSI/ESD S.20.20 & Mil 263
Fastening system:	¾" x 7" Stretch Hook & Loop

HEEL GROUNDER NON-MARKING

Yellow Non-Marking Heel Grounder

B75250 Yellow 1 MegOhm Resistor

**D-Ring Heel Grounders**

B7528 Royal Blue 1 MegOhm Resistor
B7529 Bright Red 1 MegOhm Resistor

Features: D-Ring Heel Grounders feature a single hook and loop strap that make for easy fastening.

Resistor:	1 MegOhm, 2 MegOhm, and No-Resistor models
RTG (w/ 1Meg):	1.1x10 ⁶ (min. rating)
RTG (w/ 2Meg):	2.2x10 ⁶ (min. rating)
Standards:	ANSI/ESD S.20.20 & Mil 263
Fastening system:	¾" x 14" Hook & Loop w/ plastic D-Ring



HEEL GROUNDER D-RING

Hi-Visibility Heel Grounders

B7595 Yellow 1 MegOhm Resistor

Features: Botron's all new Hi-Visibility Heel Grounder is designed with a Day-Glow hook and loop fastening system as well as the heel strap for greater visibility on the work floor.

Cup Design:	1.5" x 7.5" Two Layer Rubber w/ day glow elastic heel strap
Resistor:	1 MegOhm
RTG (w/ 1Meg):	1.1x10 ⁶ (min. rating)
RTG (w/ 2Meg):	2.2x10 ⁶ (min. rating)
Standards:	ANSI/ESD S.20.20 & Mil 263
Fastening system:	¾" x 7" Stretch Hook & Loop



HEEL GROUNDER HI-VISIBILITY

NEW HI-VISIBILITY CUP DESIGN

Black Snap-Loc Heel Grounders

B7525 Black Elastic 1 MegOhm Resistor
B7526 Black Elastic No Resistor
B7527 Black Elastic 2 MegOhm Resistor

Features: Snap-Loc Heel Grounders utilize a snap-loc buckle for quick fastening as well as an elastic strap for a snug fit.

Resistor:	1 MegOhm, 2 MegOhm, and No-Resistor models
RTG (w/ 1Meg):	1.1x10 ⁶ (min. rating)
RTG (w/ 2Meg):	2.2x10 ⁶ (min. rating)
Standards:	ANSI/ESD S.20.20 & Mil 263
Fastening system:	Plastic Locking Snap Mechanism



HEEL GROUNDER SNAP-LOC

TOE GROUNDER ERGO-ONE



Cup Design: 1.5" x 7.5" Two Layer Rubber
Sole Interior: Non-Marking Rubber
Sole Exterior: Conductive Rubber 5 x 10³
Ribbon: 10" Conductive Nylon
Charge Decay: <0.01Sec
Thickness: 0.080
Resistor: 1 MegOhm, 2 MegOhm, and No-Resistor models
RTG (w/ 1Meg): 1.1x10⁶ (min. rating)
RTG (w/ 2Meg): 2.2x10⁶ (min. rating)
Standards: ANSI/ESD S.20.20 & Mil 263
Fastening system: Plastic Locking Snap
Packing: 1 per bag / bags of 25

Black Ergo-One Toe Grounders

B7522 Black 1 MegOhm Resistor

B7523 Black No Resistor

B7524 Black 2 MegOhm Resistor

B7520 Day Glow 1 MegOhm Resistor

Features: The cup of the Ergo One toe grounder is constructed of a 5" long piece of dual layer rubber, with a non-marking interior and a conductive rubber outer layer. All of our Toe Grounders utilize our elastic stretch strap and snap-loc design.

SOLE GROUNDER FULL COVERAGE



Cup Design: Sm. - 7"/ Med. - 7.5"/ Lg. - 9"
Sole Interior: Non-Marking Rubber
Sole Exterior: Conductive Rubber 5 x 10³
Ribbon: 24" Conductive Nylon
Charge Decay: <0.01Sec
Thickness: 0.080
Resistor: 1 MegOhm and 2 MegOhm
RTG (w/ 1Meg): 1.1x10⁶ (min. rating)
Standards: ANSI/ESD S.20.20 & Mil 263
Fastening system: ¾" x 8" Stretch Hook & Loop w/ plastic D-Ring
Packing: 1 per bag / bags of 10

Black Full Coverage Sole & Heel Grounders

B7505 Small Black 1 MegOhm Resistor

B7505R Small Red 1 MegOhm Resistor

B7506 Medium Black 1 MegOhm Resistor

B7506B Medium Blue 1 MegOhm Resistor

B7507 Large Black 1 MegOhm Resistor

B7507-XL XL Black 1 MegOhm Resistor

Features: The Full Coverage Sole Grounder is designed to provide maximum surface coverage. The benefit of wearing a sole grounder is always maintaining contact with the floor surface whether on heel or toe.

HEEL GROUNDER DISPOSABLE



Fabric: Non-woven polyester
RTG: <3.5 x 10⁷
Color: Hi Visibility Yellow
Size: 11 3/4 x 1/2
Packing: 100 per pack

Disposable Heel Grounders

B750368 Disposable High Visibility Yellow

Features: Botron's disposable heel ground is the ideal solution for visitors and temporary personnel on the work floor of static controlled environments. It is a non-woven polyester with a wide conductive fiber strip. It easily adheres to the sole of the shoe and tucks conveniently into footwear.

**GREAT VALUE FOR
ONE TIME USE**

SHOE COVERS DISPOSABLE



B20020
Material: 100% Polypropylene
Sizes: Lg. - 16.5" x 7.5"
XL. - 17.5" x 7.5"
Surface Resistance: <10⁶
Ribbon: 12"
Tension Strength: 15Mpa

B20023
Material: 100% Polypropylene
Sizes: Lg. - 16" x 6"
XL. - 18" x 6"
Particles: 199 average

Disposable Shoe Covers

B20020 Conductive Shoe Covers (300/pk)

B20023 Polypropylene Shoe Covers (300/pk)

Features: Botron's shoe covers are constructed from a medium weight spun polypropylene fabric. Our conductive shoe covers feature a sewn-in conductive ribbon with a surface resistance of 10⁶. Both the B20020 and B20023 come in two sizes.

STATIC SOLUTIONS WITH SAVINGS

G.E.M. ESD Coil Cords

B2308 Ruby G.E.M. Line 6' coil cord 1/8" snap

B2328 Ruby G.E.M. Line 12' coil cord 1/8" snap

B2448 Emerald G.E.M. Line 6' coil cord 1/8" snap


B2428 Emerald G.E.M. Line 12' coil cord 1/8" snap

B2508 Sapphire G.E.M. Line 6' coil cord 1/8" snap

B2528 Sapphire G.E.M. Line 12' coil cord 1/8" snap

**SEE PAGE 7 FOR
WRIST STRAP SETS**

COIL CORDS G.E.M.



"G.E.M." coil cords come in 6' or 12' lengths. They are available with a spring loaded 1/8" (4mm) connector to standard banana jack to ensure a reliable path to ground. Each cord comes with a slip on alligator clip that attaches to the banana jack for greater expansion of use. G.E.M. coil cords allow work room supervisors to easily detect when workers are properly grounded. Available in 3 vivid colors.

COIL CORDS LONG LIFE



Standard Coil Cords

B2004 Standard Coil Cord 6' 1/4" snap

B2008 Standard Coil Cord 6' 1/8" snap

B2024 Standard Coil Cord 12' 1/4" snap

B2028 Standard Coil Cord 12' 1/8" snap



NEW

Dual Wire Coil Cords

B2606 Dual Wire Coil Cord 6', Mono Jack

B2612 Dual Wire Coil Cord 12', Mono Jack
(Both to be used with B920724 Monitor)



Dual Coil Cords

B2184 Dual Standard Coil 2- 6' 1/8" snap

B2188 Dual Standard Coil 2- 12' 1/8" snap



Light Weight Coil Cords

B2108 Light Weight Coil Cord 6' 1/8" snap

B2110 Light Weight Coil Cord 12' 1/8" snap



Green Lead Free Coil Cords

B2008G Green Coil Cord 6' 1/8" snap

B2028G Green Coil Cord 12' 1/8" snap



90° Coil Cords

B2118 90° Angle Coil Cord 6' 1/8" snap

B2128 90° Angle Coil Cord 12' 1/8" snap



Field Service Coil Cords

B2185 Field Service Coil Cord 8' 1/4" snap & 10' 1/4" snap

Design:

Botron Long Life coil cords are made of black PVC insulation and 7 strand tinsel wire that provides superior strain reliefs at both ends. All Long Life coil cords come with a built in 1meg Ohm 1/4 watt resistor at snap end. Most models available in lengths of 6' and 12' long.

Mounting System:

Available in either a spring loaded 1/8" (4mm) or 1/4" (7mm) socket connector to standard banana jack applications. Each cord comes with a slip on alligator clip that attaches to the banana jack for greater expansion of use.

Standards:

Meets S1.1 of one to five pounds breakaway force



WRIST STRAPS

G.E.M.

STATIC SOLUTIONS WITH SAVINGS



"G.E.M." coil cords are built on the same high quality platform as the "Long Life" wrist strap sets and offer the same durability and superior life. The G.E.M. line is unique in that its high visibility makes them easy to identify in the work environment.

Notes:

Lead-free RoHS compliant
High visibility
Available in Ruby Red, Emerald Green and Sapphire Blue
One size fits all
Translucent coil cords
Barrel type banana jack
1/8" (4mm) stud
Coil has built in One MegOhm resistor
Superior Strain relief
Removable alligator clip with set

G.E.M. Wrist Straps**B9908** Ruby adjustable set w/6' coil 1/8" snap**B9928** Ruby adjustable set w/12' coil 1/8" snap**B9938** Ruby band only w/1/8" snap**B9948** Emerald adjustable set w/6' coil 1/8" snap**B9958** Emerald adjustable set w/12' coil 1/8" snap**B9968** Emerald band only w/1/8" snap**B9978** Sapphire adjustable set w/6' coil 1/8" snap**B9988** Sapphire adjustable set w/12' coil 1/8" snap**B9998** Sapphire band only w/1/8" snap

**SEE PAGE 17 FOR
MONITORING**

WRIST STRAPS

LONG LIFE**Standard Adjustable Wrist Straps****B9008** Standard Adjustable set w/6' coil 1/8" snap**B9004** Standard Adjustable set w/6' coil 1/4" snap**B9028** Standard Adjustable set w/12' coil 1/8" snap**B9024** Standard Adjustable set w/12' coil 1/4" snap**B9018** Light Weight Adjustable set w/6' coil 1/8" snap**B9010** Light Weight Adjustable set w/12' coil 1/8" snap**B9038** Standard band only w/1/8" snap**B9034** Standard band only w/1/4" snap**Green Lead Free Wrist Straps****B9008G** Green "Lead Free" Adjustable set with 6' coil 1/8"**B9028G** Green "Lead Free" Adjustable set with 12' coil 1/8"**B9038G** Green "Lead Free" band only with 1/8" snap**Burgundy Constant Contact Hinge Wrist Straps****B96108** Burgundy adjustable set w/6' coil 1/8" snap**B96128** Burgundy adjustable set w/12' coil 1/8" snap**B96138** Burgundy band only w/1/8" snap

High quality Long Life adjustable anti static wrist strap sets are available in a 6' or 12' standard coil cord design. They provide the performance and reliability of a metal band with the comfort of cloth. The blue knitted material has a soft outer area and a 5/8" conductive area on the inside. Unlike many others which have 3-5 rows of conductive thread, these have a 5/8" area of solid conductive material, the largest conductive area on the market.

Material:

Knitted 3/4" wide stretch elastic and cotton band
5/8" wide conductive woven thread
Stainless steel back plate
Composite face with metal snap
PVC cord and 7 strand tinsel wire

Meets Standards:

ANSI EOS/ESD S4.1 RTG

**Blue Constant Contact Hinge Wrist Straps****B9608** Blue adjustable set w/6' coil 1/8" snap**B9628** Blue adjustable set w/12' coil 1/8" snap**B9638** Blue band only w/1/8" snap

STATIC SOLUTIONS WITH SAVINGS

WRIST STRAPS ADJUSTABLE



Dual Wire Adjustable Fabric Wrist Straps

B9506 Dual Wire adjustable wrist strap w/ 6' coil mono jack

B9512 Dual Wire adjustable wrist strap w/12' coil mono jack

B9587 Dual Wire adjustable wrist strap only



Back Plate: Stainless Steel
Snap: 2 - 1/8"
Coil: 6' & 12' Mono Jack

**FOR COIL CORDS
SEE PAGE 6**

Dual Wire Wrist Straps

B9358 Dual wrist strap w/6' coil & dual 1/8" snap

B9359 Dual wrist strap w/12' coil & dual 1/8" snap

B9357 Dual wrist strap only 1/8" stud



Dual Mono Jack wrist straps sold in both metal and fabric, features a single mono jack fastener, capable of reading both sides of the wrist strap. For use with continuous monitors.

Dual Mono Jack Wrist Straps

B95707 Dual Metal Set - Medium w/6' coil cord mono jack

B95710 Dual Metal Set - Medium w/12' coil cord mono jack

B9578 Dual Metal band only - Medium w/mono jack



Band: 10.5" Hook and Loop Strap
Conductive area: 3/4" wide
Fastening System: Plastic D-Ring
Snap: 1/8" and 1/4" Snap
Coil: 6' & 12' Barrel Type

Hook & Loop Wrist Straps

B9268 Blue hook and loop set w/6' coil 1/8" snap

B9264 Blue hook and loop set w/6' coil 1/4" snap

B9248 Blue hook and loop set w/12' coil 1/8" snap

B9244 Blue hook and loop set w/12' coil 1/4" snap

B9258 Blue hook and loop band only w/1/8" stud

B9254 Blue hook and loop band only w/1/4" stud

B9208 Black hook and loop set w/6' coil 1/8" snap

B9204 Black hook and loop set w/6' coil 1/4" snap

B9228 Black hook and loop set w/12' coil 1/8" snap

B9224 Black hook and loop set w/12' coil 1/4" snap

B9238 Black hook and loop band only w/1/8" stud

B9234 Black hook and loop band only w/1/4" stud



Fully adjustable metal wrist strap sets are made of a stainless steel carbon free design that makes it an ideal solution for cleanroom environments.

Black Metal Adjustable Wrist Straps

B9478 Black Metal set w/6' coil 1/8" snap

B9479 Black Metal set w/12' coil 1/8" snap

B9477 Black Metal band only w/1/8" stud



Lightweight thermoplastic wrist straps are designed for comfort and portability. The zipper style latching system adjusts to fit any size.

Blue Lightweight Wrist Straps

B9606 Blue Thermoplastic set w/6' coil 1/8" snap

B9607 Blue Thermoplastic band only w/1/8" stud



Disposable fabric wrist straps are 54" in length and have a 1 Meg Ohm resistor built into the fabric.

Disposable Wrist Straps

B9601-5406 Fabric Disposable Wrist Strap

DISSIPATIVE RUBBER MAT 2 - LAYER T2



	Thickness	Top	Bottom	RTT	RTG
T2	.060"	<10 ⁹	<10 ⁶	10 ⁶ - 10 ⁸	10 ⁶ - 10 ⁸

DISSIPATIVE RUBBER MAT 2 - LAYER T2+



	Thickness	Top	Bottom	RTT	RTG
T2+	.080"	<10 ⁹	<10 ⁶	10 ⁶ - 10 ⁸	10 ⁶ - 10 ⁸

DISSIPATIVE VINYL MAT 3 - LAYER TYPE Z



	Thickness	Top	Bottom	RTT	RTG
Z	.120"	<10 ⁷	<10 ⁸	10 ⁷ - 10 ⁸	10 ⁶ - 10 ⁸

STATIC SOLUTIONS WITH SAVINGS

Green 2-Layer ESD Rubber Mat

B6223 2' x 3' mat w/hardware
B6224 2' x 4' mat w/hardware
B6225 2' x 5' mat w/hardware
B62304 30" x 4' mat w/hardware

B62250 2' x 50' roll
B62350 3' x 50' roll
B62450 4' x 50' roll
B623050 30" x 50' roll

Blue 2-Layer ESD Rubber Mat

B6123 2' x 3' mat w/hardware
B6124 2' x 4' mat w/hardware
B6125 2' x 5' mat w/hardware
B61304 30" x 4' mat w/hardware

B61250 2' x 50' roll
B61350 3' x 50' roll
B61450 4' x 50' roll
B613050 30" x 50' roll

Gray 2-Layer ESD Rubber Mat

B6423 2' x 3' mat w/hardware
B6424 2' x 4' mat w/hardware
B6425 2' x 5' mat w/hardware
B64304 30" x 4' mat w/hardware

B64250 2' x 50' roll
B64350 3' x 50' roll
B64450 4' x 50' roll
B643050 30" x 50' roll

Features: Type T2 rubber table mats dual layer design provide excellent electricals and durability and will withstand hot solder and chemical abrasion. It exceeds both EOS/ESD and Department of Defense requirements. All pre-cut mats come with attached snap and one B9703 common point ground.

Gray Premium 2-Layer ESD Mat

B6623 2' x 3' mat w/hardware
B6624 2' x 4' mat w/hardware
B6625 2' x 5' mat w/hardware
B66304 30" x 4' mat w/hardware

B66240 2' x 40' roll
B66340 3' x 40' roll
B66440 4' x 40' roll
B663040 30" x 40' roll

Green Premium 2-Layer ESD Mat

B62823 2' x 3' mat w/hardware
B62824 2' x 4' mat w/hardware
B62825 2' x 5' mat w/hardware
B628304 30" x 4' mat w/hardware

B628240 2' x 40' roll
B628340 3' x 40' roll
B628440 4' x 40' roll
B6283040 30" x 40' roll

Blue Premium 2-Layer ESD Mat

B6523 2' x 3' mat w/hardware
B6524 2' x 4' mat w/hardware
B6525 2' x 5' mat w/hardware
B65304 30" x 4' mat w/hardware

B65240 2' x 40' roll
B65340 3' x 40' roll
B65440 4' x 40' roll
B653040 30" x 40' roll

Features: Type T2+ premium rubber table mats dual layer design provide excellent electricals and durability and will withstand hot solder and chemical abrasion. It exceeds both EOS/ESD and Department of Defense requirements. All pre-cut mats come with attached snap and one B9703 common point ground.

Light Blue 3-Layer ESD Mat

B4123 2' x 3' mat w/hardware
B4124 2' x 4' mat w/hardware
B4125 2' x 5' mat w/hardware
B41304 30" x 4' mat w/hardware

B41250 2' x 50' roll
B41350 3' x 50' roll
B41450 4' x 50' roll
B413050 30" x 50' roll

Features: Botron's Type Z vinyl ESD table mats feature a unique three layer design, provide excellent electricals, and ergonomic comfort that only a foam back material can provide. It exceeds both EOS/ESD and Department of Defense requirements. All pre-cut mats come with attached snap and one B9703 common point ground.

**SEE PAGE 16 FOR
GROUNDING**



STATIC SOLUTIONS WITH SAVINGS

DISSIPATIVE RUBBER MAT

3 - LAYER T3

Blue ESD Mat

B3123 2' x 3' mat w/hardware
B3124 2' x 4' mat w/hardware
B3125 2' x 5' mat w/hardware
B31304 30" x 4' mat w/hardware

B31250 2' x 50' roll
B31350 3' x 50' roll
B31450 4' x 50' roll
B313050 30" x 50' roll

Gray ESD Mat

B3423 2' x 3' mat w/hardware
B3424 2' x 4' mat w/hardware
B3425 2' x 5' mat w/hardware
B34304 30" x 4' mat w/hardware

B34250 2' x 50' roll
B34350 3' x 50' roll
B34450 4' x 50' roll
B343050 30" x 50' roll

Green ESD Mat

B3223 2' x 3' mat w/hardware
B3224 2' x 4' mat w/hardware
B3225 2' x 5' mat w/hardware
B32304 30" x 4' mat w/hardware


B32250 2' x 50' roll
B32350 3' x 50' roll
B32450 4' x 50' roll
B323050 30" x 50' roll

Brown ESD Mat

B3623 2' x 3' mat w/hardware
B3624 2' x 4' mat w/hardware
B3625 2' x 5' mat w/hardware
B36304 30" x 4' mat w/hardware

B36250 2' x 50' roll
B36350 3' x 50' roll
B36450 4' x 50' roll
B363050 30" x 50' roll

BEST SELLER!



Features: Type T3 dissipative three layer rubber table mat is .120" thick. It is reversible with a static dissipative top, foam center and black conductive underside. It will not burn and is chemical resistant. 50' long rolls are available in widths of 2', 30", 3' and 4'. It is also available in many pre-cut sizes with grounding hardware and common point ground. Choose from Blue, Gray, Green, and Brown colors. All mats meet EOS/ESD standards.

	Thickness	Top	Bottom	RTT	RTG
T3	.120"	<10 ⁹	<10 ⁶	10 ⁶ - 10 ⁸	10 ⁶ - 10 ⁸

DISSIPATIVE VINYL MAT

TYPE B+

Blue ESD Mat

B5123 2' x 3' mat w/hardware
B5124 2' x 4' mat w/hardware
B5125 2' x 5' mat w/hardware
B5126 2' x 6' mat w/hardware
B51304 30" x 4' mat w/hardware

B51250 2' x 50' roll
B513050 30" x 50' roll
B51350 3' x 50' roll
B51450 4' x 50' roll

- Solid vinyl construction
- Excellent electricals
- Reversible
- Easy to clean

Features: Type B+ mat is a solid vinyl design that provides excellent electricals and superior durability. Being constructed of solid vinyl means it's not only durable but it is also reversible. Type B+ exceeds both EOS/ESD and Department of Defense requirements. All pre-cut mats come with attached snap and one B9703 common point ground.



	Thickness	Top	Bottom	RTT	RTG
B+	.090"	<10 ⁷	--	10 ⁷ - 10 ⁸	10 ⁶ - 10 ⁸

Technical Operator Pad

B5518 18" x 23" x 1/4" blue mat
B55240 2' x 40' x 1/4" blue roll

Disk Drive Mat

B5418 18" x 23" x 3/8" blue mat
B543060 30" x 60' x 3/8" blue roll
B54360 3' x 60' x 3/8" blue roll

- Available in 2 thicknesses
- Dissipative top layer
- Ergonomic
- Meets ANSI/EOS/ESD S20.20 Standards

Features: Type E Technical Operator Pad (TOP) and Type E+ Disk Drive Mat (DDM) are a soft vinyl foam material. TOP and DDM mats come in two thicknesses, 1/4" and 3/8" respectively, and provide comfort and can protect parts susceptible to physical shock and damage. They can be used on benches, carts, inside trays, shelves or to provide a static safe work area. No grounding is needed when used over a hard dissipative surface.

DISSIPATIVE VINYL FOAM
TYPE E/TYPE E+

	Thickness	Top	Bottom	RTT	RTG
E	1/4"	<10 ¹⁰	--	10 ⁸ - 10 ¹⁰	10 ⁸ - 10 ¹⁰
E+	3/8"	<10 ¹⁰	--	10 ⁸ - 10 ¹⁰	10 ⁸ - 10 ¹⁰



ANTI-FATIGUE FLOOR MATS

TYPE-SF



	Thickness	Top	Bottom	RTT	RTG
SF	1/2"	<10 ⁶	--	10 ³ - 10 ⁵	10 ³ - 10 ⁵

- Durable 1/2" conductive vulcanized rubber
- Tapered edge
- Domed surface for added comfort
- Non-slip design
- Available in black

Soft Foot Rubber Floor Mats
B4423 2' x 3' mat w/hardware
B4434 3' x 4' mat w/hardware

Features: Conductive Soft Foot floor mats are designed to add comfort to hard surfaces. These slip and soil resistant mats are 1/2" thick. They exceed both EOS/ESD and Department of Defense requirements. Available in pre-cut floor mats with molded edges. Does not include grounding hardware.

ANTI-FATIGUE FLOOR MATS

TYPE-DP



	Thickness	Top	Bottom	RTT	RTG
DP	HD - 9/16" SD - 1"	<10 ⁶	--	10 ⁵ - 10 ⁶	10 ⁵ - 10 ⁶

- Durable vinyl top layer
- Non-slip design
- Easy to clean
- Anti-fatigue backing
- Long lasting

9/16" Heavy Duty Anti-Fatigue Floor Mats
B4023HD 2' x 3' mat w/hardware
B4035HD 3' x 5' mat w/hardware
B40325HD 3' x 25' runner
B40375HD 3' x 75' runner
B40475HD 4' x 75' runner

1" Super Duty Anti-Fatigue Floor Mats
B4023SD 2' x 3' mat w/hardware
B4035SD 3' x 5' mat w/hardware
B40325SD 3' x 25' runner
B40375SD 3' x 75' runner
B40475SD 4' x 75' runner

Features: Type DP diamond plate vinyl mats and runners are designed to reduce strain from standing on hard surfaces. These slip and soil resistant mats are available with or without foam anti-fatigue backing. They exceed both EOS/ESD and Department of Defense requirements. Available in black runners, and pre-cut floor mats with molded edges and grounding hardware.

ANTI-FATIGUE FLOOR MATS

TYPE-CST



	Thickness	Top	Bottom	RTT	RTG
CST	HD - 1/2" SD - 7/8"	<10 ⁶	--	10 ⁵ - 10 ⁶	10 ⁵ - 10 ⁶

- Durable 1/8" vinyl top layer
- Energy absorbing
- Reduces strain
- Non-slip design
- Lead-free RoHS compliant

1/2" Heavy Duty Anti-Fatigue Floor Mats
B5723HD 2' x 3' mat w/hardware
B5735HD 3' x 5' mat w/hardware
B57325HD 3' x 25' runner
B57375HD 3' x 75' runner
B57475HD 4' x 75' runner

7/8" Super Duty Anti-Fatigue Floor Mats
B5723SD 2' x 3' mat w/hardware
B5735SD 3' x 5' mat w/hardware
B57325SD 3' x 25' runner
B57375SD 3' x 75' runner
B57475SD 4' x 75' runner

Features: Type CST smooth top vinyl mats and runners designed to reduce strain from standing on hard surfaces. These soil resistant mats are 1/8" thick, available with or without foam anti-fatigue backing. They exceed both EOS/ESD and Department of Defense requirements. Available in black runners, and pre-cut floor mats with molded edges and grounding hardware.

STATIC SOLUTIONS WITH SAVINGS

ANTI-FATIGUE FLOOR MATS
TYPE-VR**Type-VR Anti-Fatigue Floor Mats****B7023** 2' x 3' mat w/hardware**B7035** 3' x 5' mat w/hardware**B70360** 3' x 60' runner**B70460** 4' x 60' runner

- Durable 3/8" thick vinyl/foam construction
- Beveled edge
- Anti-fatigue design
- Pebble embossed surface texture



Features: Type VR anti-fatigue floor mats provide excellent electricals, and durability. It exceeds both EOS/ESD and Department of Defense requirements. Available in gray runners, and pre-cut floor mats with hardware.

	Thickness	Top	Bottom	RTT	RTG
VR	3/8"	<10 ¹⁰	--	<10 ¹⁰	<10 ¹⁰

ANTI-FATIGUE FLOOR MATS
TYPE-S**Type-S Anti-Fatigue Floor Mats****BF435** 3' x 5' gray mat w/hardware**BF335** 3' x 5' brown mat w/hardware**BF436** 3' x 60' gray runner**BF3360** 3' x 60' brown runner**BF460** 4' x 60' gray runner


**AVAILABLE IN
THESE COLORS**

Features: Type S vinyl anti-fatigue floor mats provide excellent electricals, and durability. It exceeds both EOS/ESD and Department of Defense requirements. Available in gray and brown runners, and pre-cut floor mats with hardware.

	Thickness	Top	Bottom	RTT	RTG
TS	3/8"	<10 ¹⁰	--	<10 ¹⁰	<10 ¹⁰

ANTI-FATIGUE FLOOR MATS
TYPE-EM**Type-EM Anti-Fatigue Floor Mats****BEM220** 20" x 3' mat w/hardware**BEM35** 3' x 5' mat w/hardware**BEM36** 3' x 6' mat w/hardware**BEM320** 3' x 20' runner

- Durable 5/8" thick sponge rubber construction
- Cross hatch surface texture
- Reduces strain
- Dissipative top layer



Features: Type EM Conductive Sponge rubber mats and runners designed to reduce strain from standing on hard surfaces. These slip and soil resistant mats are 5/8" thick with beveled edges on all sides. It exceeds both EOS/ESD and Department of Defense requirements. Available in black runners, and pre-cut floor mats with hardware.

	Thickness	Top	Bottom	RTT	RTG
EM	5/8"	<10 ⁶	--	10 ⁵ x 10 ⁶	10 ⁵ x 10 ⁶



ANTI-FATIGUE FLOOR MATS
TYPE-CRC



	Thickness	Top	Bottom	RTT	RTG
CRC	HD - 5/8" SD - 1"	<10 ⁶	--	10 ⁵ - 10 ⁶	10 ⁵ - 10 ⁶

- Comfort anti-fatigue support
- Non-slip design
- Reduces strain
- Easy to clean

5/8" Heavy Duty Anti-Fatigue Floor Mats
B4723HD 2' x 3' mat w/hardware
B4735HD 3' x 5' mat w/hardware
B47325HD 3' x 25' runner
B47375HD 3' x 75' runner

1" Super Duty Anti-Fatigue Floor Mats
B4723SD 2' x 3' mat w/hardware
B4735SD 3' x 5' mat w/hardware
B47325SD 3' x 25' runner
B47375SD 3' x 75' runner

Features: Conductive CRC anti-fatigue floor mats and runners are designed to add comfort to hard surfaces. They feature a slip and soil resistant top and an anti-fatigue bottom that will reduce standing fatigue in the work environment. They exceed both EOS/ESD and Department of Defense requirements. Available in runners, and pre-cut floor mats with beveled edges and grounding hardware.

FLOOR MATS
TYPE-F



	Thickness	Top	Bottom	RTT	RTG
TF	1/8"	<10 ¹⁰	--	<10 ¹⁰	<10 ¹⁰

- Durable 1/8" thick vinyl
- Dissipative top layer
- Non-slip design

Solid Vinyl Floor Mats
BV435 3' x 5' gray mat w/hardware
BV4360 3' x 60' gray runner
BV4460 4' x 60' gray runner

Features: V-Groove non-slip floor mats provide excellent electricals and durability. It exceeds both EOS/ESD and Department of Defense requirements. Available in Gray runners, and pre-cut floor mats with hardware.

FLOOR MATS
TYPE-DPM



	Thickness	Top	Bottom	RTT	RTG
DPM	1/8"	<10 ⁶	--	10 ⁵ - 10 ⁶	10 ⁵ - 10 ⁶

- Durable 1/8" thick solid rubber
- Non-slip design
- Easy to clean

Solid Rubber Floor Mats
B4223 2' x 3' mat w/hardware
B4235 3' x 5' mat w/hardware
B42325 3' x 25' runner
B42375 3' x 75' runner
B42475 4' x 75' runner

Features: Type DPM diamond plate rubber mats and runners are slip and soil resistant mats, 1/8" thick and also available with or without 9/16" or 1" foam anti-fatigue backing (see p.11). They exceed both EOS/ESD and Department of Defense requirements. Available in Black runners, and pre-cut floor mats with molded edges and grounding hardware.

FLOOR MATS
TYPE-CS



	Thickness	Top	Bottom	RTT	RTG
CS	1/8"	<10 ⁶	--	10 ⁵ - 10 ⁶	10 ⁵ - 10 ⁶

- Smooth top
- Easy to clean
- Soil resistant

Solid Rubber Floor Mats
B4323 2' x 3' conductive mat w/hardware
B4335 3' x 5' conductive mat w/hardware
B43375 3' x 75' conductive runner
B43475 4' x 75' conductive runner

Features: Type CS smooth top rubber mats and runners are soil resistant mats, 1/8" thick and also available with or without 1/2" or 7/8" foam anti-fatigue backing (see p.11). They exceed both EOS/ESD and Department of Defense requirements. Available in Black runners, and pre-cut floor mats with molded edges and grounding hardware.



STATIC SOLUTIONS WITH SAVINGS

FIELD KIT
STANDARD**Standard Field Kit**

B1724 24" x 24" red field kit
B1725 24" x 24" blue field kit

**Pocket Field Kit**

B1715 15" x 20" pocket field kit

**Field Kit w/ pouch**

B1822 18" x 22" red field kit w/ pouch

Features: Designed as a portable ESD safe work surface, Botron's Field Kits come with adjustable ESD wrist strap and dual ground coil cord. Offered in three styles; the standard kit with two pouches, pocket kit for ultra portability, and the pouch kit for organized storage. All Field Kits are made of dissipative vinyl and meet S20.20, Mil -1686 & HDBK - 263 standards.

	Thickness	Top	Bottom	RTT	RTG
FK	.018"	<10 ⁸	--	10 ⁶ - 10 ⁸	--

PORTABLE ESD
SAFE SURFACE


Features: Botron has made it easy to set up an ESD safe workstation with our new Workstation In A Box. Everything you need in one box, offered with either a 2' x 3' or 2' x 4' table mat and a 3' x 5' floor mat (available in three different materials). Choose from any type of the following floor matting: .080" two layer premium gray rubber, .080" solid black rubber or 1/8" V-Groove. Included in each kit is an adjustable wrist strap set (B9008), floor mat ground (B9701) and a 10' long common point ground (B9703).

**ESD Safe Workstation Kit**

B6423KIT 2' X 3' gray .060 rubber table mat &
 3' x 5' gray .080 rubber floor mat
B6424KIT 2' X 4' gray .060 rubber table mat &
 3' x 5' gray .080 rubber floor mat

**ESD Safe Workstation Kit**

B6123CKIT 2' X 3' blue .060 rubber table mat &
 3' x 5' black solid rubber .060 rubber floor mat
B6124CKIT 2' X 4' blue .060 rubber table mat &
 3' x 5' black solid rubber .060 rubber floor mat

**ESD Safe Workstation Kit**

B6123KIT 2' X 3' blue .060 rubber table mat &
 3' x 5' gray .080 rubber floor mat
B6124KIT 2' X 4' blue .060 rubber table mat &
 3' x 5' gray .080 rubber floor mat

**ESD Safe Workstation Kit**

B6123VKIT 2' X 3' blue .060 rubber table mat &
 3' x 5' V-Groove gray 1/8" floor mat
B6124VKIT 2' X 4' blue .060 rubber table mat &
 3' x 5' V-Groove gray 1/8" floor mat

WORK SURFACE SNAPS & TOOL



Snap Tool

Features: Simple and effective tool for attaching snaps or studs to table and floor mats. For use with B9848 and B9849 grounding sets.

B9844 Snap tool



3/8" Snaps & Rivets

Features: 3/8" (10mm) studs for use with Snap Tool (B9844). An excellent way to be sure hardware is securely fastened to your ESD table mat. (100 sets per bag)

B9848 3/8" 10mm snaps & rivets - stud

B9849 3/8" 10mm snaps & rivets - socket

GROUNDING ADAPTERS



Alligator Clip

Features: High quality clip for grounding wrist straps, connects to a standard banana plug. (20 per bag)

B9841 Alligator Clip



Adapters & Ring Terminals

Features: Molded snap adapters, banana ring terminals, wire ring terminals and push & clinch ring terminals. Various configurations available. (20 per bag)

B9891 stacking snap w/#10 ring 3/8" female to 3/8" female to male



Push & Clinch w/ #10 Ring

Features: Ring terminal to push & clinch accepts standard banana jack. For #8 wire, #10 ring (20 per bag)

B9869 Push & Clinch w/ #10 ring



Ring to Banana Jack

Features: Ring terminal to banana jack accepts standard banana jack. (10 per bag)

B9879 #12 wire/#10 ring to banana jack

B9880 #8 wire/#10 ring to banana jack

WORK SURFACE SNAP KITS



Universal Snap Kit

Features: Fast and easy way to install 10mm snaps or studs to soft work station materials such as matting. Includes 2 screws (floor and table mat lengths). 1 each: 10mm socket, 10mm stud, washer (figure A) and screw base. (20 per bag). The universal 3-layer snap kit also includes 2 - 1.25" washers. (figure B)

B9865 Universal screw-in snap kit

B9866 Universal 3-layer snap kit



Push & Clinch Snaps

Features: Pronged 10mm sockets or 10mm studs. Easily installs onto multi-layer rubber or vinyl. Provides a strong contact for table matting. (20 per bag)

B9867 Push & Clinch snaps - stud

B9868 Push & Clinch snaps - socket



STATIC SOLUTIONS WITH SAVINGS

Table Mat Ground

B9703 Low Profile Common Point Ground 10'



Features: 10' long straight cable with molded in 1 Meg Ohm resistor. 3/8" (10mm) snap ensures secure connection to table mats. Includes two banana jack receptacles for wrist straps. #10 ring terminal for connection to ground.

Bench Ground

B9742 Molded Bench Ground
B9743 Metal Bench Ground



Features: Molded enclosed box contains no metal edges and mounts under front edge of workstation. Includes a 10' long ground cable with #10 ring terminal connector. Two banana jack receptacles for secure ground connections. Two parking studs (4mm) for storing cords when not in use.

Floor Mat Ground

B9701 Floor Mat Ground 10' 3/8"



Features: 10' long straight cable with no resistor and molded low profile mushroom cap. 3/8" (10mm) snap ensures secure connection to floor mats. #10 ring terminal for connection to ground.

Quad Common Point Ground

B9704 Quad Ground No Resistor



Features: Low Profile molded enclosed box contains no metal edges and mounts under front edge of workstation. Includes a 10' long ground cable with #10 ring terminal connector. Four banana jack receptacles for secure ground connections.

Straight Wire Ground

B9715 10' Straight Wire Ground 1/4"
Socket to Ring Terminal

Features: Black 10' long straight wire ground with 1/4" (7mm) snap to #10 ring terminal connections. No resistor.

COMMON POINT



WORK BENCH



FLOOR MAT




COMMON POINT



STRAIGHT WIRE



STATIC SOLUTIONS WITH SAVINGS

MONITORS
TWO OPERATOR

Continuous Monitor
B92900 ELITE Sentinel V2 Dual CMS

Features: Total path to ground measurement is the apex of wrist strap constant monitoring. In contrast, resistance loop monitoring ignores the most vital part of an ESD Control Program, total resistance of a system. The Sentinel V2 measures the ESD device and the human body down a 2 conductor path to ground. This circuit differs from resistance loop monitoring in which the measurement is calculated with device resistors in a parallel path, halving the resistance for a truer more accurate reading.

- Data Recording
- ELITE WebApp UI
- 128 x 64 Graphical Display
- Network Capable
- Event Indicator
- Dual Wire System
- Relay Output Control
- 4 3/4" x 3 1/4" x 1"

Test Voltage and Range

Power input 12VDC, 500mA 2.5mm Barrel Plug

Operator Open test voltage: 1.25V
Operator Fail Low from 0 Ohm
Operator Fail High to 45M

Mat Open test voltage: 1.25V
Mat Fail Low from 100k
Mat Fail High to 20Meg

CIM Voltage from: 1V to 12V

CONTINUOUS
MONITORS

Continuous Monitors
B9201 One Operator Continuous Monitor



Continuous Monitors
B9202 One Operator & Mat Continuous Monitor



Continuous Monitors
B9203 Two Operator & Mat Continuous Monitor



Continuous Monitors
B92011 One Operator Continuous Monitor

Features: The Botron Continuous Monitors are designed to monitor resistance of both the work surface and the operator(s). They come with a LED and built in audible alarm, triggered when either the operator or work surface falls out of spec, becomes disconnected, or ground is lost. It is a fixed resistor system and is go no go, there is no calibration needed. A full time monitoring system is necessary to reduce latency on the assembly line.

CONTINUOUS
DUAL WIRE MONITORS

Features: The Botron Dual Wire Monitors are designed for dual wire wrist strap applications and monitor resistance of both the work surface and the operator(s). They come with a LED and a built in audible alarm, triggered when either the operator or work surface falls out of spec, becomes disconnected, or ground is lost. These units can only be used with mono jack connectors. It is a fixed resistor system and is go no go, there is no calibration needed.



Continuous Dual Wire Monitor
B92022 Dual Wire, Two Operator Monitor w/ two remotes



Continuous Dual Wire Monitor
B92021 Dual Wire, One Operator Monitor w/ remote

The B9203TB should be used to verify the B9201, B92011, B9202 and B9203 Constant Monitors.



B9203TB Test Box for single wire monitors



Resistive Dual Wire Monitor w/ Remote
B920724 Dual Wire Monitor
B920733 Remote for Dual Wire Monitor
B920732 Optional Dual Wire Remote



STATIC SOLUTIONS WITH SAVINGS

Surface Resistivity Audit Kit
B8572 Digital/Analog Audit Kit

Features: The most complete and accurate auditing tester on the market. Tests not only flooring and work surfaces, but grounds, garments, continuity and Ohms. Test voltages range from 10v - 500v. The large LCD displays not only real time test results but also test voltage. The B8572 Kit meets ANSI/ESD standards. It comes with probes and 2-5 lb weights packaged in a portable case.

- 3 Year Warranty
- Digital & Analog Readout
- 2 - 5lb Weights
- Displays Test Resistance & Ohm Meter
- Large Graphical Display
- Tests both A.C. & D.C. Voltage
- Meets ANSI/ESD S20.20
- Programmable Settings for Continuous Test

Surface Resistivity Audit Kit**B8582** Humidity & Temperature Survey Kit/Meter

Features: Botron's B8582 surface resistivity tester is used for measuring, but not limited to, work surfaces and flooring. It's easy to read LCD displays test results in scientific notation ranging from 10^3 @ 10v to 10^{12} @ 100v. It also records relative humidity and temperature which are important for accurate data recording and auditing. The B8582 can be used with or without the supplied electrodes, the back of the unit has built in leads that can be used to test any conductive or dissipative surface.

- Built-In Electrode Rails
- Digital Readout in Scientific Notation
- 2 - 5lb Weights
- Displays Temperature & Humidity
- Digital Display
- 10v - 100v Switch
- Meets ANSI/ESD S20.20
- Test Range from 10^3 to 10^{12}

NEW

**B8560** Surface Resistivity Tester

Features: Botron's series of surface resistivity testers are used for measuring, but not limited to, work surfaces and flooring. The testers' easy to read LEDs illuminate according to test results. These quick-test surface resistivity testers are light and portable and are ideal for on-the-spot testing of RTT and RTG (when using external probes).

**B8563** Digital Surface Resistivity Tester $10^3 - 10^{12}$ **B8562** 100v Surface Resistivity Tester
B8562KIT 100v Surface Resistivity Tester w/5lb weights and case.**B85395** 15 Light Surface Resistivity Tester
B85395KIT 15 Light Surface Resistivity Tester w/5lb weights and case.**B8562 AVAILABLE WITH 5lb. WEIGHTS**AUDIT TEST KITS
DIGITAL/ANALOG

#1 SELLER

AUDIT TEST KIT
ESD SURVEYMETERS
SURFACE RESISTIVITY

STATIC SOLUTIONS WITH SAVINGS

NEW



Patent #9448254 and others

ELITE ESD Test Systems

The ELITE ESD Test System is the most advanced data acquisition tester in the industry. Unparalleled in data management and technology, the robust features of the ELITE not only make it the most scalable but the number one preferred personal grounding tester by ESD coordinators.

Sense Technology

Sense Technology allows the ELITE to sense what testing item is being used. Smock, wrist strap, dual wire and even individual footwear.

Browser Interface

Control your ELITE from a Smartphone or Tablet or anything using a browser-based internet connection.

Preventative Failure

- Only available in the ELITE Test Systems
- Actively reduces failures on the line
- Fully adjustable resistance threshold from 100k to 1.5G
- Alerts personnel & supervisors of equipment nearing failures

Smock Testing

- Dedicated smock input
- Stores & polls smock test verification results
- User profile smock test selection
- Verify smocks at point of entry

Software - ELITE DataSystem

- Included
- Adjust Test Settings
- Automatic & Manual Polling
- Custom User/Employee Profiles
- Sortable Tables
- Controls test parameters and equipment

Enterprise ELITE DataSystem

- Includes everything from ELITE DataSystem
- More User Profile options
- Enables SQL Server Databases or Access Databases
- Decodes all HID bit formats
- & much more



AXESS
CONTROL

Flow management.

Protect your ESD sensitive work areas with Botrons' all-new ELITE Access Control turnstile system. A very manageable way to ease and organize employee traffic both in and out of the work environment.

Complete control.

The ELITE has access control, therefore giving you total control. With all the features of the ELITE Test System standard, not only can you control who's entering your labs, but now you can control what resistance is required to enter your ESD sensitive environment.

Bi-directional flow.

The Bi-Directional flow of the ELITE Access Control bridges gaps in the work environment no other test system has been able to do before. We all know ESD labs often times contain within themselves areas with different EOS/ESD requirements. You can now set up test stations within your labs to control access to specific areas that may call for more stringent requirements.

ELITE Access Control Turnstile System w/Footplate

- B88015** ELITE Complete Access Control Turnstile - Barcode
- B88016** ELITE Complete Access Control Easy Pass - Barcode
- B88035** ELITE Complete Access Control Turnstile - HID
- B88036** ELITE Complete Access Control Easy Pass - HID
- B89015** ELITE On-Demand Access Control Turnstile
- B89016** ELITE On-Demand Access Control Easy Pass

ELITE Wall Mount System w/Footplate

- B88005** ELITE Complete Wall Station - Barcode
- B88025** ELITE Complete Wall Station - HID
- B89005** ELITE On-Demand Wall Station

ELITE Accessories

- B88100** ELITE Enterprise Software
- B88110** ELITE Wi-Fi Module



STATIC SOLUTIONS WITH SAVINGS



SPEEDLANE

Botron Elite SpeedLane ESD Test System

The most advanced access control for your ESD Protected Area. The SpeedLane can be configured as a single lane, or multi-lane system, depending on the number of workers that enter through each entrance. Rapid Solid State Technology speeds up personnel flow onto the production floor. Users are granted access only after all ESD Requirements are Met. Access is either granted or denied based upon our multi-factor verification protocol.

Complete Control

With over 20 Selectable Test Combinations and full range adjustability, from 100K to 1.5 GigOhms, our Elite with VTR Technology gives you complete control.

Access Control

Traffic flow is assisted by 3 sets of photo-electric sensors. An exit switch is provided to allow bi-directional flow.

Alarms are triggered on traffic faults, such as lane jumping, tailgating and reverse exit switch attempted entry.

Accurate & Secure

Advanced Test Algorithms and Precision Analog hardware for the most reliable security and accuracy of any ESD Test System.

Make a Statement

The SpeedLane's Acrylic gates are customizable with your company logo, providing a World-Class Quality Management Statement about your operation.

Botron Elite SpeedLane ESD Test System

B88140-L Botron Stainless Steel ELITE SpeedLane Chassis - Left

B88140-D Botron Stainless Steel ELITE SpeedLane Chassis - Dual

B88140-R Botron Stainless Steel ELITE SpeedLane Chassis - Right

*ELITE Options Form required to determine model.



OMNIGND



Multi-Ground Continuous Monitoring Automation System

The OMNIGND is the newest addition to the robust ELITE family of electronics from Botron Company Inc. With a rich feature set never before available, ESD facilities and sensitive component manufacturers can monitor critical grounds in real time in applications ranging from the benchtop to capital equipment.

Acting not only as a ground hub, the OMNIGND is analyzing, recording and storing crucial information about your facilities' grounds. Often overlooked and forgotten is the importance of verifying quality grounding points. More so, quality grounding paths.

Multi-Ground Continuous Monitoring Automation System

B92700 ELITE OMNIGND Monitor w/VTR



A Ground Hub & More

The G.E.M. B92500 GroundHog Monitoring System is a revolutionary new tool. Acting as a hub for up to 22 grounding points, you can now verify the quality of the ground point and the potential of each incoming ground.

G.E.M. GroundHog Monitor Hub

B92500 G.E.M. GroundHog Monitor



STATIC SOLUTIONS WITH SAVINGS

TEST STATION

ELITE TEST SYSTEM



- 30 volt test
- Built in VTR Technology
- Tests both wrist straps and footwear
- Displays actual test resistance
- Network Capabilities
- HID and barcode reading
- Adjustable black stand
- Molded foot plate

ELITE Test Station w/Footplate

- B88010** ELITE Complete TS - Barcode
- B88030** ELITE Complete TS - HID
- B88050** ELITE Complete Smock TS
- B88070** ELITE Complete Smock TS - HID
- B89010** ELITE On-Demand TS

- B88100** ELITE Enterprise Software
- B88110** ELITE Wi-Fi Module



What happens if a worker grabs some equipment that is close to failure, tests and passes then heads out to the work area and fails on the line? Well that sounds like a costly oversight. Thankfully, these issues can now be avoided. Botron has developed a new test system, the ELITE, which can prevent those costly latent failures. Latency is the biggest problem in the ESD Industry. With the ELITE you have full control. Not only can its users test parameters be set internally, with our patented VTR Technology you can also set a preventative fixed test limit that informs both the worker and supervisor of equipment in danger of failure. Thus, avoiding latent failures.

Take full control of your facility with the ELITE test system. Customize each users test requirements (stores over 100k users), adjust test parameters, adjustable failure threshold (Failure Prevention Mode). The ELITE, unlike other data logging systems, is not computer dependant and will not lose data if the computer or power goes down.

TEST STATION

DUAL & COMBO



Features: The B82450 Combo Test Station is made of the same high grade powered coated steel frame as the B82250. Standard equipment includes a single, solid aluminum foot plate and B8211 tester (see p.22). This combo test station will verify both wrist straps and footwear.

- 9 Volt Test
- Tests wrist straps
- Tests footwear
- Wrist strap - 750k - 10Meg
- Footwear - 750k - 100Meg
- Powder coated steel frame
- Solid aluminum foot plate

Combo Test Station

- B82450** Combo Tester w/ Stand
- B82452** Replacement plate 15" x 18"
- B82451** Combo Tester & 7" x 18" plate



Features: Botron's Deluxe Dual Test Station features a sleek adjustable black frame and molded foot plate. Wires simply slip into the frame and are hidden and kept safe from snagging and interference. With the new dual tester, personnel can verify wrist straps and any type of footwear ranging from heel grounders to conductive shoes.

- 9 Volt Test
- Tests both right and left foot
- Wrist strap - 750k - 12Meg
- Footwear - 750k - 120Meg
- Hidden cord construction
- Molded foot plate
- Adjustable black frame

Deluxe Test Station

- B8525** Deluxe Dual Test Station



- 30 volt test
- Built in VTR Technology
- Tests both wrist straps and footwear
- Displays actual test resistance
- Network Capabilities
- HID and barcode reading
- Molded foot plate

ELITE Wall Mount System w/Footplate

- B88005** ELITE Complete Wall Station - Barcode
- B88025** ELITE Complete Wall Station - HID
- B89005** ELITE On-Demand Wall Station



Features: Botron's B8506 Wall Mount Test Station is an alternative to the B82450, for those that need wall hanging systems. It comes standard with a bright yellow back plate, a single solid aluminum foot plate, and B8211 tester.

- 9 Volt Test
- Tests wrist straps
- Tests footwear
- Wrist strap - 750k - 10Meg
- Footwear - 750k - 100Meg
- Bright yellow back plate
- Solid aluminum foot plate

Wall Mount Test Station

- B8506** Wall Mount Test Station
- B8506P** Replacement plate 7" x 18"



STATIC SOLUTIONS WITH SAVINGS

**FOR MORE INFO
SEE PAGE 19 & 20**

**ELITE ESD Tester**

B88000 ELITE Complete - Barcode
B88020 ELITE Complete - HID
B88040 ELITE Complete Smock - Barcode
B88060 ELITE Complete Smock - HID
B89000 ELITE On-Demand

B88100 ELITE Enterprise Software
B88110 ELITE Wi-Fi Module



- Verifies from 10k ohm - 1Gig ohm
- Portable
- Lightweight
- Easy to Use
- 4.6" x 3.4"
- includes 3' black & red test leads, (1) ground cord and (1) ethernet cable

Decabox

B88500 Decabox Calibrator
for ELITE Testers



- Portable
- 9 volt battery
- LED light indicators
- Low cost
- 2.25" x 3"

Portable Wrist Strap Tester
B8203 Portable Wrist Tester

Botron recommends, in accordance with ANSI/ESD S20.20, to test all personal grounding equipment prior to entering a ESDS work environment. It is important to make sure all personal grounding equipment, including smocks, wrist strap systems, footwear and heel grounders do not exceed ANSI/ESD S20.20 requirements. All testers come with Calibration Certificates.

*Calibration of all test equipment is an integral part to all ESD control programs. S20.20 7.3 suggest that a verification regimen shall be established and measurements are to be taken and documented to assure compliance with technical requirements.

RESISTANCE TESTERS

WRIST & FOOTWEAR

- Uses 9 volt battery
- Visual and audible alarms
- LED light indicators
- Large Test Plate
- Low battery indicator
- Wrist strap - 750k - 10Meg
- Footwear - 750k - 100Meg

**Wrist Strap Tester**

B8211 Touchplate Combo Tester

- Uses 9 volt battery
- Visual and audible alarms
- LED light indicators
- Large Test Plate
- Low battery indicator
- Wrist strap - 750k - 10Meg

**Wrist Strap Tester**

B8201 Touchplate Wrist Strap Tester

PORTABLE TESTERS

WRIST STRAP


- Portable
- 9 volt battery
- LED light indicators
- Low cost
- 3" x 4.5"



Portable Wrist Strap Tester
B8202 Portable Wrist Tester

**WRIST STRAP & FOOTWEAR
CALIBRATION UNIT**

- Verify wrist strap and footwear testers
- 2 test leads
- Selector dial
- Wrist strap range - 680k (low) - 11Meg (high)
- Footwear range - 680k (low) - 110Meg (high)

**Calibration Unit**

B85503 Calibration Unit

STATIC SOLUTIONS WITH SAVINGS

IONIZER SYSTEM

INTELLIGENT

**B496202** 6.3"H x 23.7"W x 3.4"D**B496203** 6.3"H x 37"W x 3.4"D**Over Head Intelligent Ionizers****B496202** 2 Fan Overhead Intelligent Ionizer**B496203** 3 Fan Overhead Intelligent Ionizer

Botron's Intelligent Ionizer System comes in overhead and benchtop applications. Botron's DC ionizers are both incredibly accurate and effective at eliminating static charges. Coupled with the included software, our Intelligent Ionizers assure that your ionized areas are monitored and maintain an ESD safe environment.



- Real-Time Ion Balance Display
- Adjustable Alarm Level 5V - 50V
- Charge Sensing
- Self Cleaning
- Monitoring Software Available

Bench Top Intelligent Ionizers**B496201** Single Fan Intelligent Bench Top Ionizer - 9.8" x 6"

IONIZERS

HIGH FREQUENCY


**B486102** 2.5"H x 26"W x 5.8"D**B486103** 2.5"H x 39.4"W x 5.8"D**B486104** 2.5"H x 47.3"W x 5.8"D

- Decay < 1.5 sec @ 18"
- Dual Fans
- Abnormal HV alarm
- Adjustable blowing angle
- Adjustable fan speed

Bench Top Ionizers**B486150** Two fan high frequency bench top ionizer - 18.3" x 7"

Botron's line of over head high frequency ionization equipment bring both performance and reliability to the workstation. The snap on fan grills make for stress free easy maintenance. There is no need to remove screws or use tools to access the fan blades and emitter pins.

- Decay < 2 sec @ 18"
- Slim Lightweight Design
- Abnormal HV alarm
- Adjustable Fan Speed
- Removable Fan Grills
- Does not need Calibration
- Green & Red LED Indicators
- Adjustable Air Flow Knob

Over Head Ionizers**B486102** 2 Fan Overhead Ionizer**B486103** 3 Fan Overhead Ionizer**B486104** 4 Fan Overhead Ionizer

- Decay < 1.5 sec @ 18"
- Light weight and compact design
- Abnormal HV alarm
- Adjustable blowing angle
- Adjustable fan speed

Bench Top Ionizers**B486121** Single fan high frequency bench top ionizer - 7.5" x 7"

- Adjustable Blowing Angle
- Quick Access Clip Design
- Green and Red LED Indicators
- Abnormal HV alarm
- Decay < 3 sec @ 18"

Bench Top Ionizers**B486110** Small high frequency bench top ionizer - 5.5" x 5.5"

STATIC SOLUTIONS WITH SAVINGS

Features: The B486710AG ionizing gun is the perfect solution for those who need pin point ionization of static sensitive parts. While eliminating static charge, it also removes any charged particles or debris that can collect on components. The hand held design also provides the freedom of use for operators.

Blow-Off Gun

B486710AG Blow-Off Gun

- Modern Ergonomic Design
- Built-In Piezoelectric Transformer
- Fast Decay Time
- Tungsten Alloy Ion Pins
- No High Voltage Cords



Features: The B48614SF ionizing Snake is the perfect solution for those who need pin point ionization of static sensitive components. While eliminating static charge, it also removes any charged particles or debris that can collect on components. The adjustable neck provides the freedom of use for operators as well as precision ionization.

Ionizing Snake

B48614SF Ionizing Snake

- Auto ion balance
- Abnormal HV alarm
- Adjustable neck
- LED indicators
- Built in HV power supply
- Alloy discharge needle



Features: The Botron piezoelectric ionization air nozzle is designed to eliminate static charge and other harmful contaminants. As with our other ionizers the B48NOP-S features an abnormal HV alarm and ionization indicator. It's uniquely compact design make this unit very versatile in tight areas that require ionization.

Ion Air Nozzles

B48NOP-S Ion Air Nozzle w/ NOP-60S tip

B48NOP-P Nozzle Tip

B48NOP-T Nozzle Tip

B48NOP-D Nozzle Tip

B48NOP-B Nozzle Tip

B48NOP-60S Nozzle Tip (shown on Ion Air Nozzle)



Features: Botron's Neutralizing Static Bars are fixed, designed to eliminate static charging. Used in electronics, printing and other industries. Power supply sold separately.

- Cut to fit size
- Used with B487000 HV power supply
- Operating voltage 110 or 220V

Static Bar

B488000 Static Bar

High Voltage Power Supply

B487000 HV Power Supply



HIGH FREQUENCY AIR NOZZLE



NEUTRALIZING STATIC BAR



ELECTROSTATIC FIELD METER

STATIC SOLUTIONS WITH SAVINGS



ELITE AIM
B48382 Audit Ionization Meter



The Botron AIM Audit Ionization Meter is a compact, portable survey instrument for measuring electrostatic charge and ion balance. The AIM measures electrostatic charges up to 20 kV (20,000 V) at a distance of 1" (25 mm). Results are simultaneously displayed both numerically and in bar graph format on the large LCD. Also great for measuring ion balance on your workbench, the AIM will display ionization and polarity from -200V to +200V.

- Measures Static Charge and Ion Balance
- LCD with Digital Readout
- Dual Bar Graph Display for +/- Polarity
- Realtime Results
- Auto Shut Off
- Audible Alarm

Measuring Range

Static Voltage - 0 to ± 1.49 kV (Lo range)
Static Voltage - ± 1.0 kV to ± 20.0 kV (Hi range)
Range hysteresis - ± 1.0 kV to ± 1.5 kV

Ion Balance - 0 to ± 200 V

Physical Properties

Power Source - 9V Battery
Size - 4 7/8" $\times$ 2 7/8" $\times$ 1"
Weight - 6oz.

IONIZATION AUDIT EQUIPMENT



Charge Plate Monitor
B486288 Charge Plate Monitor

Features: Botron's B486288 Charge Plate Monitor with data storage capabilities measures and stores positive and negative decay as well as ion balance and stamps temperature, humidity, time, and date. Fully programmable test functions, with ability to run a series of automated tests with the push of a button. The B486288 will not leave you limited like other charge plates on the market. Comes with bundled software for easy management of your equipment.

- Stores 1500 tests, 500 locations & 4 Protocols
- Manual & Automated Testing
- Fully Configurable Testing Parameters
- Software Included

DATA STORAGE CAPABILITIES



Features: Designed as an add-on for the B48282C (left) will charge the B48282 (right), permitting it to test and monitor the balance of ionization devices.

Electrostatic Charger
B48282C Electrostatic Charger & Plate
B48282KIT Charger, Meter & Plate



Features: The B48282 is a portable field meter used for detecting and measuring static potentials. Optional charge plate used to measure ionization.

Electrostatic Field Meter
B48282 Electrostatic Field Meter



Features: The ultra-portable B48281 is a low cost alternative to the B48282, and is used to measure electrostatic charges.

Digital Field Meter
B48281 Low Cost Digital Field Meter



STATIC SOLUTIONS WITH SAVINGS

Botron's BAVC20 and BAVCG20 are clean room compatible vacuum sealers that prevent particle generation and oil contamination. They feature one button touch sealing, preset vacuum controls and a large 22" x 22" x 4" stainless steel vacuum chamber that ensures clean, wrinkle-free seals without any bag distortion.

Vacuum Sealers

BAVC20 22" x 22" x 4" non gas

BAVCG20 22" x 22" x 4" w/ gas purge

**SEE PAGE 27 FOR
VACUUM BAGS**

The BAVS20 was designed for heavy-duty applications. Side mounted heat and cool timers fitted to a powder coated steel chassis regulate seal parameters that are critical to obtaining airtight/watertight seals. Comes with a steel encased foot switch providing hands-free operation.

Vacuum Sealers

BAVS20 20" x 1/4" seal

Botron's BAVN series are foot pedal activated gas-flush vacuum systems. With a 1/4" (10mm optional) wide sealing element the BAVN series delivers a leak proof seal for electronic devices that require moisture barrier bags. The BAVN series are clean room compatible and it's gas-flush feature can be switched off for impulse heat only sealing.

Vacuum Sealers

BAVN20 20" x 1/4" seal

BAVN25 25" x 1/4" seal

BAVN30 30" x 1/4" seal

BAVN35 35" x 1/4" seal

Conductive Bags

B17046 4" x 6"

B17610 6" x 10"

B17810 8" x 10"

B171012 10" x 12"

B171216 12" x 16"



Conductive Tubing

B17000/5 5" x 500' 4mil

B17000/8 8" x 500' 4mil

B17000/10 10" x 500' 4mil

B17000/12 12" x 500' 4mil



Botron's Conductive Bags and Tubing are made of a volume conductive material designed for specialized storage or packaging. Both the conductive bags and tubing are heat-sealable and can be easily grounded. Botron's Conductive Liners and Waste Bins do not hold a static charge. Our liners are perfect for lining waste containers used for wet or dry chemicals that can be ignited by sparks created by static.

VACUUM SEALER CHAMBER

BAVC

Seal Length: 20"

Seal Width: 1/4" (10mm opt.)

Vacuum Flow: 18 CFM

Max. Vacuum Pressure: 28.5 inHg

Air Requirements: 18 CFM@90PSI

Amps @ 120 Volts A.C.: 6

Unit Size (in): 28L x 24W x 9.5h

Approx. Weight: 118 lbs



VACUUM SEALERS IMPULSE

BAVS

Seal Length: 20"

Seal Width: 1/4" (10mm opt.)

Vacuum Flow: N/A

Max. Vacuum Pressure: N/A

Air Requirements: 1 CFM@90PSI

Amps @ 120 Volts A.C.: 6

Unit Size (in): 28L x 10W x 7h

Approx. Weight: 29 lbs



BAVN

Seal Length: 20", 25", 30", 35"

Seal Width: 1/4" (10mm opt.)

Vacuum Flow: 3 CFM

Max. Vacuum Pressure: 27 inHg

Air Requirements: 5 CFM@90PSI

Amps @ 120 Volts A.C.: 6, 7, 12, 15

Unit Size (in): 28,33,38,43 x 10 x 7

Approx. Weight: 33, 40, 50, 54 lbs



CONDUCTIVE BAGS & LINERS

Conductive Waste Bins

B17156 8" x 11" 4.22gal

B17157 14.5" x 15" 7gal



Conductive Liners

B161824 18" x 24" pink 5gal

B162424 24" x 24" pink 10gal

Conductive Liners

B171824 18" x 24" black 5gal

B172424 24" x 24" black 10gal

B173036 30" x 36" black 30gal

B173858 38" x 58" black 55gal



ESD SHIELDING BAGS

METAL-IN

- Metal-In
- Longer Lasting
- 40% Light Transmission
- Puncture Resistant
- Outer Layer Dissipative

Features: Botron's antistatic shielding bags are metal-in and low tribocharging. Thus, ESD sensitive materials stored inside the bag will not generate a charge. The 3mil thick lining is puncture resistant and protects against corrosive materials. Comes with either zipper or flat applications.

Metal-In Shielding Bag

B13035 3" x 5"
B13046 4" x 6"
B13048 4" x 8"
B13424 4" x 24"
B13058 5" x 8"
B13068 6" x 8"
B13610 6" x 10"
B13624 6" x 24"
B13630 6" x 30"

B13812 8" x 12"
B13816 8" x 16"
B13824 8" x 24"
B131012 10" x 12"
B131014 10" x 14"
B131016 10" x 16"
B131218 12" x 18"
B132430 24" x 30"

Metal-In Shielding Zip

B12035 3" x 5"
B12046 4" x 6"
B12048 4" x 8"
B12058 5" x 8"
B12068 6" x 8"
B12816 8" x 16"

B12824 8" x 24"
B121012 10" x 12"
B12610 6" x 10"
B12624 6" x 24"
B12812 8" x 12"

MOISTURE BARRIER BAGS

SEAL-IT


Features: Botron's Moisture Barrier Bags are a 3.6 mil multi-layer construction specially formulated to provide a safe and effective package for your ESD and moisture sensitive products. This highly flexible structure is easy to vacuum and seal. Meets all IPC/JEDEC J-STD-033 standards and specification 6 mil also available .

Moisture Barrier Bag

B14068 6" x 8"
B14424 4" x 24"
B14058 5" x 8"
B14610 6" x 10"
B14624 6" x 24"

B14630 6" x 30"
B14812 8" x 12"
B141012 10" x 12"
B141218 12" x 18"

PINK POLYETHYLENE

ANTI-STATIC

Features: Botron's antistatic polyethylene bags do not generate triboelectric charges under normal working conditions. They should be used to package non-static sensitive components in the work environment that may generate or carry static charge.

**SEE PAGE 26 FOR
VACUUM SEALERS**

Pink Anti-Static Bag

B16035 3" x 5"
B16046 4" x 6"
B16058 5" x 8"
B16610 6" x 10"

B16812 8" x 12"
B13824 8" x 24"
B161012 10" x 12"
B161014 10" x 14"

Pink Anti-Static Zip

B16035Z 3" x 5"
B16046Z 4" x 6"
B16058Z 5" x 8"
B16610Z 6" x 10"
B16812Z 8" x 12"

Anti-static Bubble Bag

B15046 4" x 6"
B15068 6" x 8"
B15810 8" x 10"
B151016 10" x 16"
B151218 12" x 18"

ESD SHIELDING BAGS

METAL-OUT

Features: Botron's antistatic shielding bags are metal-out and low tribocharging. Thus, ESD sensitive materials stored inside the bag will not generate a charge. The 3mil thick lining is puncture resistant and protects against corrosive materials. Comes with either zipper or flat applications. Provides rapid charge dissipation and 30% light transmission.

Metal-Out Shielding Bag

B24035 3" x 5"
B24046 4" x 6"
B24058 5" x 8"
B24610 6" x 10"
B24810 8" x 10"
B24812 8" x 12"
B241012 10" x 12"
B241014 10" x 14"

Metal-Out Shielding Zip

B24035Z 3" x 5"
B24046Z 4" x 6"
B24058Z 5" x 8"
B24810Z 8" x 10"
B24812Z 8" x 12"
B241012Z 10" x 12"



STATIC SOLUTIONS WITH SAVINGS

ESD AWARENESS

LABELS



Awareness Labels

B6736 4" x 4" Label 250/R
B6736/5 4" x 4" Label 500/R
B6735 2" x 2" Label 500/R
B6735R 2" x 2" Label 500/R
B6734 5/8" x 2" Label 500/R



Awareness Labels

B6728 4" x 4" Label 250/R
B6728/5 4" x 4" Label 500/R
B6727 2" x 2" Label 500/R
B6725 5/8" x 2" Label 500/R



Writeable Labels

B6712 1-3/4" x 2-1/2" Writeable Label 500/R JEDC-1



Reusable Labels

B6713 1-3/4" x 2-1/2" Reusable Label 500/R JEDC-1



Lead Free Labels

B67101 3 color Lead Free 2" x 2" labels 500 per roll



Lead Free Labels

B67102 1 color Lead Free 2" x 2" labels 500 per roll

Label Dispenser

B6702 Label Dispenser

Holds two 2" rolls or one 4" roll

B6702-3 Label Dispenser

Holds two 3" rolls or one 4" & 2" roll



ANSI/ESD S20.20

8.3 ESD Protected Areas (EPAs)

Caution signs indicating the existence of the EPA shall be posted and clearly visible to the personnel prior to entry to the EPA.

ESD AWARENESS

SIGNS



ESD Awareness Signs

B6747 Sign RS-471 4" x 10" w/ Adhesive Backing 10/pk

B67410 Lead Free Area Sign 4" x 10" w/ Adhesive Backing 10/pk



Bench Signs

B6716 Bench Sign 1" x 6" w/ Adhesive Backing 10/pk

B67016 Lead Free Bench Sign 1" x 6" w/ Adhesive Backing 10/pk



Hanging Signs

B6720 10" x 20" Double-sided Hanging Sign 3/pk



Adhesive Signs

B6717 11" x 17" ESD Awareness Poster w/ Adhesive Backing 5/pk



STATIC SOLUTIONS WITH SAVINGS

CONDUCTIVE
BRUSHES**B09927** Conductive Brush 3.75" x 2.75"

Features: Botron conductive brushes are great for cleaning printed circuit boards (PCB) and other static sensitive components. Safely remove dust, dirt particles and static charge while grounded.

**B09622** 6" PCB Probe

Features: Botron's PCB probe is a multi-probe with a forming tip at one end used when soldering and at the other end a hooking tip for holding wires.

**B09920** 5" x 1/4"**B09921** 6" x 1/2"**B09922** 6" x 3/4"**B09924** 7" x 1.5"**B09925** 7" x 2.25"**B09926** 9" x 3.5"CARBON STEEL
CUTTERS/STRIPPERS**B09170G****B09170P****B09120**

Features: Micro Shears and Wire Strippers are used for making flush cuts and trimming wires on the production line in non-ESD applications.

B09170G 5" Micro Shear**B09170P** 5" Micro Shear**B09120** B-stripper 10-20 AWG**B09125** B-stripper 20-30 AWGESD SAFE
CUTTERS/STRIPPERS**B0915****B0901****B0924**

Features: Botron's Conductive Micro Shears and Wire Strippers are used for making flush cuts and trimming wires on the production line in ESD sensitive applications.

B0901 5" Micro Cutters 16 AWG**B0910/50** 5" 50 Micro Cutters 16 AWG**B0915** 6" Long nose slim pliers**B0920** 6" Bent nose pliers**B0923** 6" Wire stripper 10-20 AWG**B0924** 6" Wire stripper 20-30 AWGCONDUCTIVE
TWEEZERS**01****02****03****04****05****06****08**

Features: Conductive Tweezers are ideal for handling small delicate components. They are also cleanroom safe and make a great solution when assembly needs both care and precision.

B09901 4.7" Tweezers**B09902** 4.6" Tweezers**B09903** 4.8" Tweezers**B09904** 4.7" Tweezers**B09905** 4.8" Tweezers**B09906** 4.7" Tweezers**B09908** 4.7" Tweezers

STATIC SOLUTIONS WITH SAVINGS

CONDUCTIVE
TRAYS/BOARD HOLDERS**Conductive Trays**

B09501 14.5" x 11.8" x .06" lip
B09506 25.75" x 17.8" x 1.125" lip

**Conductive Trays**

B09502 14.5" x 9.8" x 2.6" lip

**Conductive Trays**

B09503 12.4" x 9" x 1.6" lip

**Conductive Trays**

B09504 17.7" x 11.4" x 2.3" lip

Features: Botron's conductive trays and board holders are for handling and storage of electronic components and board assemblies. Both the B19026 and B19025 come with 25 slots. They have excellent resistance to abrasion. Conductive trays and boards provide effective ESD protection at $<10^6$ for handling static sensitive products and equipment. All trays and boards meet ANSI/ESD S20.20.

**Conductive Board Holders**

B19026 10.2" x 8" x 3.7"

**Conductive Board Holders**

B19025 19" x 6.8"

Features: Botron's conductive foam is used to protect static sensitive devices and components in a variety of manufacturing and packaging applications. This polyurethane open cell foam comes in both high density 3.1lb and low density 1.9lb. Our conductive foam comes in a variety of different thicknesses in a 24" x 36" sheet size.

Conductive Foam

B1208 1/8" Low Density
B1204 1/4" Low Density
B1238 3/8" Low Density
B1205 1/2" Low Density
B1275 3/4" Low Density
B1201 1" Low Density

Conductive Foam

B1308 1/8" High Density
B1304 1/4" High Density
B1338 3/8" High Density
B1305 1/2" High Density
B1375 3/4" High Density
B1301 1" High Density

Features: Botron's Conductive and Non-Conductive IC Tube and Tray strap designed to group together IC products. Comes with an adjustable D-rings that are ideal for bundling.

IC Tube Straps

BSTP20 1" x 20" hook & loop
BSTP24 1" x 24" hook & loop
BSTPC23 1" x 23" conductive hook & loop
BSTPC30 1" x 30" conductive hook & loop

Features: Designed to remove and filter soldering smoke at the workstation, Botron's Fume Extractor provides a clean air environment for personnel on the assembly line. The carbon filter system effectively absorbs noxious gasses from lead and flux.

Fume Extractor

B1930 Fume Extractor
B1931 Filter Pack - 5ct.

CONDUCTIVE
FOAMTUBE
STRAPSFUME
EXTRACTOR

CLEANSTAT FLOOR CARE

STATIC SOLUTIONS WITH SAVINGS



Botron's new Premier Static Dissipative ESD Polymer Floor Finish is designed to dissipate static charges and eliminate static generation. Coverage of 1500-2000 sq feet per gallon.

ESD Floor Finish

B8101 ESD floor finish 1gal
B8105 ESD floor finish 5gal
B8155 ESD floor finish 55gal



Routine maintenance of ESD treated floors with Botron's Easy Clean is recommended to uphold the integrity and longevity of your ESD floor. Coverage when diluted 10-1 ratio over 2000 sq. feet per gallon.

ESD Floor Cleaner

B8301 ESD floor cleaner 1gal
B8305 ESD floor cleaner 5gal



Botron Easy Buff should be used in spot applications to remove scurf marks and other blemishes on your ESD floor.

StatCare Spray Buff

B8400 Spray Buff 1qt
B8401 Spray Buff 1gal

STATCARE EPOXY CONCRETE FINISH



**AVAILABLE IN
THESE COLORS**



Meets Standards:
 Resistivity-ASTM D257

Electricals:
 Resistance Top to Top <108
 108-9 Ohms 2 Max/Cm2 @ 40% Relative Humidity

StatCare Static Dissipative Concrete Finish is designed to dissipate static charges and stop static generation. It will provide a durable, UL approved, slip resistant finish and can be applied on sealed concrete. It's water-based epoxy/acrylate formula is extremely resistant to chemicals and solvents. Our ESD Concrete Finish is superior to and will outlast latex and urethane floor paints. Coverage of 300-400 sq. feet per gallon. Recommended 3 coats.

StatCare ESD Epoxy Floor Paint

B8771G Gray Concrete Finish 1 gallon
B8775G Gray Concrete Finish 5 gallon

B8771LG Light Gray Concrete Finish 1 gallon
B8775LG Light Gray Concrete Finish 5 gallon

B8771B Beige Concrete Finish 1 gallon
B8775B Beige Concrete Finish 5 gallon

RUBBER & VINYL MAT CLEANER



Botron's Cleanstat rubber & vinyl cleaner can be used on, but not limited to, ESD table mats and floor mats to remove blemishes and dirt as well as enhance ESD properties. It is recommended to clean test weights and mats during audits for the most accurate readings.

Rubber & Vinyl Mat Cleaner

B8011 6oz
B8018 1qt (32oz)



Botron's anti static hand lotion is specially formulated to improve contact between personnel and grounding devices.

- Non-contaminating
- Contains no silicone
- Moisturizing aloe vera
- 8 oz. Bottle

ESD Safe Hand Lotion

B8008 8oz Squeeze Bottle



STATIC SOLUTIONS WITH SAVINGS

Standard Tacky Mats

B6923 24" x 36"

B6945 26" x 45"

Features: Botron's Standard Tacky Mats are designed to significantly reduce foot and wheel contamination. The residue free mats use a tacky adhesive to remove particles from shoes and wheels. Tacky mats are low profile to be used without a frame and feature numbered peel tabs on each sheet for easy to remove layers.

TACKY MATS

STANDARD



Bouffant Caps

B20012 24" Bouffant caps - 1000ct

Features: Botron's breathable, low linting bouffant caps are used to protect the environment from the shedding of hair, and are constructed of lightweight, non-woven spunbond polypropylene fabric.

Face Masks

B20005 7" Face mask 3ply - 1000ct

Features: The disposable B20005 is a non-linting and non-woven face mask. It features a floss covered elastic ear loop for comfort and support as well as a flexible sewn-in nose adjustment for a secure fit. With a high 95% BFE(Bacteria Filtration Efficiency) and low breathing resistance the B20005 offers great protection against airborne particles.

CLEANROOM

WEAR



**BLOCKS 95%
OF BACTERIA**

Cleanroom Paper

B201117-W 8.5" x 11" 250 sheets 10 reams/case

B201117-B 8.5" x 11" 250 sheets 10 reams/case

B201117-G 8.5" x 11" 250 sheets 10 reams/case

B201117-Y 8.5" x 11" 250 sheets 10 reams/case

Features: Uniquely formulated to reduce particulation and smudging. Ideal for controlled environments such as clean rooms and other static free zones. Lays flat and works great in mechanical printing machines. Available in (W)white, (B)blue, (Y)yellow, and (G)green.

CLEANROOM

PRODUCTS



Cleanroom Wipes

B20099 Polyester/Cellulose Non-woven
9" x 9" - 300 per pack/12 packs per case

B201212 Polyester/Cellulose Non-woven
12" x 12" - 150 per pack/10 packs per case

B20199 100% Polyester Clean Room Safe
9" x 9" - 150 per pack/8 packs per case

Features: Botron's Cleanroom safe wipes are offered in 100% polyester as well as a non-woven 55% cellulose/45% polyester blend. Both wipes are ideal for class 100 cleanroom environments. Our 100% polyester wipes feature laser sealed edges for maximum fiber retention. The Non-woven wipes are chemical resistant to most cleaning agents and are ideal for wiping ESD sensitive components.



PROTECTIVE GLOVES

STATIC SOLUTIONS WITH SAVINGS



White lint free ESD safe gloves are made of 100% polyester. Features a conductive weave every 10 millimeters for a reliable path to ground. Available in small, medium and large. (packs of 10 pairs).

ESD Lint Free Gloves

B6851 Lint Free - Sml
B6852 Lint Free - Med
B6853 Lint Free - Lrg



Static dissipative gloves with sure grip PVC dots provide a non-slip grip when handling electronic components. Available in small, medium and large. (packs of 10 pairs).

ESD Safe PVC Dot Gloves

B6821 PVC Dot - Sml
B6822 PVC Dot - Med
B6823 PVC Dot - Lrg



Botron's lint free inspection gloves are to protect non ESD sensitive components from contamination. Helps prevent the transfer of finger prints, oils, and salts when handling materials in the work environment.

Inspection Gloves

B6831 Lint Free nylon inspection/liners
B6832 Half finger nylon liners
B6836 100 % cotton inspection/liners



Nitrile gloves are made from 100% nitrile which resists punctures and are Class 100 cleanroom ready. They offer amazing sensitivity and reduces hand fatigue. This unique formulation makes these disposable gloves last much longer than latex or vinyl, and are ambidextrous. Both 5 mil or 6 mil available in sizes of small, medium, large and X-large. 100 per box.

Nitrile Gloves

B6861 Nitrile - Sml/ 5mil
B6862 Nitrile - Med/ 5mil
B6863 Nitrile - Lrg/ 5mil
B6864 Nitrile - XL/ 5mil



Botron's powder free vinyl gloves are ambidextrous and come with a beaded cuff. This glove is an ideal solution for industrial applications powder free vinyl glove. (packs of 100)

Powder Free Vinyl Gloves

B20007-9 Powder Free - 9"



Botron's ESD Safe Cut Resistant gloves are designed to protect the wearer from injury when using sharp tools and blades. Available in 3 sizes.

ESD Safe Cut Resistant Gloves

B6856 ESD Safe Cut Resistant - Small
B6857 ESD Safe Cut Resistant - Medium
B6858 ESD Safe Cut Resistant - Large

PROTECTIVE FINGER COTS



Botron offers 3 different kinds of finger cots; anti static, dissipative and clean room safe. They are all designed to protect electronic components from skin salts, flakes, oils and other particulates that may cause contamination.

**REDUCES RISK
OF CONTAMINATION**

Finger Cots

B6841 Black Dissipative - Sml/5 gross
B6842 Black Dissipative - Med/5 gross
B6843 Black Dissipative - Lrg/5 gross
B6844 Black Dissipative- XL/5 gross

B6845 Pink Anti Static - Sml/10 gross
B6846 Pink Anti Static - Med/10 gross
B6847 Pink Anti Static - Lrg/10 gross



STATIC SOLUTIONS WITH SAVINGS

Lightweight Smocks

Features: Botron's Lightweight 3/4 length jackets with snap cuffs features our NEW Tuck-Strap design. Our ESD safe lightweight smocks are made of 88% polyester/12% conductive carbon fibers and will shield your workers from charge generation. (Special Orders/Colors, Minimums Apply)

Size	XS	S	M	L	XL	2XL	3XL	4XL
Blue	B7300LW	B7302LW	B7303LW	B7304LW	B7305LW	B7306LW	S/O	S/O
Chest	30"- 32"	34"- 36"	38"- 40"	42"- 44"	46"- 48"	50"- 52"	S/O	S/O
Length	33.5"	33.5"	33.5"	33.5"	33.5"	33.5"	S/O	S/O

Standard Smocks

Features: Botron offers smocks in 3/4 length jackets and pullovers featuring our NEW Tuck-Strap design. Our ESD safe garments are made of 87% polyester/13% carbon and will shield your workers from charge generation. Most fabric will generate a charge when not protected with an ESD garment. Botron B7300 series provides a Faraday cage effect.

Size	XS	S	M	L	XL	2XL	3XL	4XL
Snap Cuffs								
Blue	B7300	B7302	B7303	B7304	B7305	B7306	B7307*	B7308*
White	S/O	B7332	B7333	B7334	B7335	B7336	B7337*	B7338*
Black	S/O	B7322	B7323	B7324	B7325	B7326	B7327*	B7328*
Conductive Cuffs								
Blue	B7300C	B7302C	B7303C	B7304C	B7305C	B7306C	B7307C*	B7308C*
White	S/O	B7332C	B7333C	B7334C	B7335C	B7336C	B7337C*	B7338C*
Black	S/O	B7322C	B7323C	B7324C	B7325C	B7326C	B7327C*	B7328C*
Measurements								
Chest	30"- 32"	34"- 36"	38"- 40"	42"- 44"	46"- 48"	50"- 52"	54"- 56"	58"- 60"
Length	34"- 36"	34"- 36"	34"- 36"	34"- 36"	34"- 36"	34"- 36"	34"- 36"	34"- 36"

*denotes custom ordered items

Pullovers

Features: Botron offers pullovers featuring our NEW Tuck-Strap design. Our ESD safe garments are made of 87% polyester/13% carbon and will shield your workers from charge generation.

Size	XS	S	M	L	XL	2XL	3XL	4XL
Blue	S/O	B7352	B7353	B7354	B7355	B7356	B7357	B7358
Chest	S/O	34"- 36"	38"- 40"	42"- 44"	46"- 48"	50"- 52"	54"- 56"	58"- 60"
Length	S/O	34"- 36"	34"- 36"	34"- 36"	34"- 36"	34"- 36"	34"- 36"	34"- 36"



SEE PAGE 19 FOR ELITE SMOCK TESTER



Blue Smock with Snap Cuffs



White Smock with Snap Cuffs



Blue Smock with Conductive Cuffs



Blue Pullover

ESD WEAR
SMOCKS



Blue Lightweight Smock with Snap Cuffs

It should be noted that most cotton, polyester and linen clothing can act as insulators and although personnel can be grounded by a wrist strap and/or footwear system it does not mean that their clothing will dissipate static charges through the skin. Botron recommends wearing a properly grounded ESD smock when handling static sensitive materials to reduce the chance of transferring static charge and damaging components.



ESD SAFE TAPES

CELLULOSE

STATIC SOLUTIONS WITH SAVINGS

**Colored Striped Tapes**

B1613BS Blue 1" x 3" 72YDS
B1633BS Blue 3/4" x 3" 72YDS
B1653BS Blue 1/2" x 3" 72YDS
B1613RS Red 1" x 3" 72YDS
B1633RS Red 3/4" x 3" 72YDS
B1653RS Red 1/2" x 3" 72YDS
B1613YS Yellow 1" x 3" 72YDS
B1633YS Yellow 3/4" x 3" 72YDS
B1653YS Yellow 1/2" x 3" 72YDS
B1613GS Green 1" x 3" 72YDS
B1633GS Green 3/4" x 3" 72YDS
B1653GS Green 1/2" x 3" 72YDS

**Colored Printed Tapes**

B1613BPS Blue 1" x 3" 72YDS
B1633BPS Blue 3/4" x 3" 72YDS
B1653BPS Blue 1/2" x 3" 72YDS
B1613RPS Red 1" x 3" 72YDS
B1633RPS Red 3/4" x 3" 72YDS
B1653RPS Red 1/2" x 3" 72YDS
B1613YPS Yellow 1" x 3" 72YDS
B1633YPS Yellow 3/4" x 3" 72YDS
B1653YPS Yellow 1/2" x 3" 72YDS
B1613GPS Green 1" x 3" 72YDS
B1633GPS Green 3/4" x 3" 72YDS
B1653GPS Green 1/2" x 3" 72YDS

**Clear Tapes**

B1651 1/2" x 1" 36YDS
B1653 1/2" x 3" 72YDS
B1631 3/4" x 1" 36YDS
B1633 3/4" x 3" 72YDS
B1611 1" x 1" 36YDS
B1613 1" x 3" 72YDS
B1623 2" x 3" 72YDS

**Printed Tapes**

B1653P 1/2" x 3" 72YDS
B1633P 3/4" x 3" 72YDS
B1613P 1" x 3" 72YDS
B1623P 2" x 3" 72YDS
B1651P 1/2" x 1" 36YDS
B1631P 3/4" x 1" 36YDS

ESD safe cellulose tape is 2.4 mil thick with a charge decay of <.014 seconds. Botron's anti-static tape is perfect for sealing ESD bags. It can also be used for a wide range of workstation applications such as binding, edging and securing.

TAPES

PROTECTIVE

**Polymide Hi-Temp Tapes**

BK1643 1/4" x 3" 36YDS
BK1653 1/2" x 3" 36YDS
BK1633 3/4" x 3" 36YDS
BK1613 1" x 3" 36YDS
BK1653D DUB/SIDE 1/2" x 3" A/S 36YDS

**Low Static Hi-Temp Tapes**

BAK1608 1/8" x 3" A/S 36YDS
BAK1638 3/8" x 3" A/S 36YDS
BAK1643 1/4" x 3" A/S 36YDS
BAK1653 1/2" x 3" A/S 36YDS
BAK1678 7/8" x 3" A/S 36YDS
BAK1633 3/4" x 3" A/S 36YDS
BAK1613 1" x 3" A/S 36YDS
BAK1623 2" x 3" A/S 36YDS

**Conductive Grid Tapes**

B1605 1/2" x 3" 118'
B1635 3/4" x 3" 118'
B1615 1" x 3" 118'
B1620 2" x 3" 118'

**Hi-Temp Masking Tapes**

BHT53 1/2" x 3" 60YDS
BHT34 3/4" x 3" 60YDS
BHT13 1" x 3" 60YDS
BHT23 2" x 3" 60YDS
BHT33 3" x 3" 60YDS

TAPES

AISLE MARKING

**Aisle Marking Tapes**

B1618M 3" x 54' Aisle Tape
B1636M 3" x 108' Aisle Tape

**Lead Free Aisle Marking Tapes**

B1618L 3" x 54' Two Color Aisle Tape

Hi-Temp polyimide tape will withstand temperatures up to 500F / 260C. Designed to minimize the effects of static generation during stripping and peeling. It is also highly resistant to heat and chemicals, puncture and tear resistant at high temperatures and offers optimal performance in electrical and thermal insulation.

Botron's anti-static grid tape most common usages are for electromagnetic interference (EMI) shielding and covering pins, connectors and plugs on electronic equipment during storage or transportation.

Hi-Temp masking tape withstands 275°F for 45 minutes. Designed for wave solder applications. It's rubber adhesive leaves virtually no residue and is stain free.

Botron's high visibility aisle marking tapes are perfect for marking off ESD safe areas and lead free zones.



STATIC SOLUTIONS WITH SAVINGS

ESD Safe Tape Dispensers

- B1601** Holds one roll 1" wide
- B1602** Holds two rolls 1" wide
- B1603** Holds three rolls 1" wide

ESD safe manual tape dispensers for 3" core tapes offer a slip resistant ESD rubber base. Available in 3 sizes: 1", 2" and 3" wide. Each holding 3" diameter rolls.

- Blade Guard
- Dissipative Body
- ESD Safe
- 3 Sizes Available

TAPE DISPENSERS ESD SAFE



Electronic Tape Dispensers

B1000 Automatic Tape Dispenser

Three digit LED and soft touch keypad for easy programming. Digital auto advance and cut electric eye sensor as well as full manual controls. Program up to three different tape sizes in manual or auto mode. Available cutting lengths of .20" up to 39". Unit can handle multiple styles of tape and widths ranging from .28" to 2" by 3" cores.

- LED Display
- Steel Blades
- Manual Override
- Photocell Control
- Replacement Blades



TAPE DISPENSERS ELECTRONIC

Automatic Tape Dispensers

B5000 Automated Tape Dispenser

Three digit LED and soft touch keypad for easy programming. Digital auto advance and cut electric eye sensor as well as full manual controls. Can cut two rolls at the same time and program up to three sizes. With its unique roll area you can cut oversized rolls up to 11" diameter and any size core.

- LED Display
- Steel Blades
- Manual Override
- Auto Pressure Adjustable
- Photocell Control



AUTOMATIC DISPENSERS PROGRAMMABLE

Automatic Tape Dispensers

B2000 Automatic Carousel Tape Dispenser

Auto-feeds and cuts tape at the touch of a button, placing cut pieces on its carousel for easy removal. Accepts a variety of tapes from .12" to .99" wide. Carousel holds up to 10 pieces with consistent lengths ranging from .51" to 2.37".

- LED Display
- Steel Blades
- Top Touch Start Button
- Photocell Control

AUTOMATIC DISPENSERS CAROUSEL



SOLVENT DISPENSERS

TAP-IT



Features: The TAP-IT antistatic solvent dispensers with stainless steel cap come in three sizes. Just "TAP-IT" to release the solvent. Closeable caps reduce fumes and evaporation.

Blue TAP-IT Solvent Dispensers

B19004B 4oz antistatic dispenser
B19006B 6oz antistatic dispenser
B19008B 8oz antistatic dispenser
B19010 Replacement cap

Yellow TAP-IT Solvent Dispensers

B19004Y 4oz antistatic dispenser
B19006Y 6oz antistatic dispenser
B19008Y 8oz antistatic dispenser

Pink TAP-IT Solvent Dispensers

B19004P 4oz antistatic dispenser
B19006P 6oz antistatic dispenser
B19008P 8oz antistatic dispenser

SPRAY
BOTTLES

Features: Botron's Blue Dissipative Bottles are for use in ESD Protected Areas. Made from molded antistatic polyethylene and free of ethoxylated amines and BPA, these bottles have a good resistance to alcohol, solvents and other chemicals. It's special antistatic properties will not generate or hold a charge like a typical plastic insulated bottle.

Spray Bottles

B192008 5.25" 8oz/250ml Spray Bottle
B1920016 7.5" 16oz/500ml Spray Bottle

Wash Bottles

B191008 5.25" 8oz/250ml Wash Bottle
B1910016 7.5" 16oz/500ml Wash Bottle

Water Bottles

B193008 5.25" 8oz/250ml Water Bottle
B1930016 7.5" 16oz/500ml Water Bottle

Needle Bottles

B1940016 3" 2oz/60ml 16 gauge
B1940020 3" 2oz/60ml 20 gauge
B1940026 3" 2oz/60ml 26 gauge

ESD SAFE

RUBBER BANDS




Features: Conductive Rubber Bands and Anti Static Rubber Bands are used to protect, but are not limited to, static sensitive components, and bundling IC tubes and Trays. *Band size measured by diameter as shown.

Dissipative Rubber Bands

BE3016 3" x 1/16" black (apx. 1550 pcs.)
BE4518 4.5" x 1/8" black (apx. 420 pcs.)
BE5114 5" x 1/4" black (apx. 210 pcs.)
BE7518 7.5" x 1/8" black (apx. 315 pcs.)

Antistatic Rubber Bands

BE2018 2" x 1/8" pink (apx. 1650 pcs.)
BE3512 3.5" x 1/8" pink (apx. 600 pcs.)
BE5014 5" x 1/4" pink (apx. 210 pcs.)
BE8014 8" x 1/4" pink (apx. 120 pcs.)



ESD SAFE

CART COVERS



Features: All Botron cart covers are made to protect ESD sensitive components when being transported or stored from static charges and contaminants such as dust and dirt. The B171836G and B171848G both feature a dual layer design, constructed of a solid green static dissipative vinyl 10^8 (outer layer) and a black conductive vinyl $<10^6$ (inner layer). Both the B171836B (blue) and B171836C (clear) are transparent static dissipative vinyl with a surface resistivity of $10^{10} - 10^{11}$.

ESD Safe Cart Covers

B171836G Green 18" x 36" x 63"
B171848G Green 18" x 48" x 63"
B171836B Blue 18" x 36" x 63"
B171836C Clear 18" x 36" x 63"

**ESD Safe Card Holders**

BH120 Clear ID w/out clip 2.5"x4"
BH120C Clear ID w/clip 2.5"x4"
BH121 Clear ID w/clip 4"x2.25"
BH121N Clear ID w/out clip 4"x2.25"
BH124 Clip
BH130 Blue ID w/clip 2.5"x4"
BH131 Blue ID w/out clip 2.5"x4"
BH132 Blue ID w/out clip 4"x2.25"
BH133C Blue ID w/clip 4"x2.25"



STATIC SOLUTIONS WITH SAVINGS

Static Dissipative Binders

- B7405** 1/2" Three Ring
- B7401** 1" Three Ring
- B7415** 1.5" Three Ring
- B7402** 2" Three Ring
- B7403** 3" Three Ring

Botron's static dissipative vinyl binders with printed ESD symbol on front cover are available in 1/2", 1", 1.5", 2" and 3" spine widths.

- Blue vinyl with dissipative overlay
- Heat sealed edges
- Nickel plated steel rings

CUSTOM COLORS AVAILABLE

ESD Safe Clipboard

B7602 9" x 12" Blue static dissipative vinyl clipboard

Botron's ESD Safe clipboard is made of blue vinyl with a printed ESD symbol, measuring 9" x 12" with a 5" wide metal clip.

- Static Decay <1.0 sec
- Surface Resistivity 10^{11}
- Size fits standard 8.5" x 11" stock
- Humidity independent

Sheet Protectors

- B7406** 8.5" x 11" Sheet Protectors 3mil, 100pk
- B7411** 8.5" x 11" Sheet Protectors 6mil, 25pk
- B7412** 8.5" x 11" Shop Travelers 6mil, 25pk
- B7417** 11" x 17" Drawing Holder 6mil, 25pk

Botron's antistatic sheet protectors are designed for use in ESD controlled areas and can be cleaned to conform to Class 100 clean room standards. The B7406 and B7411 come 3 hole punched for storage in ESD safe binders. Available in 8.5" x 11" and 11" x 17" sizes.

- Humidity independent
- N-Octanoic acid free
- Does not promote corrosion
- No measurable outgassing

ESD Safe Paper

B8511 8.5" x 11" 500/ream

Botron's ESD safe paper is uniquely formulated to reduce particulation and smudging. Ideal for controlled environments such as clean rooms and other static free zones. Lays flat and works great in mechanical printing machines.

- High tear and tensile strength
- Ultra low particulation
- 500 page ream
- Burst strength 50lbs per inch

STATIC DISSIPATIVE BINDERS



STATIC DISSIPATIVE CLIPBOARDS



ESD SAFE SHEET PROTECTORS



STATIC DISSIPATIVE PRINTER PAPER



CUSTOM ESD FABRIC CHAIRS



BEST SELLER!

ESD Safe Chair
B070062 Standard Tall Chair w/Nylon Base



ESD Safe Chair
B070061 Standard Chair w/Nylon Base



ESD Safe Stool
B070067 Tall Stool w/Nylon Base

Many colors to choose from.



Botron offers a complete line of full customizable ESD safe chairs and stools. Mix, match, combine and build the chair that is right for you and the workstation. Choose from any of the options seen on this page. Simply start with either our 21" - 31" B070062 Adjustable Tall Chair, our 17" - 21" B070061 Adjustable Standard Chair or ESD Safe Stool.

- 5 year warranty
- Meets ANSI/ESD S20.20
- Tear Strength ASTM-D-2262
- 300lb - 450lb capacity



BUILD & CUSTOMIZE

a. Single Lever



b. Three Lever



c. Nylon Base



d. Aluminum Base



e. No Foot Ring



f. Standard Foot Ring



g. Heavy Duty Foot Ring



h. No Arm Rest



i. Fixed Arm Rest



j. Adjustable Arm Rest



k. Immobile Glides



l. Standard Casters



m. ESD Casters



POLYURETHANE ESD CHAIRS



- Molded polyurethane
- Adjustable height
- Optional foot ring
- Available in black
- ESD Safe

Features: Botron's B070071 molded polyurethane Ergonomic Chair with five star metal base comes with a standard 4" adjustment. Also available is our taller B070072 Ergonomic Chair with foot ring and 8" adjustment.

Ergonomic Chair

B070071 Chair - Black - 4" Adjustment

B070072 Chair - Black w/Foot ring - 8" Adjustment

**NON-ESD CHAIRS
AVAILABLE ONLINE**



STATIC SOLUTIONS WITH SAVINGS

FOOTWEAR/ Disposable Heel Grounders.5/ Disposable Shoe Covers.5/ Full Coverage Sole Grounders.5/ Heel Grounders.3,4/ Toe Grounders.5/ **COIL CORDS/** Coil Cords.6/ G.E.M. Coil Cords.6/ **WRIST STRAPS/** Disposable.8/ Dual Wire.8/ G.E.M. Wrist Straps.7/ Metal Band.8/ Standard.7/ **TABLE MATS/** Cleaner.31/ Rubber Mats.9,10/ Vinyl Mats.9,10/ Workstation Kits.14/ **FLOOR MATS/** Anti-Fatigue Mats.11,12,13/ Floor Mats.13/ Cleaner.31/ **FIELD KITS/** Pocket Field Kits.14/ Pouch Field Kits.14/ Standard Field Kits.14/ **HARDWARE/** Snap Tools.15/ Grounding Adapters.15/ Work Surface Snap Kits.15/ **GROUNDING/** Floor Mat.16/ Table Mat.16/ Work Bench.16/ **CONTINUOUS MONITORS/** ELITE.17/ Dual Operator.17/ Dual Wire.17/ Single Operator.17/ **TEST EQUIPMENT/** Calibration Units.22/ ELITE Test Systems.19,20,21,22/ Footwear Testers.22/ Resistivity Audit Kits.18/ Resistivity Meters.18/ Test Stations.21/ Wrist Strap Testers.22/ **IONIZATION/** Benchtop Ionizers.23/ Compressed Air Ionizers.24/ Ionization Bars.24/ Overhead Ionizers.23/ **IONIZATION AUDIT EQUIPMENT/** Charge Plate Monitor.25/ Electrostatic Field Meters.25/ ELITE Electrostatic Field Meter.25/ **VACUUM SEALERS/** Chamber Sealer.26/ Impulse Sealer.26/ **BAGS/** Conductive Bags.26/ ESD Shielding Bags.27/ Moisture Barrier Bags.27/ Pink Antistatic Bags.27/ **LABELS AND SIGNS/** Awareness Labels.28/ ESD Awareness Labels.28/ ESD Awareness Signs.28/ Label Dispenser.28/ Lead Free Labels.28/ Lead Free Signs.28/ **PRODUCTION TOOLS/** Conductive Brushes.29/ Cutters.29/ Strippers.29/ Tweezers.29/ **MATERIAL HANDLING/** Board Holders.30/ Trays.30/ **FOAM/** Conductive.30/ Cross-Link.30/ **FLOOR CARE/** Floor Care.31/ Floor Finish.31/ Floor Paint.31/ **CLEAN ROOM/** Tacky Mats.32/ Bouffant Caps.32/ Face Masks.32/ Printer Paper.32/ ESD Wipes.32/ **GLOVES/** Conductive.33/ Dissipative.33/ Finger Cots.33/ Latex.33/ Nitrile.33/ **GARMENTS/** Smocks.34/ Card Holders.34/ **TAPE/** Aisle Marking Tape.35/ Antistatic Tape.35/ Grid Tape.35/ Hi-Temp Tape.35/ Polyimide Tape.35/ **TAPE DISPENSERS/** Electronic.36/ Manual.36/ **ACCESSORIES/** Badge Holders.34/ Binders.38/ Cart Covers.37/ Clipboards.38/ ESD Paper.38/ Hand Lotion.31/ IC Straps.37/ Rubber Bands.37/ Fume Extractor.39/ Sheet Protectors.38/ Solvent Dispensers.37/ **ESD SAFE CHAIRS/** Chairs.39






STATIC SOLUTIONS WITH SAVINGS

2020



CATALOG
ESD

BOTRON



21601 N. 21st Ave. Phoenix, AZ 85027



CALL FOR
FREE POSTER!