



MATERIALS

Bernat® Super Value™ (7 oz/197 g; 426 yds/389 m)

Girl's Poncho

Sizes (yrs)	2	4	6	
Taupe (53012)	2	2	3	balls

Doll's Poncho

Taupe (53012) **1 ball**

Size U.S. K/10½ (6.5 mm) crochet hook **or size needed to obtain gauge.** 4 buttons each for Girl's and Doll's Poncho.

Approx =

Approximately

Beg = Beginning

Ch = Chain(s)

Cont = Continue(ity)

Dc = Double crochet

Hdc = Half double
crochet

Hdc2tog =

(Yoh and drawup a loop in next stitch) twice. Yoh and drawthrough all loops on hook.

Rem = Remain(ing)

Rep = Repeat

RS = Right side

Pat =

Pattern

Sc = Single crochet

Sl st = Slip stitch

Sp = Space

St(s) = Stitch(es)

Tog = Together

Yoh = Yarn over hook

WS = Wrong side

 CROCHET | SKILL LEVEL: **EASY**

SIZES

Girl's Version

To fit chest measurement

2 yrs **22"** [56 cm]

4 yrs **24"** [61 cm]

6 yrs **26"** [66 cm]

Doll's Version

Size: To fit 18" [45 cm] Doll.

GAUGE:

10 sc and 11 rows = 4" [10 cm].

INSTRUCTIONS

GIRL'S PONCHO

The instructions are written for smallest size. If changes are necessary for larger sizes the instructions will be written thus (). When only one number is given, it applies to all sizes. For ease in working, circle all numbers pertaining to your size.

Front

****Ribbing:** Ch 10.

1st row: (RS). Working in back loops only, 1 sl st in 2nd ch from hook. 1 sl st in each ch across. Turn. 9 sts.

2nd row: Working in back loops only, 1 sl st in each of next 9 sl sts. Turn. Rep 2nd row until work from beg

measures **18 (19-21)"** [45.5 (48-53.5)cm], ending on a WS row. **Do not** fasten off.

Front: Turn work sideways and proceed as follows:

1st row: (RS). Ch 1. Work **45 (49-53)** sc evenly across side of ribbing. Turn.

2nd row: Ch 1. *1 sc in next sc. 1 dc in next sc. Rep from * to last sc. 1 sc in last sc. Turn.

3rd row: Ch 3 (counts as dc). *1 sc in next dc. 1 dc in next sc. Rep from * to end of row. Turn.

4th row: Ch 1. *1 sc in next dc. 1 dc in next sc. Rep from * to last sc. Turn.

Last 2 rows form pat.

Cont in pat until work from beg measures **14 (17-19)"** [35.5 (43-48) cm], ending on a WS row.**

Shape Neck

1st row: (RS). Pat across

18 (19-21) sts. Hdc2tog over next 2 sts. Turn. Leave rem sts unworked.

2nd row: Ch 2 (does not count as st). Hdc2tog. Pat to end of row. Turn.

3rd row: Pat to last 2 sts. Hdc2tog. Turn.

4th row: As 2nd row. **17 (18-20)** sts rem.

Cont even in pat until work from beg measures **16 (19-21)" [40.5 (48-53.5) cm]**, ending on a WS row. Fasten off.

1st row: (RS). Skip next **5 (7-7) sts**. Join MC with sl st to next st. Ch 2 (does not count as st). Hdc2tog. Pat to end of row. Turn.

2nd row: Pat to last 2 sts. Hdc2tog. Turn.

3rd row: Ch 2 (does not count as st). Hdc2tog. Pat to end of row. Turn.

4th row: As 2nd row. **17 (18-20) sts** rem.

Cont even in pat until work from beg measures **16 (19-21)" 40.5 (48-53.5)**, ending on a WS row. Fasten off.

Back: Rep from ** to ** as given for Front.

Cont in pat until work from beg measures **16 (19-21)" [40.5 (48-53.5) cm]**, ending on a WS row. Fasten off.

Collar: Sew right shoulder seam. Ch 30.

1st row: (RS). 1 sl st in 2nd ch from hook. 1 sl st in each ch across. Turn. 29 sts.

2nd row: *Working in back loops only*, 1 sl st in each of next 29 sl sts. Turn. Rep 2nd row until work from beg measures length to fit loosely around neck edge, ending on a WS row and sewing in position as you work. Fasten off.

Side ribbing: Sew left shoulder seam and Collar seam. Ch 8.

1st row: (RS). 1 sl st in 2nd ch from hook. 1 sl st in each ch across. Turn. 7 sts.

2nd row: *Working in back loops only*, 1 sl st in each of next 7 sl sts. Turn. Rep 2nd row until work from beg measures length to fit along side edge of Poncho, ending on a WS row and sewing in position as you work. Fasten off.

Rep for opposite side. Sew 2 buttons on each side through all thicknesses. Buttons are decorative only.

DOLL'S PONCHO

Front

****Ribbing:** Ch 6.

1st row: (RS). 1 sl st in 2nd ch from hook. 1 sl st in each ch across. Turn. 5 sts.

2nd row: Working in back loops only, 1 sl st in each of next 5 sl sts. Turn.

Rep 2nd row until work from beg measures 8" [20.5 cm], ending on a WS row. **Do not** fasten off.

Turn work sideways and proceed as follows:

1st row: (RS). Ch 1. Work 21 sc evenly across side of ribbing. Turn.

2nd row: Ch 1. *1 sc in next sc. 1 dc in next sc. Rep from * to last sc. 1 sc in last sc. Turn.

3rd row: Ch 3 (counts as dc). *1 sc in next dc. 1 dc in next sc. Rep from * to end of row. Turn.

Last 2 rows form pat.

Cont in pat until work from beg measures 7½" [19 cm], ending on a WS row.**

Shape Neck

1st row: (RS). Pat across 7 sts. Hdc2tog over next 2 sts. Turn. Leave rem sts unworked.

2nd row: Ch 2 (does not count as st). Hdc2tog. Pat to end of row. Turn.

3rd row: Pat to last 2 sts. Hdc2tog. 6 sts rem. Fasten off.

1st row: (RS). Skip next 3 sts. Join yarn with sl st to next st. Ch 2 (does not count as st). Hdc2tog. Pat to end of row. Turn.

2nd row: Pat to last 2 sts. Hdc2tog. Turn.

3rd row: Ch 2 (does not count as st). Hdc2tog. Pat to end of row. 6 sts rem. Fasten off.

Back: Rep from ** to ** as given for Front.

Cont in pat until work from marked row measures 9" [23 cm], ending on a WS row.

Shoulders

1st row: (RS). Pat across 6 sts. Fasten off. Skip next 9 sts. Join yarn to next st. Pat across rem 6 sts. Fasten off.

Collar: Sew right shoulder seam. Ch 16.

1st row: (RS). 1 sl st in 2nd ch from hook. 1 sl st in each ch across. Turn. 15 sts.

2nd row: Working in back loops only, 1 sl st in each of next 15 sl sts. Turn.

Rep 2nd row until work from beg measures length to fit loosely around neck edge, ending on a WS row and sewing in position as you work. Fasten off.

Side ribbing: Sew left shoulder seam and Collar seam. Ch 8.

1st row: (RS). 1 sl st in 2nd ch from hook. 1 sl st in each ch across. Turn. 7 sts.

2nd row: *Working in back loops only*, 1 sl st in each of next 7 sl sts. Turn.

Rep 2nd row until work from beg measures length to fit along side edge of Poncho, ending on a WS row and sewing in position as you work. Fasten off.

Rep for opposite side. Sew 2 buttons on each side through all thicknesses. Buttons are decorative only.