



# Patti

by Sarah Hatton



## SIZE

S	M	L
To fit bust		
81-86	91-97	102-107 cm
32-34	36-38	40-42 in

## YARN

### Rowan Felted Tweed

8            9            10        x 50gm

(photographed in Carbon 159)

## NEEDLES

1 pair 3mm (no 11) (US 2/3) needles

1 pair 3½mm (no 9) (US 5) needles

## BUTTONS - 00317

## TENSION

23 sts and 32 rows to 10 cm measured over stocking stitch using 3½mm (US 5) needles.

## SPECIAL ABBREVIATIONS

**wyab** = with yarn at back (RS) of work; **wyaf** = with yarn at front (WS) of work.

## BACK

Using 3mm (US 2/3) needles cast on 203 [215: 229] sts.

Counting in from both ends of cast-on edge, place markers on 30th [33rd: 36th] st, leave 11 sts and place another marker on next st, leave another 22 sts and place a 3rd marker on next st, leave another 11 sts and place a 4th marker on next st – there should be 49 [55: 63] sts between markers at centre back.

**Row 1 (RS):** Knit.

**Row 2:** (K to marked st, sl marked st wyaf, K to next marked st, sl marked st wyab, K to next marked st, sl marked st wyab, K to next marked st, sl marked st wyaf) twice, K to end.

Rep last 2 rows 3 times more.

Change to 3½mm (US 5) needles.

**Row 9 (RS):** Knit.

**Row 10:** (P to marked st, sl marked st purlwise wyaf, P to next marked st, sl marked st purlwise wyab, P to next marked st, sl marked st purlwise wyab, P to next marked st, sl marked st purlwise wyaf) twice, P to end.

Last 2 rows form patt.

Work in patt for 16 rows, ending with RS facing for next row.

**Row 27 (dec) (RS):** K2tog, \*K to marked st, K marked st, (K to within 2 sts of next marked st, K2tog, K marked st, K2tog tbl) twice, K to next marked st, K marked st, rep from \* once more, K to last 2 sts, K2tog. 193 [205: 219] sts.

Work 23 rows.

Rep last 24 rows once more, then row 27 again.

173 [185: 199] sts.

Cont straight until back meas 28 [29: 30] cm, ending with WS facing for next row.

**Next row (WS):** P26 [29: 32], cast off next 36 sts, P until there are 49 [55: 63] sts on right needle, cast off next 36 sts, P to end. 101 [113: 127] sts.

Change to 3mm (US 2/3) needles.

Work in g st for 6 rows, ending with RS facing for next row.

Change to 3½mm (US 5) needles.

Beg with a K row, work in st st until back meas 32 [33: 34] cm, ending with RS facing for next row.

**Shape armholes**

Cast off 4 [5: 6] sts at beg of next 2 rows. 93 [103: 115] sts.

Dec 1 st at each end of next 3 [5: 7] rows, then on foll 4 [5: 6] alt rows.

79 [83: 89] sts.

Cont straight until armhole meas 20 [21: 22] cm, ending with RS facing for next row.

**Shape back neck and shoulders**

Cast off 6 [7: 8] sts at beg of next 2 rows. 67 [69: 73] sts.

**Next row (RS):** Cast off 6 [7: 8] sts, K until there are 10 sts on right needle and turn, leaving rem sts on a holder.

Work each side of neck separately.

Cast off 3 sts at beg of next row.

Cast off rem 7 sts.

With RS facing, rejoin yarn to rem sts, cast off centre 35 [35: 37] sts, K to end.

Complete to match first side, reversing shapings.

#### LEFT FRONT

Using 3mm (US 2/3) needles cast on 106 [112: 119] sts.

Counting in from end of cast-on edge, place markers on 30th [33rd: 36th] st, leave 11 sts and place another marker on next st, leave another 22 sts and place a 3rd marker on next st, leave another 11 sts and place a 4th marker on next st – there should be 29 [32: 36] sts left at centre front.

**Row 1 (RS):** Knit.

**Row 2:** K to marked st, sl marked st wyaf, K to next marked st, sl marked st wyab, K to next marked st, sl marked st wyab, K to next marked st, sl marked st wyaf, K to end.

Rep last 2 rows twice more, then row 1 again.

**Row 8 (WS):** K9 and slip these sts onto a holder, K to marked st, sl marked st wyaf, K to next marked st, sl marked st wyab, K to next marked st, sl marked st wyab, K to next marked st, sl marked st wyaf, K to end. 97 [103: 110] sts.

Change to 3½mm (US 5) needles.

**Row 9 (RS):** Knit.

**Row 10:** P to marked st, sl marked st purlwise wyaf, P to next marked st, sl marked st purlwise wyab, P to next marked st, sl marked st purlwise wyab, P to next marked st, sl marked st purlwise wyaf, P to end.

Last 2 rows form patt.

Work in patt for 16 rows, ending with RS facing for next row.

**Row 27 (dec) (RS):** K2tog, K to marked st, K marked st, (K to within 2 sts of next marked st, K2tog, K marked st, K2tog tbl) twice, K to next marked st, K marked st, K to end. 92 [98: 105] sts.

Work 23 rows.

Rep last 24 rows once more, then row 27 again.

82 [88: 95] sts.

Cont straight until left front meas 28 [29: 30] cm, ending with **WS** facing for next row.

**Next row (WS):** P20 [23: 27], cast off next 36 sts, P to end. 46 [52: 59] sts.

\*\*Change to 3mm (US 2/3) needles.

Work in g st for 6 rows, ending with RS facing for next row.

Change to 3½mm (US 5) needles.

Beg with a K row, work in st st until left front matches back to beg of armhole shaping, ending with RS facing for next row.

#### Shape armhole

Cast off 4 [5: 6] sts at beg of next row. 42 [47: 53] sts.

Work 1 row.

Dec 1 st at armhole edge of next 3 [5: 7] rows, then on foll 4 [5: 6] alt rows. 35 [37: 40] sts.

Cont straight until 23 [23: 25] rows less have been worked than on back to beg of shoulder shaping, ending with WS facing for next row.

#### Shape neck

Cast off 6 sts at beg of next row. 29 [31: 34] sts.

Dec 1 st at neck edge of next 5 rows, then on foll 4 [4: 5] alt rows, then on foll 4th row. 19 [21: 23] sts.

Work 5 rows, ending with RS facing for next row.

#### Shape shoulder

Cast off 6 [7: 8] sts at beg of next and foll alt row.

Work 1 row.

Cast off rem 7 sts.

#### RIGHT FRONT

Using 3mm (US 2/3) needles cast on 106 [112: 119] sts.

Counting in from beg of cast-on edge, place markers on 30th [33rd: 36th] st, leave 11 sts and place another marker on next st, leave another 22 sts and place a 3rd marker on next st, leave another 11 sts and place a 4th marker on next st – there should be 29 [32: 36] sts left at centre front.

**Row 1 (RS):** Knit.

**Row 2:** K to marked st, sl marked st wyaf, K to next marked st, sl marked st wyab, K to next marked st, sl marked st wyab, K to next marked st, sl marked st wyaf, K to end.

Rep last 2 rows twice more, then row 1 again.

**Row 8 (WS):** K to marked st, sl marked st wyaf, K to next marked st, sl marked st wyab, K to next marked st, sl marked st wyab, K to next marked st, sl marked st wyaf, K to last 9 sts and turn, leaving rem 9 sts on a holder.

97 [103: 110] sts.

Change to 3½mm (US 5) needles.

**Row 9 (RS):** Knit.

**Row 10:** P to marked st, sl marked st purlwise wyaf, P to next marked st, sl marked st purlwise wyab, P to next marked st, sl marked st purlwise wyab, P to next marked st, sl marked st purlwise wyaf, P to end.

Last 2 rows form patt.

Work in patt for 16 rows, ending with RS facing for next row.

**Row 27 (dec) (RS):** K to marked st, K marked st, (K to within 2 sts of next marked st, K2tog, K marked st, K2tog tbl) twice, K to next marked st, K marked st, K to last 2 sts, K2tog. 92 [98: 105] sts. Work 23 rows.

Rep last 24 rows once more, then row 27 again.

82 [88: 95] sts.

Cont straight until right front meas 28 [29: 30] cm, ending with **WS** facing for next row.

**Next row (WS):** P26 [29: 32], cast off next 36 sts, P to end. 46 [52: 59] sts.

Complete to match left front from \*\*, reversing shapings.

#### SLEEVES

Using 3mm (US 2/3) needles cast on 92 [94: 96] sts.

Work in g st for 8 rows, ending with RS facing for next row.

Change to 3½mm (US 5) needles.

Beg with a K row, work in st st, shaping sides by dec 1 st at each end of 9th [13th: 21st] and every foll 14th [18th: 26th] row to 86 [90: 92] sts, then on every foll 16th [20th: 28th] row until 82 [86: 90] sts rem.

Cont straight until sleeve meas 28 [29: 30] cm, ending with RS facing for next row.

#### Shape top

Cast off 4 [5: 6] sts at beg of next 2 rows. 74 [76: 78] sts.

Dec 1 st at each end of next 5 rows, then on foll 2 alt rows, then on every foll 4th row until 52 [54: 56] sts rem.

Work 1 row.

Dec 1 st at each end of next and every foll alt row to 44 sts, then on foll 13 rows, ending with RS facing for next row.

Cast off rem 18 sts.

#### MAKING UP

Press.

Join both shoulder seams using back stitch, or mattress stitch if preferred.

#### Button band

Slip 9 sts from left front holder onto 3mm (US 2/3) needles and rejoin yarn with RS facing.

Cont in g st as set until button band, when slightly stretched, fits up left front opening edge to neck shaping, ending with **WS** facing for next row.

Cast off knitwise (on **WS**).

Slip stitch band in place.

Mark positions for 3 buttons on this band – first to come just above top of pleats, last to come just below neck shaping, and rem button evenly spaced between.

#### Buttonhole band

Slip 9 sts from right front holder onto 3mm (US 2/3) needles and rejoin yarn with **WS** facing.

Cont in g st as set until buttonhole band, when slightly stretched, fits up right front opening edge to neck shaping, ending with **WS** facing for next row and with the addition of 3 buttonholes worked to correspond with positions marked for buttons as follows:

**Buttonhole row (RS):** K3, K2tog, yfwd (to make a buttonhole), K4.

When band is complete, cast off knitwise (on **WS**).

Slip stitch band in place.

#### Collar

With RS facing and using 3mm (US 2/3) needles, beg and ending halfway across top of bands, pick up and knit 33 [33: 35] sts up right side of neck, 41 [41: 43] sts from back, then 33 [33: 35] sts down left side of neck. 107 [107: 113] sts.

Work in g st until collar meas 3 cm from pick-up row, ending with RS of collar (**WS** of body) facing for next row.

**Next row (RS):** K3, (inc in next st, K4) 20 [20: 21] times, inc in next st, K to end. 128 [128: 135] sts.

Work in g st until collar meas 6 cm from pick-up row, ending with RS of collar (**WS** of body) facing for next row.

Next row (RS): K3 [3: 4], (inc in next st, K5) 20 [20: 21] times, inc in next st, K to end. 149 [149: 157] sts.

Cont in g st until collar meas 10 cm from pick-up row, ending with **WS** of collar (RS of body) facing for next row.

Cast off knitwise (on **WS**).

Set in sleeves using the set-in method. Fold pleats along slip st fold lines and sew cast-off edges in place on inside.

