

User's Manual

Installation and operation

Manual control background support elevator

◇ Fig. 1(right side) is the parts Diagram of Manual Background support elevator.

◇ Choose the metal Tube longer than the Backdrop paper or Canvas, better use stainless steel or aluminum tube with 2 inches diameter. for the sake of reducing the weight, please select the Tube as thin as possible.

◇ Insert the Expansion Stick into the both ends of Metal Tube, rotate the Wheels and make them tight.

◇ Stick the Backdrop Paper or Canvas on the Metal Tube, rotate it and make it to be tube shaped, While using the backdrop paper; better attach a thin metal tube with proper weight at the end of the paper to facilitate the elevation.

◇ Fix the Hooks on the wall or ceiling with Expansion Screws. Align the Hooks in accordance with length of Metal tube.

◇ Put the prepared Backdrop paper on the Hook. The white Frames outside the Gears should be in horizontal position, no matter the Hooks was fixed on wall or ceiling.

◇ Make the Gears fit into the Chains, which was hanged with a Weight underneath. The connection method of Chains is shown as follows:



◇ Adjust the screws on the Tightening mount to obtain the proper resistance while elevating.

◇ Pull the Chains to elevate the Background.

Notice: Pull the Chains in vertical direction, never in other directions or strangle the Chains. Otherwise the chains would be discounted.

Fig.1

