



Aharkoon

CA200
ATX PC CASE SERIES

CASE VERSIONS




The CA200 ATX full tower from the ELITE SHARK series has been designed for a variety of applications and is available in two variants. The CA200G has a front panel element made of tempered glass. The glass is dark and reflective and is thus reminiscent of black obsidian. It allows the lighting of the integrated LED strips to reach its full effect and accentuates the elegance of the case. The CA200M, on the other hand, has a front panel with an integrated mesh element, underscoring the ability of the ELITE SHARK series to perform: The air-permeability of the mesh structure can enhance the intake of cool air, thus providing an even better airflow.

8-PORT ADDRESSABLE RGB CONTROLLER


The ELITE SHARK CA200 is supplied with an 8-Port Addressable RGB Controller for digitally addressable LEDs. With compatible mainboards, this will function as a hub for up to eight addressable LED components which, via the mainboard software, will illuminate in up to 16.8 million colors.





MANUAL COLOR CONTROL

For mainboards without headers for addressable RGB illumination, up to eight addressable LED components can be directly illuminated and controlled via the 8-Port Addressable RGB Controller.




Twenty preset lighting modes can be consecutively selected using the dedicated illumination switch on the top panel of the case. If desired, the illumination can also be completely switched off.

RGB Mode 1

> RGB Mode 2

EASY TO INTEGRATE









Sharkoon products marked with the "ADDRESSABLE RGB" logo are compatible with mainboards which have headers for addressable RGB LED fans and strips. The headers should have the pin configuration 5V-D-coded-G or 5V-D-G. Examples of these RGB connections from the most important mainboard manufacturers are shown below. The RGB pin configuration is independent of manufacturer. However, the naming and marking of these connections may vary between manufacturers. For further information concerning compatibility, refer to the manual of your mainboard, or visit the manufacturer's website.











MSI GIGABYTE

ASUS

ASROCK

ASUS

THE PERFECT STAGE FOR YOUR HARDWARE



With a modern design in black and neon and an almost fully glassed side panel, the ELITE SHARK CA200 is the ideal setting for the best in hardware setups. The side panel is hinged, providing easy access and an elegant finish to the hardware presentation.


OPTIONAL VERTICAL INSTALLATION FOR GRAPHICS CARDS



The CA200 is designed for an optimal view of the installed components. For classically mounted graphics cards, an adjustable graphics card holder with a rubber contact surface is pre-installed. For the vertical installation of graphics cards, a separately available Vertical Graphics Card Kit* has been developed. This consists of an easily attachable mount and a riser cable. The cable has been given extra length to allow enough room for additional expansion cards.

*Not included.

UNCOMPROMISINGLY ORGANIZED



SPACIOUS CABLE MANAGEMENT

To ensure that the installed hardware can be tidily presented, the ELITE SHARK CA200 has a more than enough cable pass-throughs. Through these, the cabling for the installed components can disappear into the amply provided space behind the mainboard tray.



PERFECT FOR SYSTEM COOLING



The cases of the ELITE SHARK series have been especially developed for high performance hardware builds. With up to seven locations for fans, the cases offer enough possibilities for customized airflow solutions. The full tower is more than ready for demanding water cooling systems due to its pre-installed mount for a reservoir and pump and the dedicated extra-long slots for easy installation. At the front, the case can take radiators with a giant 420 mm, and radiators up to 360 mm will find room under the top panel. If needed, a 120 mm radiator can be installed, replacing the pre-installed fan on the rear

Radiator Front Panel:

420 mm

360 mm

280 mm

240 mm

140 mm

120 mm


Radiator Top Panel:

280 mm
240 mm
140 mm

Radiator Rear Panel:

120 mm

Big on Airflow!



Sturdy, Removable Dust Filter on Bottom Panel

Magnetic, Easy-to-Clean Dust Filter on Top Panel.

Specifications

Genera	
--------	--

Form Factor:	ATX / E-ATX
Expansion Slots:	8
Interior Painting:	\checkmark
Cable Management System:	✓
Side Panel:	Tempered glass with hinge
Weight:	11.5 kg
Dimensions (L x W x H):	50.6 x 24.0 x 51.7 cm

RGB Compatibility:

Type:	Addressable
Port:	8-Port
Manual Control:	20 Modes
Mainboard Compatibility:	MSI Mystic Light Sync,
	ASUS Aura Sync, Gigabyte
	RGB Fusion Ready,
	ASRock Polychrome SYNC
RGB Pinout:	5V-D-G & 5V-D-coded-G

I/0:

■ USB 3.0 (Top):	2	
■ USB 2.0 (Top):	2	
Audio (Top):		

Maximum Drive Bavs

maximam birro bayo.		
3.5 ":	4	
2.5":	7	

Fan Configuration:

Front Panel:	3x 120 mm Fan or 3x140 mm
	Fan (Optional)
Rear Panel:	1x 120 mm Addressable
	RGB LED Fan
■ Top Panel:	3x 120 mm or 2x 140 mm
	Fan (Optional)

Compatibility

Companionny:	
Mainboard:	Mini-ITX, Micro-ATX, ATX,
	E-ATX, SSI CEB, SSI EEB
Max. Length Graphics Card	ds: 42.5 cm
Max. Height CPU Cooler:	16.5 cm
Max. Length Power Supply	r: 24.0 cm
Max. Height Radiator	
incl. Fan (Front):	5.7 cm
Max. Height Radiator	
incl. Fan (Top):	6.0 cm
Radiators (Optional):	Up to 420 mm (Front Panel)
	Up to 360 mm (Top Panel)
	Up to 120 mm (Rear Panel)

Package Contents:

- ELITE SHARK CA200G/M
- Accessory Set
- Manual

