

Sharkoon



E31

STEREO HEADSET

SPECIFICATIONS

GENERAL

- Type: Stereo Headset
- Design: Circumaural
- Connector: TRRS/Stereo Jack
- Inline Controller
- Weight without Cable: 320 g

HEADPHONE SPECIFICATIONS

- Speaker Diameter: 40 mm
- Impedance: 32 Ω
- Frequency Response: 20 Hz - 20,000 Hz
- Sensitivity: 103 dB \pm 3 dB
- Max. Power: 100 mW
- Volume Control: Via Inline Controller

MICROPHONE SPECIFICATIONS

- Direction: Unidirectional
- Impedance: 2.2 k Ω
- Frequency Response: 50 Hz - 10,000 Hz
- Sensitivity: -40 dB \pm 2 dB
- Detachable Microphone
- Flexible Microphone
- Microphone Mute:
Via Inline Controller

CABLES AND CONNECTORS

- Modular Cable
- Total Cable Length
1x 3.5 mm Stereo Jack (TRRS): 110 cm
- Total Cable Length
2x 3.5 mm Stereo Jack: 255 cm
- Gold-Plated Connectors
- TRRS Pinout: CTIA

COMPATIBILITY

- PCs/Notebooks
- Tablets/Smartphones/MP3-Player/
Notebooks (TRRS)
- PlayStation 4
- Xbox One



MODULAR CABLE SYSTEM

Cable Length: 110 cm

TRRS Plug for Connection to Tablets, Smartphones, MP3 Players and Notebook PlayStation 4 and Xbox One

Total Cable Length: 255 cm

Cable Length: 145 cm

Inline Controller with Volume Control and Microphone Mute

Gold-Plated Connectors



HARDCASE INCLUDED

Transport the Sharkoon B1 Stereo Headset safely and securely within its included hardcase. Contents are protected against impacts and vibrations thanks to its robust material and careful manufacturing.

Of course, mobile use of the headset was also taken into account, which is why unused accessories also have their own place: A Velcro strap securely holds the detachable microphone in an extra recessed groove, while the extension cable with integrated inline controller fits neatly inside a practical interior mesh pocket.



B1

STEREO HEADSET



RETAIL PACKAGE


Dimensions: 270 x 220 x 105 mm
Weight: 1.13 g

PACKAGE CONTENTS

- B1
- Hardcase
- Manual

SHIPMENT BOX

Packing unit: 5
Dimensions: 545 x 235 x 290 mm
Weight: 6.29 kg
Customs tariff no.: 85183095
Country of origin: China



4 044951 021215

www.sharkoon.com