

## 



**Instant Upgrade** for your Headset



#### **INSTANT UPGRADE FOR YOUR HEADSET**



The Gaming DAC Pro S turns ordinary headsets and headphones into high-performance sound systems. A certified high-resolution sampling frequency with a correspondingly high bit depth ensures crystal-clear voice transmission and an immersive sound with breathtakingly differentiated details. Its high signal-to-noise ratio of 100 decibels is outstanding in its class. In addition, the Gaming DAC Pro S is not only super compact, but it can also be conveniently connected, via USB and TRRS plugs, to all standard PC systems, consoles, headphones and headsets.



The Gaming DAC Pro S has the compact format of a common USB flash drive and be carried around just as easily. It can be inconspicuously attached between PC and headset while at the same providing a significant enhancement to the sound.



#### **A LIGHTWEIGHT WITH POWER**



Due to the high output voltage of 2 volts, the Gaming DAC Pro S has enough reserve capacity to reproduce the full dynamic of the gaming sound - without the loss of important details - also on 300 Ohm headsets. With a total harmonic distortion (THD+N) of only 0.002%, the device will meet the most exacting requirements.

#### **COMPATIBLE WITH:**



PC / Laptop (Windows, macOS)



PS4



Smartphone / Tablet\* (Android)


## IMMERSIVE GAMING





# CERTIFIED FOR A HIGH-RESOLUTION EXPERIENCE

The Gaming DAC Pro S is certified according to the requirements of the Japan Audio Society (JAS) for modern and high-resolution audio attributes. This is the guarantee of a high sampling frequency and a sound dynamic which achieves studio quality.



#### **UNDISTURBED, CLEAR SOUND**

The Gaming DAC Pro S provides an alternative to native sound cards. Noise from the power supply is avoided and a crystal-clear sound is ensured by an excellent signal-to-noise ratio of 100 decibels.

## **SPECIFICATIONS**

				П	
1110	Ιï	Ю	3	ı	E

■ Type:	External Sound Card
Sound Chip:	BES3100 + MAX97220A
Connector:	USB 2.0 (Type A Plug)
Output Voltage:	2.0 V
■ Impedance:	16 - 300 Ω
Max. Power:	250 mW
■ Signal-to-Noise Ratio (SNR):	100 dB
■ Total Harmonic Distortion (THD+N):	0.002 %
Sampling Frequency:	24 Bit / 96 kHz
Power Supply:	USB
Weight:	8 g
■ Dimensions (L x W x H):	42.0 x 17.3 x 9.7 mm
Supported Operating Systems:	Windows, macOS,

Linux, Android

#### **Cable and Connectors:**

Interfaces:	3.5 mm TRRS
■ TRRS Compatible (CTIA):	$\checkmark$
■ Gold-Plated Connectors:	<b>√</b>

#### **Compatibility:**

PCs/Notebooks:	✓
PlayStation 4:	$\checkmark$

#### **Package Contents:**

- Gaming DAC Pro S
- Manual

## G/MING **J/C** PRDE

