



SHARK BLADES PWM RGB FAN

Illuminated fans can add the finishing touches to a PC case. And, if the fans also ensure an optimal cooling performance, then everything is perfect. That is exactly what the SHARK Blades PWM does. With up to 1,400 rpm at a maximum volume of 24.8 dB(A) and continually smooth running, the fan offers performance without compromise. Thanks to its customizable lighting, it can be elegantly integrated into a case with illuminated hardware components.

Features

ALWAYS FULL PERFORMANCE

The SHARK Blades PWM offers the user 1,400 revolutions per minute and a maximum airflow of 94.8 cubic meters per hour. The mainboard automatically controls the fan speed as required. In addition, the fan can deliver the best possible performance for a very long while. This is ensured by an average service life of at least 50,000 hours.

PEACE AND QUIET

Despite its strong performance, the SHARK Blades PWM is hardly noticeable when it comes to volume. At a maximum of just 24.8 dB(A), the fan is slightly louder than a whisper in the same room. Its fluid dynamic bearing supports a quiet performance even during long periods of operation. Thanks to the rubberized contact points, vibration transmitted onto the case is also greatly reduced.

A SPECTRUM OF COLORS FOR THE CASE

The SHARK Blades PWM offers 20 addressable RGB LEDs, with a choice from up to 16.8 million colors to let the case radiate in the brightest of colors. The illumination of the LEDs can be customized as desired using the software on the mainboard.

FULLY CONNECTABLE FANS

As with all Sharkoon fans, the lighting effects of the SHARK Blades PWM can be synchronized and controlled with almost any commonly available addressable RGB controller: For example, the fan is compatible with the specifications for Asus Aura Sync, MSI Mystic Light Sync and Gigabyte Fusion. Addressable RGB controllers can be used from all providers that support connections with 3-pin 5V-D-G or 4-pin 5V-D-coded-G pinouts.

DECOUPLED MOUNTING

The rubberized contact points significantly reduce the case vibration and also enhance the smooth running of the fan.

Specifications

| | |
|--------------------------|--------------------------|
| Product Name | SHARK Blades PWM RGB Fan |
| Fan Speed | 400~1,400 rpm ± 10% |
| Bearing Type | Fluid Dynamic Bearing |
| Max. Airflow | 94.8 m³/h |
| Max. Air Pressure | 1.16 mm-H2O |
| Max. Noise Level | 24.8 dB(A) |
| MTBF | Min. 50,000 Hours |
| Illumination | 20x Addressable RGB LEDs |
| Weight incl. Fixed Cable | 142 g |
| Dimensions (L x W x H) | 120 x 120 x 25 mm |

Cable and Connectors

| | |
|------------------|---------------------------------------|
| Fan Connector | 4-Pin PWM |
| LED Connector | 3-Pin (5V-D-G) & 4-Pin (5V-D-coded-G) |
| Fan Cable Length | 450 mm |
| LED Cable Length | 500 + 50 mm |

Electrical Specifications

| | |
|--------------------|--------|
| Rated Voltage Fan | 12 V |
| Rated Voltage LEDs | 5 V |
| Rated Current Fan | 0.15 A |
| Rated Current LEDs | 0.9 A |
| Rated Power Fan | 1.8 W |
| Rated Power LEDs | 4.5 W |
| Start Voltage | 7 V |

Package Contents

SHARK Blades PWM RGB Fan, Set with Fan Screws, Manual

EAN Code

SHARK Blades PWM RGB Fan 4044951034307

