

User Manual of NDC120, NDC160 Motorized Turntable




Outstanding
intelligent hardware service provider

Thank you for using _____ product. For your own safety, please read this user manual carefully before installing it.


Product Feature

It is used for 360 degree rotating lightweight product display and product photography shots.

Three gear switch controls the direction and start/stop of turntable. The thumb wheel switch controls the speed of the turntable.




NDC120



NDC160




Standard configuration	
Turntable	1 piece
USB Cable	1 piece



Specifications



Material	ABS	NDC120 speeds	2.4-6RPM
Color	White	NDC160 speeds	2.4-4RPM
Size of NDC120	120*45mm	Voltage	DC5V 0.5A
Size of NDC200	160*45mm	Max load capacity	2.5KG
Rotating direction	CW/CCW	Thumb wheel switch	Adjust speeds



Notes

- Damages caused by the disregard of this user manual are not subject to warranty. The dealer will not be responsible for any resulting defects or problems.
- Do not overload on the turntable.
- The ambient temperature must always be between -5°C to +45°C. Use under indoor dry condition.
- Never touch the device with wet hands, as it could lead to mortal electrical shock or injury.
- Any unauthorized modifications on the device is forbidden due to safety consideration.
- Normal noise value within 55 decibels during product operation.

Maintenance and repair

- Disconnect from mains before starting maintenance operation.
- We recommend a frequent cleaning of the device. Please use a soft lint-free dry cloth. Never use alcohol or solvents.
- Maintenance should be carried out by qualified professionals only.
- Please use the original packing for transportation in case the turntable needs maintenance by manufacturer.
- Should you need any spare parts, please contact us.



Official WeChat Account



Home page

Warranty Card

User's name:

Tel:

Add:

Item No:

Shop's name :

Purchase time:

Maintenance record:

Please keep this card properly

Patented product , Imitation is prohibited.