

V. Installation:

buy on www.cablematic.com



VI. Limited Warranty:

IN NO EVENT THE DIRECT VENDOR'S LIABILITY EXCEED THE PRICE PAID THE PRODUCT FROM DIRECT, INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OF THE PRODUCT, DIST, OR ITS DOCUMENTATION.



buy on www.cablematic.com

I. Introduction:

The 2 port video splitter chart a new direction in multimedia functionality by DVI video. It take the signal from an video source and replicate them to two outputs


II. Features:

- ★ Fully compliant with the DVI-digital and DVI-analog specification.
- ★ Supports high-resolution display up to UXGA(25-165MHz).
- **★**Can be cascaded.
- **★**Easy installation
- **★** Compliant with the specification of DVI 1.0.

III. Specifications:

Function	Specification
Description	1PC TO 2 DVI monitors
PC side Connector	DVI port (F) x 1
Console side Connector	DVI port (F) x 2
Max. Resolution	1600 x 1200
Bandwidth	25-165MHz
Signal Type	DVI 1.0
Operating Temperature	0-40 degrees(Celsius)
Storage Temperature	-5-70 degrees(Celsius)
Humidity	0-80%RH, Non-condensing
Housing	Metal

IV. Introduction:



Number	Feature	Function
1	Monitor 1 Connector	Connector DVI Monitor 1
2	Monitor 2 Connector	Connector DVI Monitor 2
3	Power Jack	The power adapter cable plugs in here
4	Power LED	Power On or Off
5	PC side Connector	Connector PC