R

Net Wt. 250 lbs. (114 kg.)

Guaranteed Analysis

Crude Protein	
	(includes not more than 8% equivalent protein from non-protein-nitrogen)
Crude Fat	
Crude Fiber	
Calcium (Ca)	Minimum 2.75% - Maximum 3.25%
Phosphorus (P)	
Salt (NaCl)	
Magnesium (Mg)	
Potassium (K)	
Sulfur (S)	
Selenium (Se)	
Zinc (Zn)	
Manganese (Mn)	
Cobalt (Co)	Minimum 4.0 ppm
Iodine (I)	
Vitamin A	
Vitamin D	
Vitamin E	
Alpha-Amylase (from a	Aspergillus oryzae)Minimum 3,393 ug starch hydrolyzed/min/oz.
Amyloglucosidase (fro	m Aspergillus niger, Aspergillus oryzae)Minimum 513 ug maltose hydrolyzed/min/oz.

Ingredients: Com Distillers Dried Grains with Solubles, Com Condensed Distillers Solubles, Salt, Magnesium Oxide, Corn Gluten Meal, Mono-Calcium Phosphate, Ammonium Sulfate, Calcium Carbonate, Canola Oil, Biuret, Calcium Sulfate, Potassium Chloride, Yeast Culture, Garlic, Zinc Sulfate, Manganese Sulfate, Copper Sulfate, Zinc Polysaccharide Complex, Zinc Proteinate, Manganese Polysaccharide Complex, Manganese Proteinate, Copper Polysaccharide Complex, Copper Proteinate, Dried Aspergillus Oryzae Fermentation Extract, Liquid Aspergillus Niger Fermentation Product, Cobalt Carbonate, Sodium Selenite, Ethylenediamine Dihydriodide, Vitamin A Acetate (Stability Improved), Vitamin D3 Supplement, Vitamin E Supplement.

Zinc, Manganese and Copper are 50% organically complexed.

Does Not Contain Any Animal Protein

Super 25 Garlic

SweetPro® Super 25 Garlic blocks are designed for the essential fortification of Cow requirements for vitamins A, D & E, plus protein, calcium, phosphorus and trace elements including selenium. Super 25 should be used for cattle on below average to poor forages. Daily intake will vary depending on forage quality and nutritional needs.

Feeding Instructions:

- 1. Before feeding SweetPro® Super 25 Garlic lick blocks for the first time, animals should be well fed.
- 2. Provide access for animals to have plenty of clean, fresh water at all times.
- 3. Have one lick block available per 25 head of beef cows.
- 4. Provide an adequate source of good quality roughage and forage at all times (all they can consume).
- 5. Place blocks near water sources or areas cattle frequent regularly.
- 6. Make blocks available in more than one location in large pastures or where more than one water source is available.
- 7. Other salt and minerals may be provided free choice to balance specific needs.
- 8. A two week adaptation period will be required to establish a base consumption rate. After adaptation period, recommended range of intake is .75 to 1.25 lbs. per
- 9. Once animals consistently consume more than 1.25 lbs/hd/day, transition to SweetPro Magnum Garlic. If daily consumption is consistently below .75 lbs/hd/day, transition to SweetPro® FiberMate 20 Garlic.

The above feeding directions are general guidelines and will vary with the overall feeding conditions. Always use good management practices.

Caution!

Contains 600 ppm copper. **DO NOT FEED TO SHEEP!**

Do not use in association with another feed containing supplemental selenium.

Control #:

Guaranteed by Harvest Fuel, Inc., 1505 4th Avenue E., Horton, KS, 66439 (800) 327-9222

All rights reserved. SweetPro is a registered trademark of Harvest Fuel, Inc.

Patent NO.: US 5,260,089 Patent NO.: US 6,777,019 B1 Patent NO.: US D352,136 Patent NO.: US D440,362 Patent NO.: US D428,232







