

## *Subject Index*

- Aapa-mire, 35, 36  
Aboriginal peoples (native, northern peoples, Indians), 14, 39  
Active layer, 101–105, 118, 122, 125, 244  
Adaptations (see plants, animals)  
American Build-up Index, 87  
    Drought Index, 87  
Animal adaptations, 149, 150  
Archaeology, 37–39  
Ash, 101, 103
- Barrens  
    pine barrens, 121, 185  
    kalmia barrens, 228
- Birds, 163–173, 194, 251, 252  
    biomass, 157, 166, 170, 172  
    body size, 166  
    consuming biomass, 164  
    metabolic demand, 166  
    numbers, 164, 166, 170, 172  
    species composition, 171  
    species diversity, 157, 164, 166, 170–172  
    species richness, 157, 164, 166, 170
- Blue-green algae, 118, 125
- Bogs (mires, swamps), 10, 34, 35, 81
- Boreal Forest types, 50, 209–211  
    alder-dominated forests, 117  
    aspen-dominated forests, 71, 72, 82, 117, 282  
    birth-dominated forests, 37, 72, 117  
    black spruce-feathermoss, 207, 208  
    black spruce-lichen, 209  
    fir-dominated forests, 81, 117, 221–232  
    pine-dominated forests, 28, 37, 72, 91, 117, 123, 158, 183–195, 282  
    spruce-dominated forests, 24, 33, 39, 72, 81, 91, 105, 114, 116, 117, 158, 201–207, 282  
    willow-dominated forests, 91
- 'Brooming' in trees, 143
- Byram's Intensity, 66, 67, 191
- Canadian Fire Behaviour Index, 194  
Canadian Forest Danger Rating System, 71  
Canadian Forest Fire Weather Index, 5, 6, 86, 87, 191, 192, 194, 226  
    Buildup Index, 194  
    Duff Moisture Code, 74, 80, 194  
    Initial Spread Index, 71, 194  
Charcoal, 22–24, 28–35, 48, 222, 223, 280, 281  
Climate, 34, 202  
Climatic maps, 5  
Combustion, 66, 84, 85
- Day length, 3  
Decomposition, 116, 117, 249–251  
Dendrochronology, 39  
Depth of burn, 67, 74, 76, 94, 127, 206  
Depth of thaw, 215, 249  
Diatoms, 29  
Differential thermogravimetric analysis, 86  
Direct seeding, 193  
Drunken forest, 105  
Duff, 192  
    removal, 206  
Disease control with fire, 143
- Evapotranspiration, 107  
Evenks, 11
- Fennoscandian International Biological Program, 116  
Fire behaviour, 65, 66, 70–73, 84–89, 190–192, 225, 226, 237–240  
    models, 71, 239  
Fire  
    brands, 226  
    breaks, 103, 104  
    climate and weather, 3–6, 68, 69, 202, 237, 238, 282, 289  
    ecology, 73–76

- exclusion 274, 285
- intensity, 66, 67, 73, 74, 86, 125–127, 136, 137, 191, 192
- local, 24, 29, 40
- patterns, 135–138
- presuppression period, 47–49
- regime, 10–13, 73–76, 202–204
- regional, 24, 29
- scars, 28, 236
- season, 49, 238
- suppression period, 49–60
- statistics, 46–60, 263
- Fire control, 228
- Fire frequency (cycle, rotation, rotation period), 10–13, 28–32, 83, 84, 125–127, 136, 137, 191, 202–204, 212, 222, 223, 236, 237
- Fire suppression, 228, 265, 286
- Fire suppression machinery, 267–270
  - peat shaft water applicator, 262, 270
  - water-filled roller 268, 269
- Fire suppression methods, 266–270
  - explosives, 269
  - trenching, 267
  - wetting agents, 261–270
- Fire types, 69–71
  - back, 69
  - crown, 10, 67–69, 71, 192, 202, 225
  - ground, 202
  - head, 69
  - spotting (high intensity), 69
  - surface, 71, 192
- Fires (major and well studied)
  - Chapleau–Mississagi Fire, Ontario, 224
  - Great Miramichi Fire, New Brunswick, 1, 224
  - Inuvik (1968), 72, 101, 105, 113, 115, 122–124, 205, 213, 215, 240
  - Lesser Slave Lake (1968), 70
  - Little Sioux, 70
  - Swanson River Fire, Alaska, 276
  - Walsh Ditch Fire, Michigan, 281
  - Wickersham Fire, 205, 213, 215
- Flammability, 76–78, 225, 237
  - coniferous foliage, 10
- Flame front, 6
- Flaming combustion, 83, 90
- Frost mounds, 101
- Fuel, 10, 67, 68, 224, 225, 238–240
  - arrangement, 66
  - ash content, 238
  - biomass, 68, 240
  - bulk density, 68
  - consumption, 192
  - energy content, 68, 238, 260
  - lipid content, 235
  - moisture content, 66, 68, 87, 238, 239, 259, 260
  - surface–volume ratio, 239
- Fuel types, 72
  - organic soil, 84–86
- Fur trade, 48
- Gas and oil exploration, 48, 51, 97
- Glowing combustion fires, *see* Organic soil fires
- Gold Rush, 48, 51
- Hazel-grouse, 229
- Holocene, 34
- Human prehistory, 26–29, 35–40
- Humus fires, *see* Organic soil fires
- Hunting, 39
- Ignition
  - planned, 274–290
  - random, 274–290
- Ignition temperature, 66, 86
- International Geological Correlation Program, 22, 40
- Insect outbreaks, 223, 224
- Insect-wildfire hypothesis, 224, 225, 232
- Kirtland's warbler, 184
- Lake (laminated, varved) sediments, 22, 29–31, 222, 236, 280, 281
  - Landnam*, 38, 39
- Leaf-fodder culture, 38
- Lightning, 68, 202, 237
- Lightning-caused fires, 10, 47–60, 72, 73, 190, 236, 238, 275, 281
- Lysotundra, 201
- Mammals, 251, 252
- Management (fire), 11, 14, 15, 231, 274
  - plan, 277, 286, 287
- Man-caused fires, 34, 47–60, 190, 238
- Marals, 230
- Microclimate, 242
- Mineral exploration, 48
- Mongols, 11
- Multiple fires, 58, 59

- National Parks, Wilderness Areas and Nature Reserves, 273–290
- Niche separation, 163
- Nitrogen, 114, 115, 124  
 cycling model, 126  
 fixation, 118, 119, 125  
 volatilization, 112, 121, 127
- Nutrients (P, K, Ca, Mg, Na, S), 114–118, 121–124, 246–248
- Nutrient cycling (undisturbed ecosystems), 112–119
- Nutrient cycling and fire, 111–126, 156, 189, 241, 242, 246  
 leaching, 123  
 runoff, 123  
 volatilization, 122, 123
- Organic soil drainage, 83, 261
- Organic soil fires, 35–37, 67, 69, 81–93, 106, 259–270
- Organic soils, 7
- Paleoecological methods, 22, 23  
 aluminium influx, 23  
<sup>14</sup>C, 34, 36, 40  
 carbon wax technique, 23  
 freezing box, 22  
 frozen finger, 22  
 gelatin-coated slide, 23  
 paleomagnetic, 22  
 vanadium influx, 23
- Paludification (nutrient lock-up, swamping), 35, 90, 91, 116, 230
- Peat  
 fires, *see* Organic soil fires  
 palsas, 90, 99, 100  
 plateaux, 99, 100  
 production fields, 263  
 profiles, 33  
 stockpiles, 263, 265
- Peatlands, 7
- Permafrost, 4, 98, 99, 104, 202, 211, 244  
 continuous, 4, 98, 99  
 discontinuous, 4, 98, 99
- Phenology of plants, 136
- Plant adaptations to fire, 74–76, 204–206, 226  
 axillary buds, 74  
 basal burls (ligno-tubers), 145  
 cone serotiny, 74, 138, 142, 183, 185, 186, 205, 211, 248  
 invaders, evaders, avoiders, resisters, endurers, 141–146  
 regeneration niche, 139–141  
 vital attributes, 140, 141
- Poisson distribution, 136, 137
- Pollen, 23, 24, 30, 34, 223
- Post-glacial periods, 36–38
- Post-fire  
 erosion, 101, 104, 122, 245  
 hydrology, 15, 245, 246  
 succession, *see* Succession
- Prescribed burning (or fire), 11, 14, 192–195, 231, 252, 276, 279, 286  
 planned ignition, 274–290  
 random ignition, 274–290
- Pryogenic tundra, 104
- Public safety, 280, 286
- Rate of spread, 66, 67, 71, 72, 87, 191, 192, 226, 264
- Raunkiaer's Life Forms, 138, 139
- Sable, 229
- Scientific names of animals and birds  
*Alces* spp. (moose), 190, 215, 230, 276–278, 281  
*Bison bison*, 278  
*Canchites canadensis*, 277  
*Canis lupus*, 281  
*Cervus canadensis*, 278  
*Clethrionomys* spp. (voles), 159–162  
*Eutamias* spp., and *Tamias* spp. (chipmunks), 159, 160, 162  
*Grus americana*, 278  
*Lepus americanus*, 277  
*Microtus* spp., 160–162  
*Peromyscus* spp. (white-footed mice), 159, 160  
*Rangifera arcticus* and *R. tarandus* (caribou), 190, 209, 277, 283
- Scientific names of diatoms  
*Cyclotella keutziana*, 30  
*Cyclotella pseudostelligera*, 30  
*Synedra acus*, 30
- Scientific names of insects  
*Choristoneura fumiferana* (spruce budworm), 224  
*Dendrolimus sibiricus* (Siberian silk worm), 225  
*Monochamus urossovi* (big, coniferous, long-horned beetle), 225

## Scientific names of lichens, liverworts and mosses

- Alectoria jubata*, 236, 239  
*Bryales* spp., 28  
*Ceratodon purpureus*, 140, 141, 146, 206, 207, 209, 229, 247  
*Circaea alpina*, 143, 146  
*Cladina* spp., 208  
*Cladonia* spp., 99, 208, 209  
*Cladonia alpestris*, 209, 236, 239, 240, 243, 247, 251  
*Funaria hygrometrica*, 141, 229  
*Hylocomium splendens*, 143, 146, 208, 209, 229  
*Lecidea* spp., 209  
*Marchantia polymorpha*, 141, 206, 207, 209  
*Nephroma arcticum*, 118, 208  
*Peltigera* spp., 143, 146, 208  
*Pleurozium schreberi*, 188, 208, 209, 229  
*Polytrichum* spp., 34, 141, 146, 206, 207, 209  
*Sphagnum* spp., 34, 35, 99, 101, 116, 208  
*Stereocaulon paschale*, 118, 209, 236
- Scientific names of microorganisms  
*Gremmeniella abietina* (Scleroderris canker), 194  
*Rhizina undulata*, 14  
*Wallrothiella arceuthobi*, 143
- Scientific names of vascular plants  
*Abies* spp. (fir), 75, 81, 99  
*Abies balsamea*, 6, 9, 13, 68, 75, 117, 140, 143, 146, 185, 211, 221, 222, 226  
*Abies lasiocarpa*, 75  
*Abies sibirica*, 6, 8, 221  
*Acer rubrum*, 12  
*Acer saccharum*, 188  
*Acer spicatum*, 229  
*Agrostis scabra*, 141  
*Alnus* spp. (alder), 36, 99, 101, 117, 229  
*Alnus crispa*, 140, 144–146  
*Andropogon scoparius*, 136  
*Apocynum androsaemifolium*, 145, 146  
*Aralia* spp., 142, 145, 146  
*Arceuthobium samericanum*, 143  
*Arceuthobium pusillum* (dwarf mistletoe), 194  
*Arctagrostis latifolia*, 141

- Arctostaphylos uva-ursi*, 145, 146  
*Betula* spp. (birch), 36, 38, 75, 101, 103  
*Betula glandulosa*, 146, 207, 240, 241, 247, 248  
*Betula papyrifera*, 12, 13, 32, 75, 117, 141, 188, 208, 210, 222, 239  
*Calamagrostis canadensis*, 141, 146, 207–209, 215  
*Carex aenea*, 141  
*Cirsium arvense*, 141  
*Comandra livida*, 146  
*Corallorhiza* spp., 143  
*Cornus* spp., 143, 145, 146  
*Corydalis sempervirens*, 140, 142, 146  
*Corylus* spp. (hazel), 28, 36, 38, 187  
*Dryas drummondii*, 161  
*Empetrum nigrum*, 146  
*Epilobium angustifolium* (fireweed), 103, 141, 146, 206–209, 215  
*Equisetum* spp., 145, 146, 206, 207  
*Eriophorum vaginatum*, 90, 140, 144, 146, 251  
*Festuca scabrella*, 279  
*Gaylussacia baccata*, 229, 231  
*Geocaulon lividum*, 143  
*Geranium* spp., 39, 142, 146  
*Goodyera repens*, 140, 143, 146  
*Hordeum* spp., 38  
*Kalmia angustifolia*, 90, 117, 229  
*Larix* spp., (tamarack, larch), 6, 9, 10, 99  
*Larix laricina*, 9, 75, 99, 144, 222  
*Ledum groenlandicum* (Labrador tea), 99, 101, 146, 206–209  
*Ledum palustre*, 146  
*Linnaea borealis*, 143, 146  
*Lonicera altaica*, 229  
*Lycopodium*, spp. 21  
*Maianthemum canadense*, 145, 146  
*Mitella nuda*, 143, 146  
*Monotropa uniflora*, 143  
*Picea* spp. (spruce), 28, 38, 101  
*Picea abies* (*Picea obovata*) (Norway spruce), 6, 8, 23, 28, 32, 36, 76, 99, 283  
*Picea excelsa*, 6, 116  
*Picea glauca* (white spruce), 6, 8, 48, 75, 142–144, 146, 211, 222, 248, 277  
*Picea mariana* (black spruce), 6, 8, 12, 13, 32, 68, 75, 83, 91, 92, 99, 117, 140, 142, 144, 146, 187, 201, 211,

- 212, 222, 231, 236, 239–241, 243, 247–249, 251, 282
- Picea rubens*, 222
- Pinus* spp. (pine), 10, 37, 81
- Pinus banksiana* (jack pine), 6, 8, 12, 13, 31, 32, 69, 71, 75, 83, 91, 92, 117, 138, 140, 142, 144, 146, 211, 240, 248, 282
- Pinus cembra*, 6
- Pinus contorta* var. *latifolia* (lodgepole pine), 6, 8, 71, 75, 138, 142, 144, 183, 242
- Pinus pumila*, 8, 183
- Pinus resinosa*, 12, 32, 183
- Pinus sibirica*, 6, 8, 183
- Pinus strobus*, 12, 32, 183
- Pinus sylvestris* (Scots pine), 6, 8, 29, 32, 76, 99, 117, 183, 283
- Pinus taeda*, 123
- Poa pratensis*, 136
- Polygonum cilinode*, 142
- Populus* spp. (poplar, aspen), 32, 38
- Populus tremuloides*, 32, 69, 75, 117, 140–142, 145, 146, 187, 211, 278
- Prunus pennsylvanica*, 12, 143, 146, 248
- Pteridium* spp., 21, 28, 38, 145, 146
- Quercus* spp. (oak), 28, 37
- Rhododendron* spp., 229
- Ribes* spp., 143
- Rosa acicularis*, 207, 208
- Rubus chamaemorus*, 207
- Rubus strigosus*, 140, 143, 146
- Rumex* spp., 29
- Salix* spp., (willow), 38, 91, 92, 99, 101, 103, 141, 207, 215
- Secale* spp., 38
- Senecio congestus*, 140, 141
- Shepherdia canadensis*, 143, 161
- Spiraea media*, 229
- Symphoricarpos* spp., 143
- Tilia* spp., 28
- Triticum* spp., 29, 38
- Ulmus* spp., 28, 38
- Vaccinium* spp. (blueberries), 14, 144, 184
- Vaccinium myrtilloides*, 146
- Vaccinium myrtilus*, 28
- Vaccinium uliginosum*, 146, 206–208, 212
- Vaccinium vitis-idaea*, 144, 146, 208, 209
- Valeriana* spp., 39
- Viburnum* spp., 143
- Vicia* spp., 38
- Seedbed, 76
- Seedlings, 83, 92, 186, 187, 193, 194, 205, 208
- Seeds and seed banking, 74, 142, 186, 205
- Site-preparation, 14
- Slash-and-burn agriculture, 11
- Small mammals, 157–163, 194, 229
- biomass, 157–159
- consuming biomass, 158
- numbers, 158
- species diversity, 157–159
- species richness, 157–159
- Smoke, 123, 262
- Smoke jumpers, 51
- Smouldering fires, *see* Organic soil fires
- Snow, 98
- Soil(s)
- Spontaneous combustion, 263, 265
- Soot (from fires), 23, 24, 29
- hydrophobic (water repellent), 260, 261
- ice content, 101–105, 125
- pH, 122, 189
- surface albedo, 100, 107, 122, 125
- temperature, 100, 105–107, 125, 188, 215
- Subsurface fires, *see* Organic soil fires
- Succession (post-fire), 91, 92, 124, 146–150, 162, 187, 188, 207–212, 226–230, 246, 252
- models, 140, 147
- Sunspots, 203
- Susceptibility, 206
- Sympyrosis, 149
- Temperatures, 88, 161, 242–244
- Thermokarst (earth flows, solifluction, slumping), 90, 100, 103, 105, 125, 244, 245
- Tree line, 7
- northern, 7, 34, 53, 104
- Uncontrolled fires, 2, 11
- Ungulates, 39
- Vegetation types
- aspen parkland, 147
- bogs, 10, 81, 90
- Boreal Forest, *see* Boreal Forest types
- chaparral, 11

- Douglas-fir forest, 163
- Eriophorum tussocks, 104
- forest-tundra, 116, 117, 122, 124
- grassland, 11, 54
- heathland, 117
- lichen tundra, 235–253
- lichen woodland, 60, 235–253
- marshes, 81
- ponderosa pine forest, 163
- savannah, 11
- taiga, 39, 202
- tundra, 38, 50, 72, 105, 113, 115–117, 122–124
- Wiebull function (and distribution), 77, 136, 238
- Wildfire, 190–192
- Wind, 263, 264, 266
- Wood-grouse, 229
- zapovednik* (USSR state natural preserve), 285