

## Index

- Abrasion, 108, 110, 115, 118, 357, 418, 451, 457  
Acidification, 315, 323–328  
Acid mine waters, 451  
Acid rain, 175–177, 315, 323–328, 351, 461  
Adsorption  
  reduced sulphur compounds, 156, 157  
  sulphate, 134–136  
  sulphur dioxide, 154, 155, 263–265, 268, 269  
Aeolian emission, 204, 217, 218, 222–224, 234–239, 267, 269, 273–275, 278, 281, 336, 450, 459  
Aeolian weathering, 108, 110, 115, 118, 218, 222, 223, 234–239, 267  
Agricultural practices, 158–175, 231  
Akiochi disease, 172  
Amino acid, 133  
Ammonia volatilization, 175  
Ammonium sulphate, 218, 227  
Anhydrite, 2, 51, 74, 75, 77, 78, 84, 85
- Bacteria  
  *Beggiatoa*, 7, 8  
  chemoautotrophic, 453  
  chemolithotrophic, 7, 9  
  *Desulfotomaculum*, 10, 19, 151, 171  
  *Desulfovibrio*, 10, 17, 19, 151, 171  
  photoautotrophic, 310, 314, 453  
  photolithotrophs, 9, 19  
  photosynthetic sulphur, 9  
  sulphate reducing, 10, 17, 19, 151, 171, 299–301, 305, 312, 321, 363, 377–389, 412, 423, 452, 458  
  *Sulpholobus*, 8  
  *Thiobacillus*, 7, 8, 9, 16, 17, 19, 148–150, 175  
Barite, 375–377, 421
- Basalt, 93, 98
- Basins  
  Aral Sea, 349  
  Azov, Sea of, 38, 41, 350, 371, 381–383, 405–407, 416, 420, 421, 424–428  
  Baltic Sea, 38, 41, 109, 350, 391, 404, 405, 416–421, 424–429  
  Bering Sea, 364, 365  
  Black Sea, 38, 41, 350, 359, 391, 405, 407, 409, 413–415, 420, 421, 424–428  
  California, Gulf of, 364, 388, 389, 392, 396, 405, 406, 407, 409, 419–420, 429–431, 439  
  Caspian Sea, 350, 359, 371, 374, 381  
  Dead Sea, 359  
  epi-continental, 38  
  inland drainage, 329–331  
  Japanese Sea, 371  
  Jurassic, 72  
  Okhotsk, Sea of, 364, 365, 398, 400, 405  
  Red Sea, 359  
  salt-bearing, 64  
  White Sea, 371
- Belching, 164  
Biomass combustion, 247
- Calcite, 239, 458
- Carbonates  
  biogenic marine, 370–374, 421  
  protodolomite, 458  
  rhodochrosite, 458  
  rocks, 29, 43, 46, 51, 55, 63–65, 70, 72, 74, 75, 77, 78, 84, 90, 131, 341  
Carbon disulphide, 153, 156, 157, 167, 205–210, 224, 225, 228, 230–233,

- Carbon disulphide—*cont.*  
 246–248, 270–273, 276, 277
- Carbonyl sulphide, 153, 156, 157, 167,  
 205–210, 215, 224, 225, 228,  
 230–233, 246–248, 270–273, 276,  
 277
- Chemocline, 310, 314
- Clays, bituminous, 49, 65
- Cloud water, 252
- Coal, 112, 116, 117, 177, 242–246, 249,  
 281, 340, 460, 461
- Coke, 246
- Concretions, 59–62, 83
- Combustion, 454
- Cosmic matter, 111
- Cropping, 160–163, 169–172
- Crops, 454
- Cycles  
 Alpine, 46, 65, 70  
 Caledonian, 52  
 Hercynian, 46, 51, 70
- Cysteic acid, 132
- Cysteine, 6, 16, 19, 132, 133, 153
- Deep sea drilling, 87–89, 362, 363
- Deposition velocity, 263, 265–267
- Desulfotomaculum*, 10, 19, 151, 171
- Desulfovibrio*, 10, 17, 19, 151, 171
- Diagenesis, 301, 364, 365, 385, 389, 394,  
 395, 404, 423, 457
- Dimethyl disulphide, 153, 156, 157, 205,  
 228, 233, 248
- Dimethyl sulphide, 6, 7, 153, 154, 156,  
 157, 167, 205–210, 215, 228,  
 231–233, 246, 248
- Dispersed pyrite, 59, 68, 83, 86, 117
- Djenkolic acid, 153
- Dry deposition, 155, 156, 180, 242, 256,  
 259, 263–269, 270–274, 276, 277,  
 297, 335, 351, 419, 450, 451, 454,  
 455
- Emissions  
 aeolian, 204, 217, 218, 222–224,  
 234–239, 267, 269, 273–275,  
 278, 281, 336, 450, 459  
 anthropogenic, 203, 205, 210, 211,  
 215–218, 220, 231, 234,  
 242–247, 268, 269, 273–275,  
 278–282  
 biogenic, 231–234, 241, 274, 276,  
 277, 280–282, 336, 450, 451, 458  
 natural, 452  
 reduced sulphur, 273  
 sea salt, 217, 231, 239–242, 273–275,  
 281  
 volcanic, 205, 230, 270–275, 277, 336,  
 450, 451, 455–457
- Erosion, 157, 158, 180
- Ester sulphates, 133
- Evaporites, 20, 29, 46, 49, 51, 52, 73,  
 84–88, 96, 340, 341, 348
- Excavation, 107, 108, 110, 115, 118,  
 357, 451, 457
- Facies, 29–33, 38, 40, 48, 49, 54, 55, 58,  
 62, 68, 71, 72, 91
- Faeces, 163–165, 167
- Fertilizer, 159–163, 166–169, 171, 179,  
 336, 338, 339, 351, 454, 455, 459
- Fog, 252
- Fossil fuels, 242, 246, 315, 323, 338,  
 454, 456, 460
- Freshet, 309
- Fumaroles, 101, 456
- Geosynclines  
 Alpine, 67, 70, 72  
 Altai-Sayan, 74  
 Appalachian, 74  
 Barandven, 74  
 California, 74  
 Carpathian, 73, 74  
 Caucasian, 67–70, 72–74  
 Central Kazakhstan, 74  
 Coledonides, 74  
 Crimea, 74  
 Czechoslovakia, 74  
 Donbass, 74  
 eugeosyncline, 68, 69, 71, 72  
 England, 74  
 Fergana, 74  
 Hercynian, 70  
 Himalaya, 74  
 Japan, 74  
 migeosyncline, 68, 69, 71  
 Nepal, 74  
 South Mangyshlak, 74  
 South Sakhalin, 74  
 Sweden, 74  
 Ural, 73, 74  
 Verkhoyan, 74  
 West European, 73, 74
- Global movements, 52

- Granite, 89–92, 96, 131  
Grazing animals, 163–171, 179  
Ground water, 336, 337, 357, 451, 455, 457  
Gypsum, 2, 16, 51, 56, 74, 75, 77, 78, 84, 85, 172, 173, 239
- Hypolimnion, 299, 302, 307, 317, 318
- Igapo, 308  
Inclusions, 4, 61, 62, 83, 86  
Inland drainage, 329–331  
Ion fractionation, 241  
Isothiocyanates, 153  
Irrigation, 162, 163  
Isotope effect  
  kinetic, 11–13, 18  
  thermodynamic, 12, 13  
Isotopic  
  composition, oxygen, 63, 64  
  fractionation factor, 13, 41, 42, 51, 60, 63, 64  
  zonation, 39, 41
- Lakes, 299–321, 323–330  
  brackish, 302–304  
  eutrophic, 299, 300, 302, 308, 318  
  freshwater, 300–304, 306, 308, 310, 315, 324, 328  
  karst, 310, 312, 314  
  meromictic, 310–315, 318  
  mesotrophic, 299–302, 304, 308, 318  
  monomictic, 299–310  
  oligotrophic, 300, 301, 303, 304, 308, 318  
  polder, 304  
Langmuir factor, 253, 254  
Lanthionine, 153  
Leaching, 157, 158, 162  
  rocks, 110, 178  
  soil, 110, 117, 157, 158, 162, 173, 180  
Lignite, 112, 116, 245  
Liming, 159  
Lithological formation, 80, 81  
  carbonate, 81  
  carboniferous, 81  
  continental, 81  
  disintegrated, 81  
  glacial, 81  
  marine, 81  
  salt bearing, 81  
  siliceous, 81  
  volcanogenic, 81
- Mantle, 97–98  
Marl, 302, 305  
Methionine, 7, 132, 153  
Methionine sulphone, 132  
Methionine sulphoxide, 132  
Methyl mercaptan, 6, 7, 153, 156, 157, 233, 246, 248  
Mineralization, 458  
Mining, 177, 336, 454, 455  
Mixing height, 208–210, 215–218, 223–225, 266, 267  
Molluscs, 371, 374  
Monimolimnion, 311, 312, 314, 318  
Monolimnion, 311
- Natural gas, 116, 242
- Oil, 116, 242–246, 249, 281, 461  
Oil shales, 112, 245  
Oxidation  
  carbon disulphide, 248  
  carbonyl sulphide, 248  
  pyrite, 178  
  reduced sulphur compounds, 247, 248, 270  
  sulphur dioxide, 217, 218, 248–252
- Palaeobasin  
  Carboniferous, 37  
  geosyncline, 71  
  Upper Proterozoic, 37, 38  
  Yasnopolyanski, 34, 36  
Paper, 246, 320, 338, 339  
Pasture, 159, 161–163, 166, 167, 169  
Peat, 112, 116  
Peat bog, 111, 117  
Pesticides, 180  
Plankton, 359  
  phyto, 359, 360  
  zoo, 359  
Plates  
  Scythian, 29, 53–55, 67  
  Turanian, 53–54  
  West European, 54, 55  
  West Siberian, 53, 57  
Platforms, 28, 46, 52  
  North American, 54–60, 65  
  Russian, 29, 30, 34, 38, 42–60, 62–69, 71, 72, 80, 83  
  Scythian, 57, 62, 65, 69, 71



Platforms—*cont.*

Siberian, 53–58, 65

West European, 53

West Siberian, 54, 55

Precipitation, 242, 252–263, 268–274,  
276–282, 335, 343, 344, 419, 450,  
451, 454–456

Pre-industrial period, 259, 275–278

Primary production, 413

Protodolomite, 458

## Ratios

C/N/S, 130, 131, 132

Fe<sub>2</sub>O<sub>3</sub>/FeO, 29–31, 33, 36, 50, 51, 70

pyrite S/organic C, 48, 72, 80, 81, 89

sea salt sulphur/excess sulphur, 270

sulphate/chloride, 240–242, 255,  
332–335, 365, 367

sulphate/magnesium, 240–242

sulphate/sodium, 218, 240–242, 255

sulphur/chlorine, 281

winter emissions/summer emissions,  
243

Raleigh formula, 13

Reduced sulphur compounds, 203,  
205–210, 215, 224–226, 230–234,  
246–248, 268

Reducible sulphur, 133

Regions, Oslo, 53, 55–58, 65

Rhodochrosite, 458

Rice, 171, 172

River runoff, 108, 109, 114, 115, 118,  
241, 242, 331–352, 377, 418, 450,  
451, 454–457

## Rocks

anhydrite, 2, 51, 74, 75, 77, 78, 84, 85

argillaceous, 97, 341

basaltic, 93, 98

carbonate, 29, 43, 46, 51, 55, 63–65,  
70, 72, 74, 75, 77, 78, 84, 90, 131,  
341clayey, 29, 43, 46, 55, 58, 68, 70, 72,  
74, 75, 77, 78, 440

crust, Earth's, 94, 96, 97, 106–108

crust, oceanic, 93, 94, 96, 97

effusive, 54, 56, 74, 75, 77, 78, 97, 98,  
109evaporite, 20, 29, 46, 49, 51, 52, 73,  
84–88, 96, 340, 341, 348

granite, 89–92, 96, 131

gypsum, 2, 16, 51, 56, 74, 75, 77, 78,  
84, 85, 172, 173, 239

halogenic, 312

igneous, 86, 131, 144, 341

intrusive, 109

mafic, 96

metamorphic, 109, 341

oceanic, 93, 94, 96, 97

plutonic, 129

salt, 77, 78

sandstones, 29, 50, 55, 70, 74, 75, 77,  
78, 96, 131

sedimentary, 29–89, 340, 341

shale, 96

siliceous, 56, 62, 63, 74, 75, 77, 78

siltstones, 29, 50, 55, 70, 77, 78

silty-sandy, 72

slate, 131

sulphate, 43, 56, 70, 86

ultrabasic, 94, 98

volcanic, 70, 96

## Runoff

ionic, 110, 115

particulate, 110, 115

river, 108, 109, 114, 115, 118, 241,  
242, 331–352, 377, 418, 450,  
451, 454–457

soils, 157, 158

underground, 108–110, 115, 118, 336,  
337, 357, 451, 455, 457

Salinization, 337

## Scavenging

factor, 253

in-cloud, 252

sub-cloud, 252

## Schists

argillaceous, 341

Cambrian black, 35

clay, 77, 78

inflammable, 49

Ordovician, 35

## Sedimentary

envelope

of continents, 28–89

of earth, 89

of platforms, 28–67

layer of ocean, 88–89

rocks

of continents, 80–88

of geosynclinal zones, 67–80

of platforms, 28–67

## Sedimentation, 42

conditions, 48, 49

- rate, 48–50, 62, 63, 65–68, 71, 80, 87, 118, 305, 306, 328, 361, 362, 364, 406, 407, 410, 411, 413, 414, 417, 418, 429, 437, 438, 456
- region, 48
- Sediments**
- ancient, 40
- aleuritic, 389, 427
- arid, 68
- Azov Sea, 39, 381–383, 388, 416, 421, 424–428
- Baltic Sea, 39, 40, 384–385, 388, 416, 417, 421, 424–429
- biogenic, 387, 389, 413
- Black Sea, 39, 40, 113, 363, 369–371, 383, 384, 388–390, 392, 403, 414–416, 421, 424–428
- brackish water, 38, 41
- carbonate, 362, 367, 368, 371, 372, 375, 376, 389, 413
- Carboniferous, 36
- clay, 368, 372, 389, 427
- coarse-grained, 387
- continental, 36, 38, 60
- rise, 362, 363, 367, 404, 412, 422, 423, 433
- slope, 41, 362, 363, 367, 376, 386, 388, 404, 412, 422, 423
- Cretaceous, 51
- diatomaceous, 420
- foraminiferal, 420
- fresh water, 36, 41
- hemipelagic, 389, 392, 456
- geosynclinal, 72, 80, 81
- humid, 68
- hyposaline, 36
- lacustrine, 318, 319
- lagoon, 38, 46
- lake, 38
- littoral, 378–382, 388, 389
- marine, 36, 38, 41, 42, 60, 361, 362, 367, 371, 392
- marsh, 38
- metalliferous, 375
- Neoeuxinian, 370, 391, 392
- ocean bed, 362, 363, 367, 376, 404, 412, 422, 423
- Palaeozoic, 40
- pelagic, 36, 89, 398, 404, 423
- pelitic, 387, 388
- platform, 65, 72, 73, 80, 81
- pore-water, 360, 362, 363, 365–370, 375, 376, 383, 384, 389, 390, 392, 393, 404–407, 409, 410, 421, 423, 424, 426, 430, 431, 434–437, 439, 440, 458
- Precambrian, 40
- river, 38
- salt, 238
- sandy-aleuritic, 387, 388
- sea, 42
- shell-carbonate, 387
- shelf, 41, 362, 363, 367, 376, 386, 387, 404, 412, 422, 423, 432, 434, 436, 439, 440
- siliceous, 362, 375
- solid phase, 360, 363, 367–372, 375, 376, 421, 424, 440
- terrigenous, 362, 376, 389, 421
- Seismic layer I, 79, 88–89
- Seismic layer II, 93–94
- Seismic layer III, 94
- Shales, 72
- argillaceous, 341
- Archaean, 91
- black, 65
- Precambrian, 91
- Silicate melts, 4
- Smelters, 177, 454
- Soil**
- acid-sulphate, 139
- acidification, 167–169
- amendment, 159, 172–175, 179
- calcareous, 135, 175, 176
- cation exchange, 168
- chronosequence, 131
- cultivation, 158, 160
- erosion, 336
- exchangeable sodium percentage, 172
- forming factors, 130, 144, 145
- forming processes, 144, 145
- hydrolysates, 133
- liming, 159
- reclamation, 173
- sulphur, 129–180, 281
- sulphur transformations
- assimilation, 143
- immobilization, 143, 145, 146
- mineralization, 143, 145–147, 165, 179
- oxidation, 143, 148–150, 178
- reduction, 143, 151
- types, 132, 136, 137, 139–143, 177, 222, 235

- types—*cont.*  
 waterlogged, 130  
 Sour gas, 278  
 Stratospheric sulphate layer, 227–230  
 Sulphate  
 adsorbed, 134–136  
 adsorption capacity, 135, 136, 157  
 aluminium hydroxy, 138  
 alunite, 138  
 angelsite, 144  
 astrakhanite, 144  
 barite, 375–377, 421  
 barytes, 138, 144  
 basaluminite, 138  
 basic aluminium, 138  
 celestite, 144  
 coquinbite, 138  
 excess, 218–221, 224–226, 240–242,  
 256, 260, 267, 270, 271, 274  
 glauberite, 144  
 gypsum, 2, 16, 51, 56, 74, 75, 77, 78,  
 84, 85, 172, 173, 239  
 insoluble, 135, 138  
 jarosite, 138, 139  
 kainite, 144  
 mirabilite, 144  
 primary, 65, 73, 77–79, 83  
 reducing bacteria, 10, 17, 19, 151, 171,  
 299–301, 305, 312, 321, 363,  
 377–389, 412, 423, 452, 458  
 reduction, 6, 10, 16, 232, 282, 360,  
 364, 367, 369, 377–389, 392,  
 394, 395, 401, 404, 406,  
 413–420, 423, 424, 430, 439,  
 452, 457, 458  
 rocks, 43, 56, 70, 86  
 Sulphonium compounds, 153  
 Tectonic  
 activity, 49, 50, 67  
 cycles, 46  
 factors, 42–52  
 movements, 42, 50  
*Thiobacillus*, 7, 8, 9, 16, 17, 148–150,  
 175  
 Thiocyanates, 153  
 Tidal swamps, 130  
 Trench  
 Hess, 433  
 Kurilo–Kamchatska, 391  
 Peru, 437  
 Somali, 367, 370, 371, 385, 387, 388,  
 398, 433, 439  
 Underground water, 108, 110, 115, 118,  
 336, 337, 357, 451, 455, 457  
 urine, 163–165  
 Volcanic activity, 62, 67, 68, 87, 89, 91,  
 97–104, 118, 228, 229  
 Water reservoirs, 321–323, 328, 330,  
 346, 348  
 Weathering, 89, 129, 131, 144, 158, 180,  
 331, 336, 337, 340, 351, 450, 453  
 aeolian, 108, 110, 115, 118, 218, 222,  
 223, 234–239, 267  
 anthropogenic, 111–119  
 fuel, 112, 116, 118  
 natural, 104–111, 117  
 Wind erosion, 108, 110, 115, 118, 218,  
 222, 223, 234–239, 267  
 Zones  
 arid, 46  
 deformed, 67