

Index

- acetate oxidation 158
alkaline lakes 192
anaerobic diagenesis 145–149, 162
anhydrite 5, 57, 59
Antarctic ice cores 65, 94–105
Aphanotheca halophilica 195–196
Archaean–Proterozoic boundary 11
Archaean atmosphere 9
Archaean oceans 8–9, 13
Atlantic Ocean 161, 165
- bacteria
 green sulphur 215
 purple non-sulphur 215
 purple sulphur 210, 215
 sulphur oxidizing 9
Baltic Sea 112, 160
Bathymodiolus thermophilus 188
Bering Sea 160, 168
Black Sea 23, 112, 160, 168
box model 38–40
- California, Gulf of 160–161
Calyptogenia magnifica 182
carbon
 dissolved organic (DOC) 129
 particulate organic (POC) 129
carbon dioxide, volcanic 67–68
carbon dioxide assimilation 198
carbon disulphide 78, 80, 82–85, 108, 112, 115
carbon in sediments 145–149
carbon isotopes 33–34, 69–72, 159–161, 166, 203
carbon reservoir 42
carbon-14 128–129, 144
carbonyl sulphide 78, 80, 82–85, 108, 112, 115
charge balance in ice cores 95
Chlorobiaceae 9
Chlorobium sp. 193, 211
Chloroflexis sp. 193, 197, 207–209, 211, 216–218, 220, 226–229
chlorophylls, bacterio- 192
Chlostridium sp. 223, 226, 228
Chromatiaceae 9
Chromatium sp. 193–194, 211, 216
Chromatius sp. 210
cyanobacterial mats 127–129, 136–137, 139–142, 191–204
- Desulfomonas* sp. 3
Desulfotomaculum sp. 3
Desulfovibrio sp. 3
Desulfurococcus sp. 214
dimethylsulphide 78, 80, 82–85, 108, 115
 anthropogenic effects 91–2
 photo-oxidation 91
dimethylsulphoxide 115
- Ectothiorhodospira* sp. 211, 217
Enteromorpha sp. 128
erosion constant 43, 53
evaporite basins 57
evaporites 5, 57
- fatty acids 125, 159
- Greenland ice cores 65, 94–105, 110
gypsum 5, 42, 57, 59, 184
- historical analyses
 precipitation 93–94
 soils and sediments 105–107, 116
 surface water 94, 116
Holocene sediments 23
hot springs 192, 205–229
 composition 205–207
hydrogen sulphide 78, 80, 82–85, 181, 184

- hydrothermal systems 15–17, 26, 35,
43, 65–66, 181–188
hydroxyl radical 9–10, 91
hypersaline environments 192
- Indian Ocean 165
iron dependent photosynthesis 202
iron hydroxides 182
iron sulphur interactions 204
iron (III) reduction 145, 158
- kinetic isotope effect 4
- Lamprocystis* sp. 194
lead-210 106
leaks in sulphur cycle 25
Lynobia 7104 195
- Macromonas* sp. 213, 218
manganese hydroxides 182
manganese (IV) reduction 145, 158
mass extinctions 73
Mastigocladus lamosus 207–208, 217
methane
dissolved 167
formation 159, 163, 168, 224, 228
oxidation 127, 149–158, 168
methane sulphonic acid 115
Methanobacillus kuzneceovii 226
Methanobacterium
thermoautotrophicum 226
Methanosarcina sp. 226
Microcoleus sp. 128, 136, 197, 200,
203
- nitrogen oxides 91
- Oscillatoria amphigranulata* 197, 200,
208
Oscillatoria limnetica 129, 193–196,
199–200, 207, 216
Oscillatoria okenii 207
Oscillochloris trichoides 209, 211, 216
oxygen consumption 144
oxygen in ancient atmosphere 9, 41
oxygen in mats 197–198
oxygen isotopes 33
oxygen toxicity 202
- Pacific Ocean 161, 165
pH of ice cores 95–98
- Phodopseudomonas* sp. 211
Phormidium sp. 207–208, 217–218
photosynthesis 9–10, 192–197
iron dependent 202–203
pigments 192
photosystem II inhibition 199
planktonic ecosystems 131, 138
primary productivity 127–130,
132–133, 143–145
Prosthecochloris sp. 193, 211–212
Pseudomonas mendocina 213
pyrite 4–5, 11, 23, 135
- Rhodobacter* sp. 211, 216–217
Rhodocyclus sp. 211, 216
Rhodopseudomonas viridis 216
Rhodospirillum mediosalinum 211,
216
Riftia pachyptila 182
Röt event 37, 58–59
- salt marsh ecosystems 130
sea-level 35, 69–72
sedimentary rocks, mass of 67
shales 23, 26
smog 111
soil erosion 90
Spartina sp. 130, 135, 137
Spirulina sp. 207
steady state 25
stromatolites 139, 191–192, 204
strontium isotopes 34–35, 69
sulphate
aeolian 78–79, 82–85, 89–90
ice cores 94–105
marine flux 78, 80, 82–85
oceanic reservoir 8, 15, 23, 26, 51
present inventory 29
reduction 3, 5, 11, 15, 23, 125–127,
132–143, 201–204
sedimentary 7, 26, 46, 49, 51
Sulphate in Archaean oceans 8, 13
sulphate in evaporites 24, 57–62
sulphide
Precambrian 11
sedimentary 7, 26, 47, 51
toxicity 193
sulphite, disproportionation 9
sulphur
anthropogenic 77–78, 80, 82–83,
110

- current global budget 80, 82–83
- cycle box model 38–40
- cycle events 36–38, 72–73
- cycle leaks 25
- deposition in sediments 24
- exogenic cycle 22, 27, 32–34
- fossil fuels 85–86
- from fertilizers 79
- in rivers 25, 87–89, 112
- industrial emissions 83–87
- isotope age record 31–32, 52, 62–64
- isotope fractionation 12, 16–17, 27
- isotope geochemistry 29–31
- isotopes 6–7, 11, 14, 49–50, 57–64, 69–72, 184
- lake sediments 92–93
- metabolism, prokaryotic 14
- metallurgical source 85
- oxidizing bacteria 9
- primordial 9
- Quaternary 93
- reservoir 48
- volcanic 65, 73, 78–79, 82–85
- sulphur/carbon
 - interactions 41, 69, 143–158
 - ratio 23, 32–34
- sulphur-35 135–136
- sulphuric acid production 86
- Synechococcus* sp. 200, 207–208, 217–218
- Thermoanaerobacter ethanolicus* 223
- Thermoanaerobium brockii* 223
- Thermobacterioides acetoethylicus* 223
- Thermodesulfobacterium commune* 213
- Thermofilum* sp. 214
- Thermoproteus* sp. 214
- Thermothrix* sp. 212–214, 218, 226–227, 229
- Thiobacillus thermophila* 212
- Thiobacterium bovista* 213, 218
- Thiocapsa* sp. 193, 211
- Thiocystis* sp. 193
- Thiospirillum* sp. 212, 216
- transport scales 108–109
- volcanic eruptions, evidence in ice cores 98–105
- volcanic rocks, mass of 67–68
- Zechstein 61–62
- Zostera* sp. 131, 137