

Subject Index

- action groups, 9
- adaptive decision-making, 39
- aggregation of models, 41–42, 69, 91
- agricultural modelling, 57–58, 61
- agricultural production, 5, 6, 7, 55
- air pollution, 4, 6, 8, 26, 33, 36, 46, 48–50, 64, 72
- air quality standards, 82
- analogue computers, 31, 75, 91
- analogue simulation, 5
- analytical solution, 11, 31
- Applied Mathematical Modelling*, 28
- aquifer flow model, 55
- astronomy, application of environmental modelling in, 19
- atmospheric diffusion, 49
- Australia
 - environmental modelling in, 34, 61–62
 - rural population in, 4
- automatic control, 38
- Azov sea, 65

- Bedford–Ouse modelling study, 50–52
- behaviour of systems, modes of, 36, 39
- biochemical oxygen demand (BOD), 41, 50, 91
- Blackwood river estuary, 61
 - Brazil, 56

- Canada, environmental modelling in, 48–50, 96–106
- case studies, manual recommended, 85
- case studies of environmental modelling, 48–60
- Center for Climatic and Environmental Assessment, 58
- clearing-houses for data and models, 81, 83
- climatic change, 8, 9, 65
- climate-generating models, 58
- climatic effects on agriculture, 57–58
- Club of Rome, 19
- Commonwealth Scientific and Industrial Research Organization (CSIRO), 61, 62
- compound simulation, 73
- 'comprehensive' models, 37, 38, 39
- computer languages, 33, 75
- computer requirements for modelling, 51, 56, 74

- computers, value of, 2
- confidence bounds on model predictions, 39
- Connecticut Air Pollution Model, 49
- constraints, shadow costs of, 53, 55
- continuous system simulation, 32, 33, 75
- control theory, 72, 73
- conversational mode, 81, 91
- cost/benefit balance in decision-making, 26
- critical-path network techniques, 32
- crop production modelling, 57–58
- cybernetics, 33

- data banks, 15, 35, 65, 81
- data bases for simulation, 34, 35, 46, 70, 81
- data collection, 40–41
- decision-makers
 - background of, 25
 - communication with environmental scientists, 66
 - objectives of, 29, 45, 46
 - outlook of, 8–9, 21–27, 101
 - training of, 20
 - types of, 15–17, 21–22, 29
- decision-making
 - in environmental problems, 1, 3
 - objectives in, 24–27
 - options for, 25–26
 - systems analysis and, 12
 - under uncertainty, 16, 39
- degrees of freedom, 37, 92
- Delphi process, 79, 92
- demographic processes, modelling of, 3, 32
- desertification, 1, 5, 56
- deterministic models, 12, 72, 92
- developing countries
 - computer facilities in, 46, 62
 - environmental problems in, 3, 4–10, 80
 - modelling in, 3, 17, 45, 46, 59, 62, 70, 80, 82–83, 84, 85
- development agencies' need for modelling, 82–83
- developmental projects, indirect effects on environment of, 83
- difference equations, 11
- differential equations, 11, 92

- digital computers, 31, 92
- discrete-event simulation, 32, 33, 75
- disease, 5, 6
- dominant modes (of system behaviour), 38, 92
- dominant-mode modelling, 39, 50–52
- drought relief, 21
- dynamic programming, 53, 56, 92
- dynamic storage allocation, 32, 92

- ecological modelling, 3, 20, 37, 56, 57, 66
- Ecological Modelling*, 28
- economic models, 35, 43
- education, modelling in, 19, 29, 56, 84
- Egypt, environmental modelling in, 46, 48, 56–57, 62–63
- endangered species, 8, 9
- energy conservation, 6
- energy production and use, 6
- engineering, modelling in, 2, 77
- environmental degradation, 1
- environmental hazards, 1, 6, 8, 16
- environmental impact assessment, 20, 40, 66, 81, 82, 83, 92
- environmental parameters, money values for, 9
- environmental problems, 4–10
- eutrophication, 7, 92
- experimentation in environmental problems, 18, 40
- experimentation with models, 18, 36, 71

- feedback, 38, 71, 92
 - between sub-systems, 18, 39
- feedback control, management as, 38
- 'fitting' procedures for models, 70
- flood control, 6, 21
- fluid dynamics, 77
- Food and Agricultural Organization (FAO), 59
- food production, 5
- food supplies, 8
- forests, use and destruction of, 5
- FORTAN, 33, 92, 100

- gaming, 17, 19, 20, 30, 45, 59–60, 67, 92
- Gaussian distribution, 49, 72, 73, 93
- Germany, Federal Republic of, environmental modelling in, 63–64
- graph theory, 33
- graphical display, 45, 75, 78
- grazing, effects of, 1, 5, 20
- Great Ouse river, 50
- greenhouse effect, 7, 65, 93
- ground-water, 55, 56

- handbook on simulation modelling recommended, 85
- hybrid computers, 31, 93
- Hydrocomp Simulation Programme, 37
- hydrodynamic modelling, 61
- hydrological modelling, 55, 61, 77
- hypothesis formulation and testing, 18

- identifiability problems, 71
- incremental decision-making, 23, 24, 26, 39, 80–81
- industrial production, 55
- information systems, modelling as a part of, 15
- interactive simulation, 19, 59
- interactive use of computers, 20, 34, 65, 75, 93
- interdisciplinary aspects of environmental problems, 17, 18
- interdisciplinary communication, 44
- interdisciplinary coordination, 76–77
- interdisciplinary problems in modelling, 28–30, 81
- interface between society and environment, 17–18
- interface between sub-models, 42, 85
- intermediaries between modellers and decision-makers, 25, 66, 67, 78, 84
- International Biological Programme (IBP), 46, 57, 93
- international cooperation, 85, 86
- International Council of Scientific Unions (ICSU), xiii, 86
- international exchange of personnel, 86
- inventory control, 22
- Iran, 56
- irrigation, effects of, 6, 63
- Israel, 48, 52–56

- Japan environmental modelling, 64–65
- Journal of Environmental Management*, 28

- land use planning, 5, 56–57
- Large Area Crop Inventory Experiment (LACIE), 58
- least-squares methods, 70, 93
- legal cases, modelling in, 20
- linear programming, 29, 33, 34, 53, 55, 93, 100
- list processing, 32, 93
- look-up tables, 11

- Man and the Biosphere (MAB), 28
- man-machine interaction, 34, 67, 75

- Markov processes, 33, 93
 mathematical modelling, 2, 11, 46, 48-49
 maximum likelihood estimates, 70, 93
 meteorological modelling, 2, 48-50, 61, 77
 Milton Keynes, 50, 52
 mini-max techniques, 24, 94
 model, behaviour modes of, 34, 38
 model building, involvement of
 decision-maker, 17
 model calibration, 37, 91
 model decomposition, 18, 30, 37, 39, 42, 71, 76, 77
 model documentation, 30, 43, 85, 99
 model evaluation, 34, 38
 international body for, 44
 model identification, 35, 50, 71
 model libraries, 35, 66
 model outputs, uncertainty in, 36, 42, 71, 72-73
 model parameters, uncertainty in, 71
 model 'tuning', 22, 37
 modellers
 background of, 28-29
 contact with other scientists, 29, 37, 44, 77
 institutional environment of, 28
 interaction with decision-makers, 14, 22, 29, 45, 46, 52, 67, 79, 85, 99-100
 outlook of, 28-30
 political pressures on, 43-44
 modelling
 and simulation, distinguished, 11, 31
 attitude of scientists to, 44, 77
 constraints on, 45
 cost of, 22, 27, 45, 49-50, 51, 52, 56
 data collection for, 49, 51-52, 57, 84
 data requirements for, 40-41
 for decision-making, 40-47, 77-79, 81
 pros and cons, 68-69
 time constraints in, 22, 27
 history of, 2, 31
 journal coverage of, 28
 limitations of, 12, 84
 organization of, 30, 64-65
 resources for, 27
 role in research, 17
 uncertainty in, 72-73
 with qualitative data, 82
 modelling languages, 33
 modelling projects, management of, 85
 modelling questionnaire, 101-106
 modelling success, importance of
 different factors in, 13-14, 98-100
 models
 assumptions in, 12, 45, 84
 classification of, 35, 96-98
 confidence in, 45-46, 71
 continuous-time, 11
 criteria for choice between, 84
 discrete-time, 11
 documentation of, 43, 85
 generalizability of, 35, 43
 indicating gaps in knowledge, 47
 mental, 12
 ready-made, for use elsewhere, 46, 82, 85
 simplification in, 12, 20
 spatial scale of, 41, 85
 time scale of, 41, 85
 transferability of, 43, 46, 56, 74-75
 user credibility of, 100
 monitoring stations, role of modelling
 in determining location, 85
 Monte Carlo methods, 32, 39, 52, 72-74, 94
 Nagoya training centre for systems
 analysts, 65
 network theory, 33
 Nile valley, 63
 non-renewable resources, utilization of,
 1, 5, 8
 non-stationary systems, 36
 Norwegian tundra, 43
 nuclear power plants, 63
 nutrition planning, 17, 59
 objective function, 22, 34, 94
 optimization, 29, 34, 94
 of objective functions, 34, 53
 of parameter estimates, 37
 optimization models, 34, 100
 options, preservation of, 24-25
 oscillation frequency of systems and
 models, 41
 parameter estimates, uncertainty of,
 38
 parameter estimation for models, 18,
 36, 37, 50-51, 70-72, 73, 74,
 85
 parameter reduction, 37
 pastoral management, modelling for,
 20
 Peru, rural population in, 4
 pesticides, 5, 6, 64
 policy analyst, 67, 78

- politicians as decision-makers, 8, 24
 polynomial approximation methods, 73
 population dynamics modelling, 61
 prediction
 in decision-making, 16
 use of models for, 12, 19, 36
 private corporations as decision-makers, 9
 Program Evaluation Review Technique (PERT), 32
 pseudo-random numbers, 32, 94

 rangeland deterioration, 1, 20
 recursive estimation, 50–51, 94
 research needs in modelling, 86
 research resource allocation, role of modelling in, 18, 56
 resilience, 24, 94
 River Trent Study, 50
 rules and regulations converting strategic to tactical decisions, 22, 26
 rural depopulation, 4, 7, 9

 salinity, 55, 56
 salinization, 1, 5
 scale in modelling, 25
 sensitivity analysis, 18–19, 37, 42, 73–74, 85, 94
 shadow costs of constraints, 53, 55
 Simulated Nutrition System, 59–60
 simulation defined, 11, 31, 94
 simulation languages, 29, 30, 33, 74–76, 94
 socio-economic models, 3, 44, 85
 soil erosion, 5, 7
 soil pollution, 3, 6, 7
 Soviet Union, environmental modelling in, 65–66
 stability, 18, 95
 state variables, 95, 100
 statistical problems in modelling, 85
 statistics, roles in modelling, 43, 70, 71, 74
 stiff differential equation, 41, 95
 stochastic disturbances in environmental systems, 38
 stochastic models, 16, 50, 57–58, 72–73
 stochastic simulation, 32, 33, 39
 strategic decisions, 21–24, 26
 sub-models, integration of, 30, 71, 76–77
 sub-systems, linkages between, 12
 systems analysis, 12, 13, 16, 44, 53, 68, 69, 70, 73, 79, 84, 95

 Systems Analysis of Mediterranean Desert Ecosystems of Northern Egypt (SAMDENE), 56, 57, 62

 tactical decisions, 21–23, 26, 64
 technocratic decision-making, 64, 65, 80, 81, 95
 technocratic decisions, 23, 24
 time series analysis, 74
 Toronto air pollution simulation model, 48–50
 training in modelling, 64–65, 81, 83, 84
 transportation systems modelling, 61
 turbulence, 33, 48, 50
 two-phase flow, 55, 95

 uncertainty in environmental systems, 12
 United Kingdom, environmental modelling in, 48, 50–52, 66
 United Nations Educational, Scientific, and Cultural Organization (UNESCO), 28
 United Nations Environment Programme (UNEP), xii 28
 United States Desert Biome, 43, 46, 62
 United States, environmental modelling in, 48, 57–60, 62, 67
 University of Alexandria, 62
 University of Michigan, 59
 University of Oklahoma, 57
 urban settlement, 5, 6

 validation, 18, 36, 39, 42–43, 46, 49, 50, 58, 60, 74, 77, 85, 95
 value judgements
 in modelling, 85
 on environmental problems, 9
 Venezuela, 56
 visual displays, 30

 water logging, 5
 water pollution, 3, 6, 7, 8, 36, 41, 50–52, 53, 65, 82
 water quality, 41, 51, 52, 53, 55
 water-quality index, 42
 water-quality modelling, 55, 61
 water-quality standards, 82
 water resource modelling, 2, 52–56
 water resource planning, 6, 53, 54, 55, 56
 weather forecasts, 21
 weather modification, 6, 7
 Westernport Bay, 61
 workshop meetings, organization of, 84
 world models, 19