



VOL-03













ISO 9001, 14001 & 45001 CERTIFIED COMPANY PRODUCTS

THICKNESS AVAILABLE: 4mm • 2.8mm • 2.5mm • 1.5mm • 1.25mm



ADVANCE DECORATIVE LAMINATES (An ISO 9001 ISO 14001 & ISO 45001 Certified Company)

Email: info@advancelam.com www.advancelam.com

Tollfree 1800 103 4740 (Mon to Sat, 10-7pm IST)

ACRYLIC EDGE BAND





ACRYLIC EDGE BAND

ADVANCE ACRYLIC EDGE BAND

In the world of interior design and furniture manufacturing, every detail counts, and the finishing touch often makes all the difference. Acrylic edge banding, a versatile and essential element in these industries, serves as the unsung hero in providing that finishing touch. With its aesthetic appeal and protective capabilities, Advance acrylic edge banding has earned its place as a sought-after solution for a wide range of applications.

AESTHETIC ELEGANCE

One of the most striking aspects of Advance acrylic edge bands is their remarkable ability to enhance the visual appeal of furniture and interior fixtures. With an extensive array of colors, finishes, and textures, they offer a world of creative possibilities. Designers and manufacturers can effortlessly achieve a seamless and polished look, matching or contrasting with the primary surface to create a statement piece that exudes elegance and sophistication.

ACRYLIC LAMINATES

A type of finish similar to lacquer, Advance acrylic laminate is a non-toxic, anti scratch, reflective high gloss finish which give cabinets a smooth appearance. It is made of polymer fibre, available in a wide range of colours and will give a mirror-like look to your interior. It is a durable decorative option as it leaves a reflective and glossy sheen on the surface of shutters which lasts for years. It comes in a range of bright colours that uplift the aesthetics of your interiors.

THICKNESS AVAILABLE
1.25^M/ 1.5^M/ 2.5^M/ 2.8^M/ 4.0^M

RANGE

❖ FLUTE ❖ SOLIDS ❖ MIRROR

❖ SPARKLES ❖ METALLIC ❖ STONES ❖ WOODEN



OFFICIAL LAMINATES & PLYWOOD PARTNER

















REASONS TO COUNT ON US

Dear customer, it's our privilege that you have selected advance laminates for your surface decoration requirement. We have over 390 options in various finishes for your residential and commercial spaces be it your drawing room, bedroom, kitchen, wardrobe, office or showroom, we have everything for all needs, Utmost care has been provided while manufacturing these laminates because we care for the emotion of person while selecting the designs for their needs. This presentation also has QR codes given with each design if you wish to see the full sheet view of any design. Also we have given an application book that will help you while selection of the designs according to a particular application.

Advance decorative laminate is India's most favorite brand which has been serving the panel trade since 1991. Our manufacturing facility which is spread across 25 acres is located in HAPUR, 30kms east to the national capital, Delhi. The factory is equipped with state of the art machinery majorly imported from Europe. The designs films are sourced from different parts of the globe namely ITALY, KOREA, JAPAN and UNITED STATE. We can truly say we bring the best of the world to India and also push forward the make in India initiative. We have been awarded with ISO 9001:14001 and 45001 certifications where we are committed to comply to world's best standards of quality control, safety of our people and also keeping our environment clean and future safe. We have also been awarded CEMARK, FSC & IGBC which enables us to go about our business while keeping nature protected. we currently have presence on more than 40,000 retail outlets, spread across India, We truly believe in the concept of better than before and consciously strive to improve everything we do.

FOLLOW US -









www.advancelam.com | Tollfree : 1800-103-4740 (MON TO SAT, 10-7pm IST)



Search anywhere you will find everywhere



























ANTI SCRATCH ACRYLIC LAMINATE

CLASSY & SUPER GLOSSY SURFACE

with Amazing features to stay longer in your interior



DURABILITY Advance Acrylic laminate is highly durable & hard-wearing



RESISTANCE Advance Acrylic laminate TO SCRATCH is excellent scratch resistance



RESISTANCE TO WATER & HEAT Advance Acrylic laminate is water proof and resistance to heat & changing weather.



LOW MAINTENANCE Since Advance Acrylic laminate is anti scratch so it possesses very low maintenance. Just a normal wipe with clean cotton cloth is needed to clean it up.





PREMIUM

APPEARANCE

Gives the surfaces

a super glossy,

sophisticated

appearance.



Highly reflective surface with a mirror-like sheen that retains its color & brightness over the years.

YOUR **VIRTUAL ASSISTANT**

Now knowing more about Advance Decorative Laminates Pvt. Ltd. is very easy. Either you want any Advance folder, or have any query about any laminate shade or whatever you want to know about Advance laminate, just scan this QR CODE, Advance virtual assistant will help you to get all.



+91 88000 91181

ENCYCLOPEDIA OF INSPIRING

www.advancelam.com



USER INTERFACE MODIFIED FOR ALL DEVICES (Mobile, TAB, Windows desktop & laptop, MAC desktop)



Visualizer for interior $[\textcircled{\textcircled{0}}]$



to all your FAQ'S,





1000+ of to your needs






Catalogue Download

© Contact of nearest dealers to requirement.







your laminate selection







ACRYLIC —LAMINATES—

INSPIRATION FOR YOUR INTERIOR DESIGNING

SCAN THE QR CODE and Get Designing Inspiration for Multiple Interior Applications Like Bedroom, Living Room, Kitchen, Dining Table, Kids Room, Offices etc.

WHAT YOU WILL FIND AFTER SCANNING QR CODE?

- Interactive PDF of interior application.
- Touch the interior and find the used shades in application.
- Multiple applications of almost each and every corner of your interior.

Thanks for selecting such a beautiful and long-lasting Advance acrylic laminate. It is very easy to maintain advance acrylic laminate. By following the some measures you can enhance the life of acrylic glossy laminate.

- To clean the surface of acrylic laminate do not use thinner.
- Wipe the surface gently with a non-abrasive cloth.
- Avoid the use of abrasive liquid cleansers, bleaching compounds or solution as these may damage the surface
- Use mild house hold glass cleaner like COLIN to remove more stubborn stains.
- Clearing should be done with water and a clean, non-abrasive cloth.
- Do not place hot cookware directly on the laminate.
- Acrylic Glossy surfaces looks more beautiful when used for A vertical applications.
- Always store acrylic laminates at temperature below 300 Celsius.
- Avoid the prolonged exposure to temperatures above 300 Celsius, that may cause damage to the laminate surface.




- Always clean the dust particles properly from the substrate (plywood MDF, Particle Board) surface by cloth or soft brush.
- Always use good quality branded PVC adhesive to stick acrylic laminate on substrate. Please don't add water in adhesive before using it.
- Spread the adhesive uniformly by brush, roller or adhesive spreader on acrylic laminate and base substrate (Plywood, MDF, Particle Board).
- It is very necessary to remove the air between acrylic laminate and substrate. Please leave minimum 2mm of groove between two pieces of acrylic laminate.
- · At the time of pressing acrylic laminate on base substrate (Plywood, MDF, Particle Board) always use soft pinch roller or normal pressing technique to protect surface from any damage.
- The pressing should be done from the middle of the panel and move towards to the sideline and corners
- For better bonding of acrylic laminate on substrate, press it for minimum 12 to 15 hours



BEST WAYS TO USE ADVANCE **ACRYLIC LAMINATES ON INTERIOR FURNITURE**









HOW TO GET RID OF GENERAL PROBLEMS LIKE **BUBBLE & CRACK IN ACRYLIC LAMINATE.**

- · Avoid the lamination process of acrylic laminate under high humidity environment.
- Use the good quality branded adhesive during installation to avoid air bubble after installation.
- Prevent the base substrate (Plywood, MDF, Particle Board) to absorb moisture. Because after few days of installation, base substrate gradually loses moisture and this resulting in air bubble formation between acrylic
- Always use calibrated substrate for furniture. Don't use uneven surface substrate (Plywood, MDF, Particle Board) that may lead to air vacuum and air bubble which may appear after the installation.
- Take extra care during use of big size acrylic laminate for paneling because due to the bigger surface area, improper lamination may lead to air bubble formation after installation.
- Provide the proper recommended time because short bonding/pressing time during the installation of acrylic laminate may lead to air bubbles.
- Keep the acrylic laminate sheet evenly straight. Leave the roll acrylic sheet straight for minimum 48 hours before





DO YOU KNOW **HOW TO PREVENT** THE COLOR FADE OR **YELLOWING OF ACRYLIC LAMINATE?**

- Do not expose your acrylic laminate furniture to direct sunlight, it may cause discoloring, fading and yellowing of the laminate.
- Don't use inferior quality over chemical dipped plywood as it can react with adhesive which may cause yellow patches after the installation.
- Don't use synthetic rubber adhesive for bonding as it may lead to brown / colored patches on acrylic laminates.
- Prolong exposure of acrylic laminate above 30-degree temperature should be avoided.











How Advance ACRYLIC LAMINATE IS BETTER THAN LACQUERED GLOSS



AESTHETICS

ACRYLIC LAMINATES are preferred decorative surface material for gloss finish. And, they add a visual appeal to your interior.

LACQUERED GLOSS are comparatively less striking in compared to ACRYLIC laminate & needs utmost care after & during application.

COST

As **ACRYLIC FINISHES** are aesthetically more appealing and are easy to clean, they come with lower price than Lacquered Gloss.

While **LACQUERED GLOSS** comes with very high price tag in comparison to **ACRYLIC LAMINATE**.

2

COLORS & VARIETIES

ACRYLIC FINISHES retain their color and brightness for ages and are available in plenty of vibrant colors. White, LACQUERED GLOSS has limited variety of color & pattern.

USER FRIENDLY AND SAFETY:

ACRYLIC LAMINATES are available in 1.25 / 1.5 / 2.5 / 2.8 & 4.0mm thickness & they are lighter in weight. So it is safe to use ACRYLIC LAMINATE in interior.

LACQUERED GLOSS are available in **6mm** thickness and they are heavy in weight so it is very much risky to use it in interior. There is always a chance of accident during and after the use of Lacquered Gloss.

5

3

MAINTENANCE & DURABILITY


While **ACRYLIC FINISH** are scratch resistant. They do tent to get scratched over the years, but always appear ultra-glossy and relatively smooth.

White **LACQUERED GLOSS** are tend to have scratches on its surface very easily.



DOWNLOAD E-FOLDER








THE DIFFERENCE BETWEEN

1.25^M/ 1.5^M/ 2.5^M/ 2.8^M/ 4.0^M


ACRYLIC LAMINATE

The thickness plays an important role in look and feel of ACRYLIC LAMINATE.



BEST WAY TO USE ACRYLIC LAMINATE:

To avoid the color variation in ACRYLIC laminate during application in interior, please use the similar batch number acrylic sheets. There may be slight variation of colour in different batch number.



FL 3401 — TRANSPARENT FLUTE

TRANSPARENT ACRYLIC LAMINATE
























FL 3204 NEW OLIVE BLUE FLUTE


















PASTEL FLUTE SERIES-3100



ANTI SCRATCH 6H



2.8 mm THICKNESS





















FL 3103 NEW MIDNIGHT FLUTE





















































1.5 mm THICKNESS






























AR 3002 GREY CASPIO STONE

★ EDGE BAND MATCHED WITH EDG-7402



AR 3003

DARK GREY CASPIO STONE



AR 3009 ELTON MARBLE



SERIES-3000

1.5 mm THICKNESS






















AR 3005 PINARA MARBLE



★ EDGE BAND MATCHED WITH EDG-7405



AR 3004 LIGHT PINARA MARBLE



★ EDGE BAND MATCHED WITH EDG-7404




SERIES-1000











AR 1016

OYSTER




AR 1023

TWILIGHT BEIGE




LIGHT BROWN ★ EDGE BAND MATCHED WITH EDG-7117









AR 1008 WARM GREY ★ EDGE BAND MATCHED WITH EDG-7108



ANTI SCRATCH 6H

GHOTIC GREY

1.5 mm THICKNESS



AR 1007 DOVE GREY ★ EDGE BAND MATCHED WITH EDG-7107



★ EDGE BAND MATCHED WITH EDG-7106



URBAN NATURAL ★ EDGE BAND MATCHED WITH EDG-7113



AR 1032 SLATE GREY



AR 1021 DARK GREY ★ EDGE BAND MATCHED WITH EDG-7121

ADVANCE ACRYLIC —LAMINATES—



★ EDGE BAND MATCHED WITH EDG-7109

AR 1025

LIGHT PINK

MUTE RAIN

ALMOND PINK ★ EDGE BAND MATCHED WITH EDG-7115































AR 1030





COLOR SERIES-1000

AR 1031 ———BLUSH CHERRY




ANTI SCRATCH 6H



AR 1010 PACHIFIC

★ EDGE BAND MATCHED WITH EDG-7110



AR 1011 OCEAN BLUE ★ EDGE BAND MATCHED WITH EDG-7111

AR 1033 CELESTIAL BLUE



AR 1024 SKY BLUE
















★ EDGE BAND MATCHED WITH EDG-7112

BLUSH CHERRY

AR 1012 PETROL BLUE



AR 1022 MAROON ★ EDGE BAND MATCHED WITH EDG-7122

ROYAL BLACK ★ EDGE BAND MATCHED WITH EDG-7105

1.5 mm THICKNESS



AR 1018 AQUA GREEN ★ EDGE BAND MATCHED WITH EDG-7118




AR 1028 PLEASANT GREEN



AR 1019 DREAM GREEN ★ EDGE BAND MATCHED WITH EDG-7119





MIRROR SERIES-4000

1.5 mm THICKNESS

AR 4003 ROSE GOLD MIRROR











AR 4005 LIGHT GOLD MIRROR





SPARKLE SERIES-2000



1.5 mm THICKNESS



AR 2005 TAN SPARKLES

★ EDGE BAND MATCHED WITH EDG-7205



AR 2001
WHITE SPARKLES

★ EDGE BAND MATCHED WITH EDG-7201



AR 2003
ASH GREY SPARKLES


★ EDGE BAND MATCHED WITH EDG-7203



AR 2002

CANDY SPARKLES


★ EDGE BAND MATCHED WITH EDG-7202



AR 2004
MISTY GREY SPARKLES

★ EDGE BAND MATCHED WITH EDG-7204







SKIN MATT ANTI SCRATCH SERIES-6000

1.5 mm THICKNESS

AR 6001 TAJ WHITE

AR 6003 WEST COAST GREY





AR 6002 PAPPYRUS WHITE








AR 2011

WHITE FROST METALLIC

★ EDGE BAND MATCHED WITH EDG-7311




METALLIC SERIES-2000



















ROSE GOLD METALLIC ★ EDGE BAND MATCHED WITH EDG-7306



Ser trans







AR 5004 BELLA CHESTNUT






WOODEN SERIES-5000



ANTI SCRATCH 6H





AR 5006 DARK AMARI METALLIC HORIZONTAL



AR 5003 AMARI METALLIC OAK HORIZONTAL









SOLID SPARKLES STONES




SERIES-100 ANTIGCRATCH 6H









LR 103 ABSOLUTE WHITE



LR 101 WHITE LILLY



LR 102 FROSTY WHITE







LR 104 ROYAL WHITE



LR 105 GREY FLANNER











LR 107 SILVER GREY



LR 109 BALSAM BROWN




LR 108 MING RED


SPARKLE

SERIES-200 ANTI SCRATCH 6H













LR 207 GREY SPARKLES

































PEARL WHITE MARBLE

SERIES-300

ANTI SCRATCH 6H



































LR 301
ROCK STONE

LR 302 ARIS STONE



THICKNESS 1.25 MM

ANTI SCRATCH 6H

S. NO.	DESIGN NO.	DESIGN NAME	PAGE NO.	EDGE BANDING MATCHING NO.	
PLAIN	PLAIN COLOR (SERIES - 100)				
1	LR-101	WHITE LILY	54		
2	LR-102	FROSTY WHITE	54		
3	LR-103	ABSOLUTE WHITE	54		
4	LR-104	ROYAL WHITE	54		
5	LR-105	GREY FLANNER	54		
6	LR-106	STEEL GREY	54		
7	LR-107	SILVER GREY	54		
8	LR-108	MING RED	54		
9	LR-109	BALSAM BROWN	54		
SPARK	SPARKLES (SERIES - 200)				
10	LR-205	COLD WHITE SPARKLES	56		
11	LR-206	EGG WHITE SPARKLES	56		
12	LR-207	GREY SPARKLES	56		
13	LR-208	GOTHIC GREY SPARKLES	56		
STONE	S (SERIES - 30	0)			
14	LR-301	ROCK STONE	62		
15	LR-302	ARIS STONE	62		
16	LR-303	PEARL WHITE MARBLE	57		
17	LR-304	MYKONOS MARBLE	58		
18	LR-305	NATURAL STONE	60		
19	LR-306	STATUARIO MARBLE	59		
20	LR-307	PORTORO STONE	58		
21	LR-308	LIVID STONE	60		

THICKNESS 1.5 MM

ANTI SCRATCH 6H

S. NO.	DESIGN NO.	DESIGN NAME	PAGE NO.	EDGE BANDING MATCHING NO.
PLAIN	COLOR (SERIE	S - 1000)		
22	AR-1001	INTERIOR WHITE	36	EDG - 7101
23	AR-1002	ARCTIC WHITE	36	EDG - 7102
24	AR-1003	DESIGNER WHITE	36	EDG - 7103
25	AR-1004	SNOW WHITE	36	EDG - 7104
26	AR-1005	ROYAL BLACK	40	EDG - 7105
27	AR-1006	GRAPHITE GREY	38	EDG - 7106
28	AR-1007	DOVE GREY	38	EDG - 7107
29	AR-1008	WARM GREY	37	EDG - 7108
30	AR-1009	POLAR BROWN	38	EDG - 7109
31	AR-1010	PACHIFIC	40	EDG - 7110
32	AR-1011	OCEAN BLUE	40	EDG - 7111
33	AR-1012	PETROL BLUE	40	EDG - 7112
34	AR-1013	URBAN NATURAL	38	EDG - 7113
35	AR-1014	MUTE RAIN	38	EDG - 7114
36	AR-1015	ALMOND PINK	38	EDG - 7115
37	AR-1016	OYSTER	36	
38	AR-1017	LIGHT BROWN	36	EDG - 7117
39	AR-1018	AQUA GREEN	39	EDG - 7118
40	AR-1019	DREAM GREEN	39	EDG - 7119
41	AR-1021	DARK GREY	38	EDG - 7121
42	AR-1022	MAROON	40	EDG - 7122
43	AR-1023	TWILIGHT BEIGE	36	EDG - 7123
44	AR-1024	SKY BLUE	40	
45	AR-1025	LIGHT PINK	38	
46	AR-1026	EVEREST WHITE	36	
47	AR-1027	EGG WHITE	36	
48	AR-1028	PLEASANT GREEN	39	
49	AR-1029	SILVER GREY	37	
50	AR-1030	GHOTIC GREY	37	
51	AR-1031	BLUSH CHERRY	40	
52	AR-1032	SLATE GREY	38	
53	AR-1033	CELESTIAL BLUE	40	
54	AR-1034	GRAPHITE BLUE	40	
SPARK	(LE (SERIES-20	00)	'	
55	AR-2001	WHITE SPARKLES	43	EDG - 7201
56	AR-2002	CANDY SPARKLES	43	EDG - 7202
57	AR-2003	ASH GREY SPARKLES	43	EDG - 7203
58	AR-2004	MISTY GREY SPARKLES	43	EDG - 7204

THICKNESS 1.5 MM

ANTI SCRATCH 6H

S. NO.	DESIGN NO.	DESIGN NAME	PAGE NO.	EDGE BANDING MATCHING NO.
59	AR-2005	TAN SPARKLES	43	EDG - 7205
METALLIC (SERIES-2000)				
60	AR-2006	ROSE GOLD METALLIC	46	EDG - 7306
61	AR-2007	MUSHROOM METALLIC	46	EDG - 7307
62	AR-2011	WHITE FROST METALLIC	46	EDG - 7311
63	AR-2012	PEARL GREY METALLIC	46	
64	AR-2013	GOLD METALLIC	46	
STONE	(SERIES-3000)			
65	AR-3001	ALBERICA MARBLE	32	EDG - 7401
66	AR-3002	GREY CASPIO STONE	30	EDG - 7402
67	AR-3003	DARK GREY CASPIO STONE	30	EDG - 7403
68	AR-3004	LIGHT PINARA MARBLE	34	EDG - 7404
69	AR-3005	PINARA MARBLE	34	EDG- 7405
70	AR-3006	MILKY WAY STONE	32	EDG - 7406
71	AR-3007	ALABASTER MARBLE	25	
72	AR-3008	STAGGER MARBLE	28	
73	AR-3009	ELTON MARBLE	29	
74	AR-3010	TORINO MARBLE	26	
75	AR-3011	BLACK FIRE STONE	26	
76	AR-3012	TREMBLE MARBLE	28	
MIRRO	OR (SERIES -400	00)		
77	AR-4003	ROSE GOLD MIRROR	42	
78	AR-4004	COPPER MIRROR	42	
79	AR-4005	LIGHT GOLD MIRROR	42	
80	AR-4007	GOLD MIRROR	42	
WOOD	EN (SERIES-500	00)		
81	AR-5003	AMARI METALLIC OAK HORIZONTAL	50	
82	AR-5004	BELLA CHESTNUT	48	
83	AR-5005	DARK BELLA CHESTNUT	48	
84	AR-5006	DARK AMARI METALLIC HORIZONTAL	50	
MATT	(SERIES-6000)			
85	AR-6001	TAJ WHITE	45	
86	AR-6002	PAPPYRUS WHITE	45	
87	AR-6003	WEST COAST GREY	45	


THICKNESS 2.5 MM

ANTI SCRATCH 6H

S. NO.	DESIGN NO.	DESIGN NAME	PAGE NO.	EDGE BANDING MATCHING NO.
PASTEL FLUTE (SERIES-3200)				
88	FL-3202	CANDY WHITE FLUTE	18	
89	FL-3203	TROPICAL GREEN FLUTE	18	
90	FL-3204	OLIVE BLUE FLUTE	18	
91	FL-3205	SMOKE GREY FLUTE	18	
92	FL-3206	BIANCO FLUTE MARBLE	22	
93	FL-3207	ZEBRA FLUTE MARBLE	22	

THICKNESS 2.8 MM

ANTI SCRATCH 6H



THICKNESS 4 MM

ANTI SCRATCH 6H

S. NO.	DESIGN NO.	DESIGN NAME	PAGE NO.	EDGE BANDING MATCHING NO		
TRANS						
100	FL-3301	TRANSPARENT FLUTE	16			
101	FL-3401	TRANSPARENT FLUTE	16			





Scan & Download **Folders**




重要をある。

1.25/1.5

PVC/PU MCM

BARROOF

INDIA ms #



EXTERIOR

EWC FOLDER









SUGGESTION WITH TERMS AND CONDITIONS

PVC FOLDER

• There will be no guarantee or exchange under any circumstances. • Color variations in products from different batches are possible. • We recommend using products from same batch to avoid color variations. • Do not use plywood with high moisture content. • Do not use ply with uneven surface. • Use only recommended adhesive. • Apply sufficient pressure. • We do not recommend pasting of sheets on the printed/branding area of the plywood. • To avoid De-lamination/air bubbles in between ply & acrylic laminate sheets bonding of acrylic laminate should not be done under high humidity

LIMITED WARRANTY

- Kindly check the sheet in all aspects
- immediately after purchasing & prior to cutting. In case of manufacturing defect, only
- · No warranty for corner crack or Air bubble.
- of the specifics.





No Claim will be entertained for Air Bubbles

- replacement of used sheet will be made.
- No Claim will be entertained there after in any





entertained for cracking arising at groove or L Shape

- Apply Sufficient pressure.
- We do not recommend pasting of sheets on the printed/branding area of the plywood.

INDIA

LINER FOLDER

• To avoid De-lamination/air bubbles in between ply & acrylic laminate sheets bonding of acrylic laminate should not be done under high humidity





JIVANJOR

PVC LAMINATE ADHESIVE



TRUGRIP SUPEMA PVC



REHUA RAUBOND POLY MASTER PVC

(Company warrants that all its products are free from manufacturing defects and perfectly fit for use under normal conditions. In case of any claims, the liability of the Company is however limited to the cost of the product only.)

Note: This folder is only for product promotion and it is not made for sale.