

CHISIL-3

PREMIUM SEAMLESS DESIGNS

Signature



60+
in 8 & 9.5ft. length



VOLUME **03**



8ft.	9.5ft.	Pg. No.	8ft.	9.5ft.	Pg. No.	8ft.	9.5ft.	Pg. No.	8ft.	9.5ft.	Pg. No.
3711	93711	09	3727	93727	10	3745		06	3837	93837	03
3712		09	3728		11	3746	93746	06	3838		04
3713	93713	09	3729		11	3747		07	3839		13
3714		09	3730		10	3748		07	3840	93840	13
3715		08	3731	93731	11	3749		06	3841		13
3716	93716	08	3732		17	3750	93750	10	3842		11
3717		08	3733	93733	10	3751		12	3843	93843	14
3718	93718	08	3735	93735	17	3752		12	3844	93844	14
3719	93719	15	3737		04	3753		12	3845	93845	14
3720		05	3738		05	3754		17	3846		12
3721		17	3739	93739	15	3831		13	3847		15
3722		16	3740		16	3832	93832	04	9577		02
3723	93723	16	3741		07	3833		03	9578		02
3724		16	3742	93742	07	3834		04	9579		02
3725		05	3743	93743	06	3835	93835	03	9580		02
3726		05	3744		07	3836		03			

SPECIAL FEATURES



ECO FRIENDLY MATERIAL

Euro Pratik Chisel are Eco friendly material, made of the same material as yogurt pot. Euro Pratik Chisel ensure safe interior space with no sick house syndrome.




CHARCOAL POWDER

Euro Pratik Chisel are much safer for children, since atopy occurrence rate caused from harmful chemicals is very low by adding charcoal powder on the product itself.



SHIPLAP SYSTEM

Euro Pratik Chisel are easy to install with a simplistic shiplap system with rabbet joint, which is easier than tongue and groove interlocking system.



UNIQUE DESIGNS

Our range of Chisel can be purchased in a wide selection of designs spanning woodgrain, marble, stone, leather, plain colours, metallic and more providing stunning solutions to any home decor styling.

CHISEL HANDLING PRECAUTIONS

- * Recommend to keep in room temperature 24/48 hrs for acclimatization.
- * Gently handle the edge of the product.
- * Make sure the base where the Chisel are being installed is smooth and dust free.
- * Euro Pratik special glue is recommended to use.
- * Chisel are intended only for indoor use.
- * Avoid direct sunlight or use installation near hobs/stove.
- * Chisel are water proof but prolonged exposure to moisture can do harm to the product.
- * Cleaning ONLY with a soft damp cloth without any chemicals or cleaning agents.

"INNOVATION DISTINGUISHES BETWEEN A LEADER & A FOLLOWER"

We at Europratik strive to Innovate and Design High-end Exclusive products so our customers can choose from our wide range of Decorative Wall Panels and Designer Laminates. We aspire to serve and cater to the various market trends all across the world.

With an electrifying experience of more than 20 years and a collection of 3000+ designs we have created our network in more than 150 cities in India. We have expanded our horizons by going global.

We take utmost pride in our young and dynamic team as we have achieved several significant milestones with their support and dedication. Over the years we have set a benchmark with our Innovations & have emerged as leaders in the interior industry.

CHISEL-3

PREMIUM SEAMLESS DESIGNS

 Wider Size, Less wastage on over lapping, Quick Installation

2400mm (8ft.) x 310mm
2850mm (9.5ft.) x 310mm

8mm (T)



Termite Free




Borer Free




Water Resistant

CERTIFICATION




TEST REPORT


Test item	Unit	Result value	Permissible level
Formaldehyde Emission	mg/m ² ·h	Less than 0.001	Less than 0.12
TVOC Emission / TVOC	mg/m ² ·h	Less than 0.05	Less than 0.8
Toluene Emission	mg/m ² ·h	Less than 0.027	Less than 0.08



9577 - 4 ft. x 8ft. 



9578 - 4 ft. x 8ft. 



9580 - 4 ft. x 8ft. 



9579 - 4 ft. x 8ft. 

2400mm (8ft.) x 310mm
2850mm (9.5ft.) x 310mm

8mm (T)



3836 - 12 in. x 8 ft. 




3837 - 12 in. x 8 ft. (93837 - 9.5 ft.) 




3835 - 12 in. x 8 ft. (93835 - 9.5 ft.) 



3833 - 12 in. x 8 ft. 



3838 - 12 in. x 8 ft. 



3834 - 12 in. x 8 ft. 



3832 - 12 in. x 8 ft. (93832 - 9.5 ft.) 



3737 - 12 in. x 8 ft.

2400mm (8ft.) x 310mm
2850mm (9.5ft.) x 310mm

8mm (T)



Termite Free



Borer Free



Water Resistant



3720 - 12 in. x 8 ft.



3726 - 12 in. x 8 ft.



3725 - 12 in. x 8 ft.



3738 - 12 in. x 8 ft.



3745 - 12 in. x 8 ft. 



3746 - 12 in. x 8 ft. (93746 - 9.5 ft.) 



3749 - 12 in. x 8 ft.



3743 - 12 in. x 8 ft. (93743 - 9.5 ft.)

2400mm (8ft.) x 310mm
2850mm (9.5ft.) x 310mm

8mm (T)



Termite Free



Borer Free



Water Resistant




3742 - 12 in. x 8 ft. (93742 - 9.5 ft.)



3741 - 12 in. x 8 ft.




3744 - 12 in. x 8 ft.




3747 - 12 in. x 8 ft.



3748 - 12 in. x 8 ft.



3718 - 12 in. x 8 ft. (93718 - 9.5 ft.) 



3717 - 12 in. x 8 ft. 



3716 - 12 in. x 8 ft. (93716 - 9.5 ft.) 



3715 - 12 in. x 8 ft. 

2400mm (8ft.) x 310mm
2850mm (9.5ft.) x 310mm

8mm (T)




Termite Free




Borer Free




Water Resistant




3711 - 12 in. x 8 ft. (93711 - 9.5 ft.)



3714 - 12 in. x 8 ft.




3712 - 12 in. x 8 ft.




3713 - 12 in. x 8 ft. (93713 - 9.5 ft.)





3733 - 12 in. x 8 ft. (93733 - 9.5 ft.)



3750 - 12 in. x 8 ft. (93750 - 9.5 ft.)



3727 - 12 in. x 8 ft. (93727 - 9.5 ft.)



3730 - 12 in. x 8 ft.

2400mm (8ft.) x 310mm
2850mm (9.5ft.) x 310mm

8mm (T)




Termite Free




Borer Free




Water Resistant



3731 - 12 in. x 8 ft. (93731 - 9.5 ft.)



3842 - 12 in. x 8 ft.



3729 - 12 in. x 8 ft.



3728 - 12 in. x 8 ft.




3752 - 12 in. x 8 ft. 



3753 - 12 in. x 8 ft. 



3751 - 12 in. x 8 ft.



3846 - 12 in. x 8 ft.

2400mm (8ft.) x 310mm
2850mm (9.5ft.) x 310mm

8mm (T)




Termite Free



Borer Free



Water Resistant



3840 - 12 in. x 8 ft. (93840 - 9.5 ft.)



3841 - 12 in. x 8 ft.




3839 - 12 in. x 8 ft.




3831 - 12 in. x 8 ft.






3844 - 12 in. x 8 ft. (93844 - 9.5 ft.)



3843 - 12 in. x 8 ft. (93843 - 9.5 ft.)



3845 - 12 in. x 8 ft. (93845 - 9.5 ft.)



2400mm (8ft.) x 310mm
2850mm (9.5ft.) x 310mm

8mm (T)



Termite Free



Borer Free



Water Resistant




3739 - 12 in. x 8 ft. (93739 - 9.5 ft.)



3847 - 12 in. x 8 ft.



3719 - 12 in. x 8 ft. (93719 - 9.5 ft.)



3722 - 12 in. x 8 ft.



3723 - 12 in. x 8 ft. (93723 - 9.5 ft.)



3724 - 12 in. x 8 ft.



3740 - 12 in. x 8 ft.

2400mm (8ft.) x 310mm
2850mm (9.5ft.) x 310mm

8mm (T)



Termite Free



Borer Free



Water Resistant



3754 - 12 in. x 8 ft.



3732 - 12 in. x 8 ft.









3735 - 12 in. x 8 ft. (93735 - 9.5 ft.)



3721 - 12 in. x 8 ft.



CONSTRUCTION GUIDE Installation Tools

Chisel Standard Size (mm) 12(T) x 2400(L) 	Coordinating Mouldings Louver 	Circular saw 	Tape measure 	Wood glue 	Glue gun 
1 Prep-work with plywood/MDS is recommended before the construction. Please remove any kind of wall paper/film on the surface of the base. 	2 Apply a quality adhesive on the back of the Chisel. Apply a small amount of hot melt (glue-gun) on the back of the Chisel. 	3 Chisel can be installed in both horizontal or vertical direction. Screwing on the tongue/interlocking space for better fixing. 			
4 Circular saw to be used to cut required length. 	5 For corners, combine the grooves. 				



Recommended Euro Pratik
Special Purpose Adhesive

