

LARGEST INDIAN PVC EDGE BAND MANUFACTURER





INDEX

PARTICULARS	PAGE #
1. ABOUT E3 GROUP	3
2. ABOUT E3 EDGE BAND TAPE	4
3. INFRASTRUCTURE	5
4. STANDARD OFFERINGS	6
5. TECHNICAL DETAILS	7
6. BESPOKE EDGE BAND SERVICES	11
7. EDGE BAND SHADE CARD	12





E3 group began as a little endeavour in the interior products industry in 1990 and quickly became India's top interior and exterior manufacturer with more than 5000 dealers network across PAN India. With ground-breaking qualities, E3 believes in 'Made in India' world-class quality products by 'Delivering promise and exceeding expectations.'

Aesthetically appealing interior design, combining functionality and expression, has become crucial for promoting elegance and perfection, an extension of the unique you. At E3 Group, delighting consumers sparks the imagination, curiosity arouses creativity, and innovations provide opportunities.

No matter your business size, you can trust E3 Group for direct sales, quality, consistency, and professionalism. E3 has something for everyone! Trusted for many years, E3 is known to walk the extra mile by providing bespoke interiors for every decorneed.



PVC EDGE BAND



E3 Edgeband is an innovative technology created to create a seamless, coherent appearance in edge banding. High-quality panels require matching edge banding strips in colour, design, and finish to shine truly. In the market since 2013, E3 has been the leading supplier of Edgeband tapes in PAN India offering cutting-edge technology that can meet the qualitative criteria that the market demands.

We manufacture infinite tones, hues, and patterns to match the most diverse laminates and pre-laminated boards. E3 Edgeband is also renowned for having extraordinary qualities, including toughness, adaptability, flexibility, glossy appearance, protection, etc. Our modus operandi is, 'We can provide any colour and size on demand.'

E3 Edge band firm's core technicians have more than 20 years of expertise, and the company has more than 10 years of solid technical foundation in product manufacturing and application. The technicians with the necessary training test each batch of PVC Edge Band. They retain flawless precision and accuracy by providing customers with the highest quality materials. E3 Edge Band comprises competent professionals and in-house designing experts to suit user preferences.

FEATURES







World class quality

Termite Proof

100% recyclable

Nail free






PVC Edge Band Manufacturing Plant

We are one of the industry's most renowned manufacturers.

- Our manufacturing plant is the largest in India with an area of over 2 lakh sq. ft. situated in Noida, UP.
- At present, its production capacity is 6.5 lac metres per day.
- In stock Edge band tapes are available in more than 300 shades to match all laminates.
- We have dealers, distributors and warehouses in PAN India.
- Any Colors & Any size on demand.







STANDARD OFFERINGS

E3 manufactures various types of edge banding as per customer requirements which can be classified as:

MATERIAL:

PVC & ABS

SHADES:

SOLID, WOODEN, METALLIC, FABRIC, MARBLE & STONES

FINISHES:

SUPER MATT, SUPER GLOSS, SPARKLE & SOFT TOUCHE

ROLL LENGTH:

From 25 to 300 metres.

SIZES:

Other than the standard sizes, any size can be made as per requirements

STANDARD SIZES

WIDTH	THICKNESS	WIDTH	THICKNESS
22mm	0.45mm	25mm	2.00mm
22mm	0.80mm	30mm	0.80mm
22mm	1.00mm	30mm	2.00mm
23mm	1.30mm	45mm	0.80mm
22mm	2.00mm	45mm	2.00mm
25mm	0.80mm	55mm	2.00mm



PVC Edge Banding



Chemical Product

Product Name: Rigid PVC Edgebanding

Product Usage: A continuous extruded roll available in various thicknesses used to finish the raw edge of HPL, flake boards, plywood and medium density fiberboard. Available in various colors that matches with most of the laminated panels

Composition / Information on Regulated Ingredients

Hazardous Ingredients:

This product contains no Hazardous Ingredients that can be released under normal temperature or working conditions. Rigid PVC Edgebanding contains no vinyl chloride monomers.

Properties

Description	Unit	Value	Standard
Hardness Shore	-	D - 78 ± 4	IS0868
Shrinkage [1h at 140°F (60°C)]	%	< 0.5	Works standard
Static charging	-	Low	-
Vicat softening Temperature (At 50N)	°C	80.3	ASTM D1525-2009

Resistance to Immersion Test (In boiling water for 2 hour)

(a) Change in thickness	%	4.2	1S:2046-1995
(b) Change in mass	%	3.9	1S:2046-1995
(c) Appearance	Degree	5	1S:2046 - 1995

Colour Fastness to Rubbing

(a) At Dry Staining	Rating	4/5	IS:766-1988
(b) At Wet Staining	Rating	4/5	IS:766-1988

Colour Fastness to Light

(a) Type of lamp	UV A340	No cracks or blister observed	ASTM G154-2016
(b) Exposure Time	24 hour	No cracks or blister observed	ASTM G154-2016

Resistance to Cigarette Burn

Appearance	Rating	4	1S:2046-1995
------------	--------	---	--------------



PVC Edge Banding

Resistance to Staining (At R.T. for 24 hour)

Description	Unit	Value	Standard
(a) Acetone	Rating	5	1S:2046-1995
(b) Black Tea	Rating	5	1S:2046-1995

Flammability Test

Condition of test piece (At 23°C and 50% R.H. for 48hour) Two sets of 3 test Specimens

Cease to burn before	mm	25	mark
Cease to burn before the	mm	100	reference mark

Physical Data

State	Solid
Boiling Point	NA
Specific Gravity	1.20 to 1.40
Solubility	Insoluble
Volatility	Negligible

Processing Characteristics

Machining	PVC Suitability
Cutting	Good
Milling Direction	counter direction
Pre-milling	Good
Radius Milling	Good
Profiling	Good
Scraper Processing	Good
Buffing	Good
Bonding	Any conventional hot-melt adhesive suitable for edging tapes can be used
Polish Ability	Good
Stress Whitening	Low
Machining Center Processing Compatibility	Very Good



PVC Edge Banding

PVC Edgebanding Specifications

- 1. **Color:** Slight color variations are possible from dye lot to dye lot.
- 2. **Finishes:** Available in Gloss, Matt & SF.
 Finish must be smooth and free of defects at a distance of 3 feet from the observer.
 Material either has UV inhibitors directly in the resin or has a UV topcoat.
- 3. **Interior Use:** Only for interior use and not to be exposed to temperatures above 150°F.
- 4. **Primer:** Backside is 100% covered with a visible primer for proper bond.
- 5. **Maintenance:** Clean surface with warm soapy water and wipe clean.

Tolerances

Edge Banding Width

Width mm	Tolerance mm
12 – 54	± 0.45

Edge Banding Thickness

Width mm	Tolerance mm
0.4 - 0.7	± 0.05
0.8 - 1.5	± 0.10
1.6 - 2.0	+ 0.20
2.1 - 3.0	+ 0.25

Storage

PVC Edge Banding tape is resistant to rot and may therefore be stored at room temperature $(64^{\circ}\text{F to }68^{\circ}\text{F})$ in a room that is weatherproof and protected from direct sun light for a virtually unlimited period.

Warranty

Using accepted industry standards, colors, woodgrains, and patterns have been individually matched and cross-referenced for the best suitable match. Color variation beyond the manufacturers' control may occur in individual resin batches. The manufacturers' warranty and liability for the bond, color match, and surface finish; extend only to the replacement value of the specific edgebanding material. It is the customer's sole responsibility to determine that the bond and color match are acceptable for production before use.



PVC Edge Banding

Fire and Explosion Data

Flash Point: 390 - 700 Degrees Celsius

Flammable Limits

Upper Explosion Limit: N/A
Lower Explosion Limit: N/A
Auto Ignition Temperature: N/A

Suitable Extinguishing Media: Carbon Dioxide Blanket, Water Spray, Dry Powder, Foam

Special Fire Fighting Procedures: Full-face self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to

prevent inhalation of airborne contaminants.

Unusual Fire/Explosion Hazards: May emit Hydrogen Chloride (HCL) or Carbon Monoxide (CO), Oxides of Nitrogen (NOx), other

hazardous materials, and smoke are all possible.

Reactive Data

Product Stability: Very Stable

Reactivity conditions: Under normal usage none. However, harsh chemicals such as Ketones, Toluenes, Acetones and other

similar solvents may melt or react with the surface finish.

Hazardous Decomposition Implications: Hydrochloric acid can be formed if product is heated to the point of burning and then in the presence of

water may form Hydrochloric Acid.

First Aid

Inhalation: Remove the affected user to a well-ventilated area.

Eye Contact: Irritant only on contact, bathe area affected.

Ingestion: Under normal condition, there is no probable route of ingestion.

Skin Contact: Non-Toxic

Disposal and Storage

Waste Disposal: Landfill

Recycle: Product can be reprocessed for re-use.

Environmental Toxicity: Adverse ecological impact is not known or expected under normal use.



BESPOKE EDGE BAND SERVICES

CUSTOM-MADE EDGE BAND SAMPLES















EDGEBAND SHADE CARD - 2024

VOL-I













Regart | everlasting | economica

CACIA LIGHT	2007	ALBERTA MAPLE
EVARIAN BEECH	2008	THANSAU MAPLE
TAL BEECH	2009	SAPELLI
HITE ASH	2010	NATURAL MAPLE
OUGLAS PINE	2011	FERRA OAK
LASSIC WALNUT	2012	GOLDEN OAK
DRRAINE WALNUT	2013	ANTIQUE OAK
XFORD CHERRY	2014	DARK EBONY

elegant | everlasting | economics



EB

WOODEN SHADES

ROUGH CUT-2

NEW			
HIGHLAND PINE-II	2040	ROUGH CUT-3	2048
COMMON TEAK	2041	LIGHT SIAM TEAK	2049
BROWN OAK	2042	RAW ALUMINIUM	2050
URBAN OAK	2043	ALUMINIUM PEARL	2052
WEATHERED OAK	2044	NEO HIGHLAND PINE	2053
WINE	2045	CHERRY CAPPUCINO	2054
ROUGH CUT-1	2046	GHANA WENGE	2055

2047


CHESTNUT

2056

WOODEN SHADES

SAND CROSS






2064

FABRIC-11

2072

EBatt | everlasting | economica



elegant | everlasting | economica









WOODEN SHADES

NEW

GOTHIC MARBLE 2524









HITE	1000	SLATE GREY
PER WHITE	1001	BLACK
IITE LILY	1101	ACTION YELLOW
STY WHITE	1002	MARIGOLD YELLOW
/HITE	1102	RED
PRY	1003	SHANGRILA
AR WHITE	1103	ELECTRIC BLUE
VER GREY	1004	BLACK CURRENT



CAPPUCINO	1013	CHAMPAGNE	10
NEW CAPPUCINO	1113	TAN	10
			90.70
BUBBLE GUM	1014	AUTUMN LEAF	102
ORANGE	1015	BERRY BRUNCH	10:
NEW			
TURQUOISE	1016	FIESTA ROSE	102
DARK BROWN	1017	RED POPPY	10:
P. GREEN	1018	GRASS GREEN	10:
GOTHIC GREY	1019	LIME	10




NEW			
MINT GREEN	1028	WINTER SEA	1036
KHAKHI	1029	SHORE	1037
AQUA BLUE	1030	ENIGMA	1038
LAVENDER	1031	CARBIE	1039
LILAC	1032	TROOPER	1040
RAW CREAM	1033	MORNING GLOW	1041
PINK POPPY	1034	CHOCLATE	1042
DARK CITRUS	1035	MAGENTA	1043



PEARL BLACK	1044	MOCHA BROWN
		NEW
SKY BLUE	1045	SILKY CREAM
IRISH CREAM	1046	FEATHER GREY
ISLAND SKY	1047	NEW IRISH CREAM
PARAKEET	1048	PRAIRIE GREEN
MISTY GREY	1049	MIDNIGHT BLUE
DARK GREY	1050	FOREST GREEN
DARK SILVER GREY	1051	PINK SALT NEW
WARM GREY	1052	DREAM GREEN









E B

SPARKLES & METALLIC





3102





Customer Care for Edge Bands



