



Rang<sup>®</sup>

PREMIUM MDF SLATS


CANIS<sup>®</sup>




FLUTES




SLATS



RIBBED



PEAKS



BLOCKS





**INDEX** FLUTES SLATS RIBBED PEAKS BLOCKS

**RC 1002**

**RC 1003**

**RC 1004**

**RC 1006**

**RC 1008**

**RC 1009**

**RC 1010**

**RC 1012**

**RC 1013**

**RC 1015**

**RC 1016**

**RC 1018**

**RC 1019**

**RC 1020**

**RC 1028**

**RC 1029**

**RC 1030**

**RC 2001**

**RC 2002**

**RC 2003**

**RC 2005**

**RC 2006**

**RC 2007**

**RC 2008**

**RC 2009**

**RC 2010**



TOUCH ANY CODE TO EXPLORE

# CANIS<sup>®</sup>

PREMIUM MDF SLATS

## INSTALLATION



Panel the wall with either aluminum channels or plywood as the base.

Fixing the panel: Drill screws on the lower side of the first panel at intermittent distances.

Overlap the upper side of the second panel on the first panel.

Again drill the screws on the lower side of the second panel.

As we repeat the process, screws are hidden and we achieve perfectly consistent panelling.







## MANUFACTURING PROCESS

- Refining raw wood fibers for quality.
- Gluing, pressing and calibrating into uniform panels.
- Routing wooden panels into desired designs.
- Applying textured PVC finishes on top layer.

## SPECIFICATIONS

|                  |                                      |
|------------------|--------------------------------------|
| <b>CORE</b>      | : Engineered Wood<br>(HMR-Grade MDF) |
| <b>FINISH</b>    | : Textured PVC Membrane              |
| <b>HEIGHT</b>    | : 2900 mm (9.5ft)                    |
| <b>WIDTH</b>     | : 120 mm                             |
| <b>THICKNESS</b> | : 18 mm                              |

# CERTIFICATE



**VIRTUE META-SOL**  
MATERIAL SOLUTIONS  
SHOP No:687, SMR VINAY CAPITOL, OPPOSITE BALANAGAR POLICE STATION,  
HYDERABAD, TELANGANA, INDIA. 500 037.

TEST REPORT

Issued to:  
**M/s.Bhandari Agencies Pvt. Ltd.**  
14-1-395/1, Aghapura, Hyderabad.

Test Report No : VMS/R/23-24/0140  
Test Report Date : 12.05.2023

SAMPLE PARTICULARS

Page 1 of 5

Sample Details : Rang Canis Premium MDF Slats  
Sample Description : 18mm X 120mm X 2900mm  
Quantity : 1 set  
Packing Details : Good  
Test Required : Physical Properties

Reference Number : NA  
Reference Date : NA  
Date of Receipt : 08.05.2023  
Date of Testing : 09.05.2023  
Date of Completion : 12.05.2023

TEST RESULTS

Page 1 of 5

| Sl. No | Test Parameter           | Units             | Specifications as per IS 12406 - Grade 1 | Results |
|--------|--------------------------|-------------------|------------------------------------------|---------|
| 1      | Dimensional Verification |                   |                                          |         |
| (i)    | Height                   | mm                | 2900 ± 8.7                               | 2900    |
| (ii)   | Width                    | mm                | 120 ± 0.36                               | 120.04  |
| (iii)  | Thickness                | mm                | -                                        | 18.03   |
| (iv)   | Slot width               | mm                | -                                        | 12.00   |
| (v)    | Edge Straightness        | mm/1m             | 2mm/m Max                                | 0.06    |
| (vi)   | Squareness               | mm/1m             | 2mm/m Max                                | 0.01    |
| 2      | Density                  | kg/m <sup>3</sup> | 600 - 900                                | 730     |

Remarks: The above test results are meeting to IS 12406-Grade 1 Medium Density Fiber Board  
Test method: 12406, IS 2380, Customer Specification, VMS/MECH/SOP/02  
Disclaimer - 1: This report relates only to the particular sample submitted for test.  
Disclaimer - 2: Sampling is done by customer.

\*\*\*END OF THE REPORT\*\*\*

  
Reviewed and Authorized By

GSTIN REGISTERED: H.NO.6-10-106/A, SRINIVASANILAYAM, VANIYAKANAGAR, BALANAGAR, HYDERABAD, TELANGANA  
Ph No. 9030181727, EMAIL ID: [virtue-meta@gmail.com](mailto:virtue-meta@gmail.com)  
VMS/QJ/7/8/TR Rev 02 Dec'21



**VIRTUE META-SOL**  
MATERIAL SOLUTIONS  
SHOP No:687, SMR VINAY CAPITOL, OPPOSITE BALANAGAR POLICE STATION,  
HYDERABAD, TELANGANA, INDIA. 500 037.

TEST REPORT

Issued to:  
**M/s.Bhandari Agencies Pvt. Ltd.**  
14-1-395/1, Aghapura, Hyderabad.

Test Report No : VMS/R/23-24/0140  
Test Report Date : 12.05.2023

SAMPLE PARTICULARS

Page 2 of 5

Sample Details : Rang Canis Premium MDF Slats  
Sample Description : 18mm X 120mm X 2900mm  
Quantity : 1 set  
Packing Details : Good  
Test Required : Moisture Content, Flammability

Reference Number : NA  
Reference Date : NA  
Date of Receipt : 08.05.2023  
Date of Testing : 09.05.2023  
Date of Completion : 12.05.2023

TEST RESULTS

Page 2 of 5

| Sl. No | Test Parameter    | Units | Specifications as per IS 12406 - Grade 1 | Results                                                                                            |
|--------|-------------------|-------|------------------------------------------|----------------------------------------------------------------------------------------------------|
| 1      | Moisture Content  | %     | 5 - 10                                   | 7.50                                                                                               |
| 2      | Flammability test |       |                                          | The given material is subjected to flammability test found free from fire catching and propagation |

Remarks: The above test results are meeting to IS 12406-Grade 1 Medium Density Fiber Board  
Test method: 12406, IS 2380, Customer Specification, VMS/MECH/SOP/02  
Disclaimer - 1: This report relates only to the particular sample submitted for test.  
Disclaimer - 2: Sampling is done by customer.

\*\*\*END OF THE REPORT\*\*\*

  
Reviewed and Authorized By

GSTIN REGISTERED: H.NO.6-10-106/A, SRINIVASANILAYAM, VANIYAKANAGAR, BALANAGAR, HYDERABAD, TELANGANA  
Ph No. 9030181727, EMAIL ID: [virtue-meta@gmail.com](mailto:virtue-meta@gmail.com)  
VMS/QJ/7/8/TR Rev 02 Dec'21



**VIRTUE META-SOL**  
MATERIAL SOLUTIONS  
SHOP No:687, SMR VINAY CAPITOL, OPPOSITE BALANAGAR POLICE STATION,  
HYDERABAD, TELANGANA, INDIA. 500 037.

TEST REPORT

Issued to:  
**M/s.Bhandari Agencies Pvt. Ltd.**  
14-1-395/1, Aghapura, Hyderabad.

Test Report No : VMS/R/23-24/0140  
Test Report Date : 12.05.2023

SAMPLE PARTICULARS

Page 3 of 5

Sample Details : Rang Canis Premium MDF Slats  
Sample Description : 18mm X 120mm X 2900mm  
Quantity : 1 set  
Packing Details : Good  
Test Required : Screw Withdrawal Strength

Reference Number : NA  
Reference Date : NA  
Date of Receipt : 08.05.2023  
Date of Testing : 09.05.2023  
Date of Completion : 12.05.2023

TEST RESULTS

Page 3 of 5

| Sl. No | Test Parameter            | Units | Specifications as per IS 12406 - Grade 1 | Results |
|--------|---------------------------|-------|------------------------------------------|---------|
| 1      | Screw withdrawal strength |       |                                          |         |
| (i)    | Face                      | N     | 1500 Min                                 | 1520    |
| (ii)   | Edge                      | N     | 1250 Min                                 | 1300    |

Remarks: The above test results are meeting to IS 12406-Grade 1 Medium Density Fiber Board  
Test method: 12406, IS 2380, Customer Specification, VMS/MECH/SOP/02  
Disclaimer - 1: This report relates only to the particular sample submitted for test.  
Disclaimer - 2: Sampling is done by customer.

\*\*\*END OF THE REPORT\*\*\*

  
Reviewed and Authorized By

GSTIN REGISTERED: H.NO.6-10-106/A, SRINIVASANILAYAM, VANIYAKANAGAR, BALANAGAR, HYDERABAD, TELANGANA  
Ph No. 9030181727, EMAIL ID: [virtue-meta@gmail.com](mailto:virtue-meta@gmail.com)  
VMS/QJ/7/8/TR Rev 02 Dec'21



**VIRTUE META-SOL**  
MATERIAL SOLUTIONS  
SHOP No:687, SMR VINAY CAPITOL, OPPOSITE BALANAGAR POLICE STATION,  
HYDERABAD, TELANGANA, INDIA. 500 037.

TEST REPORT

Issued to:  
**M/s.Bhandari Agencies Pvt. Ltd.**  
14-1-395/1, Aghapura, Hyderabad.

Test Report No : VMS/R/23-24/0140  
Test Report Date : 12.05.2023

SAMPLE PARTICULARS

Page 4 of 5

Sample Details : Rang Canis Premium MDF Slats  
Sample Description : 18mm X 120mm X 2900mm  
Quantity : 1 set  
Packing Details : Good  
Test Required : Modulus of Elasticity

Reference Number : NA  
Reference Date : NA  
Date of Receipt : 08.05.2023  
Date of Testing : 09.05.2023  
Date of Completion : 12.05.2023

TEST RESULTS

Page 4 of 5

| Sl. No | Test Parameter                      | Units | Specifications as per IS 12406 - Grade 1 | Results |
|--------|-------------------------------------|-------|------------------------------------------|---------|
| 1      | Modulus of Elasticity               |       |                                          |         |
| (i)    | Along the grain direction (Average) | NPa   | 2800 Min                                 | 2920    |
| (ii)   | Across the direction (Average)      | NPa   | -                                        | 2360    |

Remarks: The above test results are meeting to IS 12406-Grade 1 Medium Density Fiber Board  
Test method: 12406, IS 2380, Customer Specification, VMS/MECH/SOP/02  
Disclaimer - 1: This report relates only to the particular sample submitted for test.  
Disclaimer - 2: Sampling is done by customer.

\*\*\*END OF THE REPORT\*\*\*

  
Reviewed and Authorized By

GSTIN REGISTERED: H.NO.6-10-106/A, SRINIVASANILAYAM, VANIYAKANAGAR, BALANAGAR, HYDERABAD, TELANGANA  
Ph No. 9030181727, EMAIL ID: [virtue-meta@gmail.com](mailto:virtue-meta@gmail.com)  
VMS/QJ/7/8/TR Rev 02 Dec'21



**VIRTUE META-SOL**  
MATERIAL SOLUTIONS  
SHOP No:687, SMR VINAY CAPITOL, OPPOSITE BALANAGAR POLICE STATION,  
HYDERABAD, TELANGANA, INDIA. 500 037.

TEST REPORT

Issued to:  
**M/s.Bhandari Agencies Pvt. Ltd.**  
14-1-395/1, Aghapura, Hyderabad.

Test Report No : VMS/R/23-24/0140  
Test Report Date : 12.05.2023

SAMPLE PARTICULARS

Page 5 of 5

Sample Details : Rang Canis Premium MDF Slats  
Sample Description : 18mm X 120mm X 2900mm  
Quantity : 1 set  
Packing Details : Good  
Test Required : Modulus of rupture

Reference Number : NA  
Reference Date : NA  
Date of Receipt : 08.05.2023  
Date of Testing : 09.05.2023  
Date of Completion : 12.05.2023

TEST RESULTS

Page 5 of 5

| Sl. No | Test Parameter                      | Units | Specifications as per IS 12406 - Grade 1 | Results |
|--------|-------------------------------------|-------|------------------------------------------|---------|
| 1      | Modulus of rupture                  |       |                                          |         |
| (i)    | Along the grain direction (Average) | NPa   | 28 Min                                   | 29.10   |
| (ii)   | Across the direction (Average)      | NPa   | -                                        | 22.34   |

Remarks: The above test results are meeting to IS 12406-Grade 1 Medium Density Fiber Board  
Test method: 12406, IS 2380, Customer Specification, VMS/MECH/SOP/02  
Disclaimer - 1: This report relates only to the particular sample submitted for test.  
Disclaimer - 2: Sampling is done by customer.

\*\*\*END OF THE REPORT\*\*\*

  
Reviewed and Authorized By

GSTIN REGISTERED: H.NO.6-10-106/A, SRINIVASANILAYAM, VANIYAKANAGAR, BALANAGAR, HYDERABAD, TELANGANA  
Ph No. 9030181727, EMAIL ID: [virtue-meta@gmail.com](mailto:virtue-meta@gmail.com)  
VMS/QJ/7/8/TR Rev 02 Dec'21





**Rang**  
RANGE OF DECORATIVE PRODUCTS


INDEX **FLUTES** SLATS RIBBED PEAKS BLOCKS



## RC 1030 FLUTED FUMED OAK

Size : 2900 MM (9.5ft) X 120 MM

Thickness : 18 MM








**Rang**  
RANGE OF DECORATIVE PRODUCTS

INDEX **FLUTES** SLATS RIBBED PEAKS BLOCKS



## RC 2008 FLUTED STATUARIO

Size : 2900 MM (9.5ft) X 120 MM  
Thickness : 18 MM








**Rang**  
RANGE OF DECORATIVE PRODUCTS

INDEX **FLUTES** SLATS RIBBED PEAKS BLOCKS



## RC 1019 FLUTED WENGE

Size : 2900 MM (9.5ft) X 120 MM  
Thickness : 18 MM








**Rang**  
RANGE OF DECORATIVE PRODUCTS

INDEX FLUTES **SLATS** RIBBED PEAKS BLOCKS



## RC 1028 FUMED OAK

Size : 2900 MM (9.5ft) X 120 MM  
Thickness : 18 MM







**Rang**  
RANGE OF DECORATIVE PRODUCTS

INDEX FLUTES **SLATS** RIBBED PEAKS BLOCKS




Rang

## RC 1008 EUROPEAN CHERRY

Size : 2900 MM (9.5ft) X 120 MM

Thickness : 18 MM








**Rang**  
RANGE OF DECORATIVE PRODUCTS

INDEX FLUTES **SLATS** RIBBED PEAKS BLOCKS



**RC 1009** BUBINGA

Size : 2900 MM (9.5ft) X 120 MM  
Thickness : 18 MM








**Rang**  
RANGE OF DECORATIVE PRODUCTS


INDEX FLUTES **SLATS** RIBBED PEAKS BLOCKS



## RC 1010 CLASSIC WALNUT

Size : 2900 MM (9.5ft) X 120 MM

Thickness : 18 MM








**Rang**  
RANGE OF DECORATIVE PRODUCTS

INDEX FLUTES **SLATS** RIBBED PEAKS BLOCKS



## RC 1012 SAMARI OAK

Size : 2900 MM (9.5ft) X 120 MM  
Thickness : 18 MM








**Rang**  
RANGE OF DECORATIVE PRODUCTS

INDEX FLUTES **SLATS** RIBBED PEAKS BLOCKS



## **RC 2001** GOLDEN TEAK

Size : 2900 MM (9.5ft) X 120 MM  
Thickness : 18 MM








**Rang**  
RANGE OF DECORATIVE PRODUCTS

INDEX FLUTES **SLATS** RIBBED PEAKS BLOCKS



## **RC 2002** ARMANI OAK

Size : 2900 MM (9.5ft) X 120 MM  
Thickness : 18 MM








**Rang**  
RANGE OF DECORATIVE PRODUCTS

INDEX FLUTES **SLATS** RIBBED PEAKS BLOCKS



## RC 2003 MOCHA

Size : 2900 MM (9.5ft) X 120 MM  
Thickness : 18 MM








**Rang**  
RANGE OF DECORATIVE PRODUCTS

INDEX FLUTES **SLATS** RIBBED PEAKS BLOCKS



## **RC 2005** JURASSIC

Size : 2900 MM (9.5ft) X 120 MM  
Thickness : 18 MM








**Rang**  
RANGE OF DECORATIVE PRODUCTS

INDEX FLUTES **SLATS** RIBBED PEAKS BLOCKS



## RC 2006 STATUARIO

Size : 2900 MM (9.5ft) X 120 MM  
Thickness : 18 MM








**Rang**  
RANGE OF DECORATIVE PRODUCTS

INDEX FLUTES **SLATS** RIBBED PEAKS BLOCKS



## RC 1002 SAGE

Size : 2900 MM (9.5ft) X 120 MM  
Thickness : 18 MM







**Rang**  
RANGE OF DECORATIVE PRODUCTS


INDEX FLUTES **SLATS** RIBBED PEAKS BLOCKS



## RC 1003 PIGEON

Size : 2900 MM (9.5ft) X 120 MM

Thickness : 18 MM








**Rang**  
RANGE OF DECORATIVE PRODUCTS

INDEX FLUTES **SLATS** RIBBED PEAKS BLOCKS



## RC 1004 ALABASTER

Size : 2900 MM (9.5ft) X 120 MM  
Thickness : 18 MM









**Rang**  
RANGE OF DECORATIVE PRODUCTS

INDEX FLUTES **SLATS** RIBBED PEAKS BLOCKS



## RC 1006 TEAL

Size : 2900 MM (9.5ft) X 120 MM  
Thickness : 18 MM







**Rang**  
RANGE OF DECORATIVE PRODUCTS


INDEX FLUTES SLATS **RIBBED** PEAKS BLOCKS



## **RC 1029** RIBBED FUMED OAK

Size : 2900 MM (9.5ft) X 120 MM

Thickness : 18 MM







**Rang**  
RANGE OF DECORATIVE PRODUCTS


INDEX FLUTES SLATS **RIBBED** PEAKS BLOCKS



## **RC 1018** RIBBED EUROPEAN CHERRY

Size : 2900 MM (9.5ft) X 120 MM

Thickness : 18 MM








**Rang**  
RANGE OF DECORATIVE PRODUCTS

INDEX FLUTES SLATS **RIBBED** PEAKS BLOCKS



## **RC 1016** RIBBED WALNUT

Size : 2900 MM (9.5ft) X 120 MM  
Thickness : 18 MM








**Rang**  
RANGE OF DECORATIVE PRODUCTS

INDEX FLUTES SLATS **RIBBED** PEAKS BLOCKS



## **RC 1015** RIBBED OAK

Size : 2900 MM (9.5ft) X 120 MM  
Thickness : 18 MM








**Rang**  
RANGE OF DECORATIVE PRODUCTS

INDEX FLUTES SLATS **RIBBED** PEAKS BLOCKS



## **RC 2007** VINTAGE OAK

Size : 2900 MM (9.5ft) X 120 MM  
Thickness : 18 MM








**Rang**  
RANGE OF DECORATIVE PRODUCTS

INDEX FLUTES SLATS **RIBBED** PEAKS BLOCKS



## **RC 1013** RIBBED SUGAR

Size : 2900 MM (9.5ft) X 120 MM  
Thickness : 18 MM








**Rang**  
RANGE OF DECORATIVE PRODUCTS

INDEX FLUTES SLATS RIBBED **PEAKS** BLOCKS



## RC 1020 SUGAR PEAKS

Size : 2900 MM (9.5ft) X 120 MM  
Thickness : 18 MM









**Rang**  
RANGE OF DECORATIVE PRODUCTS

INDEX FLUTES SLATS RIBBED PEAKS **BLOCKS**



## **RC 2009** SMOKED CARICIA

Size : 2900 MM (9.5ft) X 120 MM  
Thickness : 18 MM








**Rang**  
RANGE OF DECORATIVE PRODUCTS

INDEX FLUTES SLATS RIBBED PEAKS **BLOCKS**



## RC 2010 CARICIA

Size : 2900 MM (9.5ft) X 120 MM  
Thickness : 18 MM







# Rang<sup>®</sup>

RANGE OF DECORATIVE PRODUCTS

## OUR RANGE OF PRODUCTS

**Charco<sup>®</sup>**  
CHARM  
DECORATIVE CHARCOAL PANELS

**MASKARA<sup>®</sup>**  
6H ACRYLIC LAMINATE

**ART BY ONE<sup>™</sup>**  
DECORATIVE LOUVERS

**FADED<sup>™</sup>**

**LITIA<sup>™</sup>**  
FLUTED ACRYLIC

**GROOVE<sup>®</sup>**  
EARTH COLLECTION  
LOUVERS

**GROOVE<sup>®</sup>**  
PASTEL COLLECTION  
LOUVERS

**GROOVE<sup>®</sup>**  
FOREST COLLECTION  
LOUVERS

**CANIS<sup>®</sup>**  
PREMIUM MDF SLATS

**NAZRANA<sup>™</sup>**  
ENGRAVED ACRYLIC

**ONIT<sup>™</sup>**  
SEAMLESS CHARCOAL

**OHHO<sup>®</sup>**  
EXCLUSIVE DECORATIVE LAMINATES

**BERN<sup>®</sup>**  
DECORATIVE PVC LAMINATE



rangdecor.in  
Follow us on :   

**POWER  
BOARD**  
500 X PVC, WPC BOARD

## 2025-26



SCREWABLE &  
NAILABLE



QUALITY  
APPROVED



100%  
RECYCLABLE



EXTRA  
STRENGTH



100%  
CALIBRATED

Disclaimer : There can be colour variation in material from different batches and it is advised to use same batch.  
Avoid from direct sunlight it causes yellowness on product.