- 1 Messaging API
 - 1.1 新增 Messaging API channel

1.1.1 開啟 LINE Official Account Manager,在設定 > Messaging API,選擇 啟用 Messaging API。

LINE Official Account (11日日) 21 ● 聊天: 關閉						
主頁 分析 聊天 基本檔案	LINE VOOM 擴充功態 購物商城					
 · 設定 · · ·	Messaging API Messaging API為針對開發者所設計的進幣功能。您可透過API收發訊息及動作,與LINE用戶進行更多互動。 什麼是Messaging API? LINE Developers的API相關文件					
Messaging API 登錄資訊	狀態 未使用					
 ・ ・	設用Messaging API					
③ 收合選單	© LY Corporation 维数典取账					

1.1.2 建立 Provider 設定。



1.1.3 提供 隱私權政策 及 服務條款 資料(選填)。

	PROFESSION STREET, ST.	(1999) 11 ● 辯天:開閉	
主頁 分析 聊天 基本檔案	LINE VOOM 擴充功劑	8. 魏物南城	
		隱私權政策及服務條款	×
帳號設定	Messaging	請登錄服務提供者的隱私權政策及服務條款,此登錄內容仍可變更。	
權限管理	Messaging API為針型 什麼是Messaging AP	隱私權政策	0/500
回應設定	LINE Developers的AF	https://	
Messaging API		(還填)	
登錄資訊		服務條款	0/500
■ 帳務専區 👻		https://	
總覽頁面		(選店)	
推廣方案			
專屋ID			
付款記錄			
付款方式		取消 確定	
電子發票資訊			
優惠活動代碼 •			
収合選筆	© LY Corporation 條款與到	ù M	

1.1.4 查看要用來啟用 Messaging API 的資訊,並按下 確認。

		(18月日) 1 ● 第天: 開閉	
主頁 分析 聊天 基本檔案	LINE VOOM 擴充功能	5 購物商城	
 設定 紙號設定 紙號設定 編現管理 回應設定 Messaging API 登錄資訊 ● ●	Messaging APIA와 서호로사용saging AP LINE Developers한AF	取用Messaging API 講注意・一旦與提供者連動印無法變更或解除。 確定要以下方資訊取用Messaging API嗎? 報號名稱 服務提供者名稱	
優惠活動代碼 ▼			
② 收合選單	© LY Corporation 條款資表	之業	

1.1.5 看到頁面切換回 LINE Official Account Manager , 並看到顯示建立好的 Messaging API 資料。

	0	(11日日) 皇1 ● 聊天: 號閉
主頁 分析 聊天	基本檔案	LINE VOOM 擴充功能 購物商城
 	•	Messaging API Messaging API為針對團集者所設計的推局功能。您可透過API收發訊息及動作,與LINE用戶進行更多互動。 什麼是Messaging API? LINE Developer的API相關文件
Messaging API 登錄資訊		狀態 使用中
L 顿務專區 總號頁面 始度在來	•	Channel資訊 Channel ID 複製 Channel secret 複製
推赢刀乘 專 聯D 付款記録		Webhook網址 信存
付款方式 電子發票資訊 優惠活動代碼		您可由LINE Developers進行其他設定。
 () 以合規單 		

- 1.2 設定 channel ID
 - 1.2.1 開啟 LINE Official Account Manager,在設定 > Messaging API,點 LINE Developers

LINE Official Account O T (在用册) 2.1 ● 聊天: 期間					
主頁 分析 聊天 基本檔案	LINE VOOM 擴充功能 購物施城				
⑦ 裂定 ▼ ● ●	Messaging API Messaging API為針對開發者所設計的進路功能,您可透過API收發訊度及動作,例LINE用戶進行更多互動, 什麼是Messaging API? LINE Developers的API指聽文件				
Messaging API 登錄資訊	秋巡 使用中				
■ 帳務專區 ◆ 總號頁面 始應方案	Channel ID 液획 Channel secret 渡황				
考慮) 考慮 付款記録	Webhook 網址 包容				
付款方式 電子投票資訊 優惠活動代碼 •	您可E <mark>LINE Developers1</mark> 4行其他設定。				
 (2) 収合相単 					

1.2.2 點 Console



1.2.3 在 LINE Developers 後台點選剛剛建立的 Provider(或欲設定串接的 Provider),並點選 Messaging API

LINE Developers New	Products Documentation FAQ Glossary Community Blog @	
Console home	TOP >	
Providers •	TokenPMD & III Provider	
Search		
Admin	Channels Roles Settings	
Arr 1 4 4		
-		Grou Grou
Report of the local		1
1000701100110000		
100000000000000000000000000000000000000		
	+	
10007001171000	Create a new channel	
Table Caller Proces		
Tools	Messaging API	
Support		J
© LY Corporation Terms and polic	ies About trademarks Found any problems? Please use our inquiry form $\ensuremath{\mathbb{C}}$.	

1.2.4 在 Basic settings > Basic information, 看到 Channel ID, 複製後填寫至對應欄位。

2000 2020 2000 C		
Console home	TOP >	
Providers •		
Saareh	Con Messaging API	
Search		
Admin		
	Basic settings Messaging API LIFF Security Statistics Roles	
-		
Support State Street	Basic settings	
States and Street	27.0.0	
100000000000000000000000000000000000000	Basic information	
-	You can change your app name and icon in LINE Official Account Manager \mathbb{C} .	
Tools	Channel ID (
Support		
outper .		

1.3 設定 channel name

在 Basic settings > Basic information,看到 Channel name,複製後填寫至對應欄位。

LINE Developers	News	Products Documentation FAQ Glossary Community 🕫 Blog 🕫
Console home		TOP >
Providers •		Basic information
Search		You can change your app name and icon in LINE Official Account Manager $^{\oslash}$.
Admin		Channel ID 💿 💌
		Channel icon
Tools Support	(Channel name
© LY Corporation Terms an	d polici	s About trademarks Found any problems? Please use our inquiry form @

1.4 設定 channel secret

在	Basic settings >	Basic information ,	看到	Channel secret	 複製後填寫至對應欄位。
---	------------------	---------------------	----	----------------	---------------------------------

	lews Products Docume	entation FAQ Glossary Community 🕫 Blog 🕫
Console home	TOP >	Charles - NewPetral
Providers •		
Search	Terms of use URL optional	Edit
Admin	App types	Bot
Nation Sea	Permissions ⑦	PROFILE
	Channel secret ③	Circle Contract of
Tools	Assertion Signing	Register a public key
Support	Key 🕚	
© LY Corporation Terms and	policies About trademarks	Found any problems? Please use our inquiry form 2.

1.5 設定 Webhook

請重新載入頁面後,至 Messaging API settings > Webhook settings,向下滾動將 Use webhook 的開 關打開。

LINE Developers New	s Products Documentation FAQ Blossary Community of Blog of
Console home	TOP > Messaging API
Providers •	Basic settings Messaging API LIFF Security Statistics Roles
Search	Messaging API settings
Admin^	Bot information
-	Bot basic ID 💿
	OR code
ALC: 10.1	
	Webhook settings
	Webhook URL 🕐
-	Verify EDI
Tools	Use webhook 💿 🔹
Support	
© LY Corporation Terms and polic	ites About trademarks. Found any problema? Please use ou inquiry form C.

1.6 LINE Official Account Manager 設定

- **1.6.1** 開啟 LINE Official Account Manager · 點擊「設定」並前往「回應設定」頁面 · 將回應功能下方的 「聊天」和「加入好友的歡迎訊息」切換成停用狀態。
- 1.6.2 確認已「開啟」Webhook。
- 1.6.3 請將「自動回應訊息」,設定為「停用」。



2 LINE Login

- 2.1 建立 Login channel
 - 2.1.1 使用有 LINE Developers Admin 權限的管理帳號登入 LINE Developers 後台。進入欲連結帳號所在 的 Provider。



2.1.2 點擊 Create a new channel 選擇 LINE Login。

LINE Developers Net	ws Products Documentation	FAQ Glossary	Community C Blog C			
Console home	TOP > TelexPM3.0 III Prov	ider				
Providers •	TelePhone III					
Search	Channels Roles		Create a ne	ew channel	×	
-		c		Rype to continue		Gro
	+	LINE Login	Messaging API	Blockchain Service	LINE MINI App	
-	Create a new cr	Messa	docum	ent C.		
Support						
© LY Corporation Terms and po	olicies About trademarks Found					

2.1.3 完成 Channel name 等基本資訊設定,在 App types 選擇 Web app,同意條款後,按下 create 按 鈕,就建立完成了。

LINE Developers News Products Documentation FAQ Glossary Community Blog Blog B				
Console home	тор			
Providers •	Channel name	Enter channel name		
Search Admin		V Don't leave this empty V Don't use special characters (4 byte Unicode) V Enter no more than 20 characters		
	Channel description	Enter channel description		
		X Don't leave this empty Don't use special characters (4-byte Unicode) Enter no more than 500 characters		
	App types 💮	Web app Mobile app × Don't leave this empty		
Tools				
Support	Require two-factor authentication	T Require two-factor authentication when a user logs into this channel.		
© LY Corporation Terms and polici	© LY Corporation Terms and policies About trademarks Found any problems? Please use our inquiry form C.			

2.2 設定 Channel ID

2.2.1 使用有 LINE Developers Admin 權限的管理帳號登入 LINE Developers 後台,進入欲連結帳號所在 的 Provider,開啟欲綁定的 Login channel。

LINE Developers New	s Products Documentation FAQ Glossary Community ${\ensuremath{\mathcal{C}}}$ Blog ${\ensuremath{\mathcal{C}}}$		
Console home	TOP >		
Providers •			
Search	Tales/PM3.0.0.Provider		
Admin	Channels Roles Settings		
		Grou	
1000000			
1000	+ Create a new channel		
100010000000	LINE Login Messaging API		
Tools	Developing •		
Support			
© LY Corporation Terms and policies About trademarks Found any problems? Please use our inquiry form C.			

2.2.2 在 Basic settings > Basic information · 看到 Channel ID · 複製後填寫至對應欄位。

LINE Developers News	Products Documentation FAQ Glossary Community 🖻 Blog 🖻			
Console home	TOP >			
Providers •				
Search	Amm 3 LINE Login Developing •			
Admin ^				
	Basic settings LINE Login LIFF Roles			
-				
Registration Date	Basic settings			
	Basic information			
	Channel ID 💿			
Tradition (second research of	Region to provide Taiwan			
Tools	the service ③			
Support	Company or Taiwan			
IV Corporation Terms and policies About trademarks Found any problems? Please use our inquiry form C.				

2.3 設定 Channel secret

2.3.1 í	往下滾動頁面,	看到	Channel secret	複製並貼到對應欄位。
---------	---------	----	----------------	------------

LINE Developers News Products Documentation FAQ Glossary Community & Blog &			
Console home	TOP >		
Providers •	Edit		
Search	Ferms of use URL optional Edit		
	App types Web app		
National Aug South States	Permissions ③ PROFILE CHAT_MESSAGE OPENID_CONNECT		
Sauffel Colores Sauffel Colores Sauffel Colores	Channel secret 💿		
Tools	Assertion Signing Register a public key		
Support	wy 🕁		
© LY Corporation Terms and policies About trademarks Found any problems? Please use our inquiry form C.			

2.3.2 設定 Login 串連官方帳號

Console home	TOP >	Transfer Concept		
Providers -				
Sparch	Localization (multi-langu	age support)		
Admin	Language	Channel name	Channel description	
Admin			No data available	
			Add a language	
No. of Concession, Name				
10000	Add friend option			
Card Marcola Contraction	Linked LINE Official - Account ①			
And Statements				
ools	OpenID Connect			
upport	Email address Unapplier	d Apply		

2.3.3 往上滾動頁面,按下 Developing,看到狀態變成 Published。

LINE Developers News	s Products Documentation FAQ Glossary Community 중 Blog 중		
Console home	TOP >		
Providers •			
Search	Admin Developing •		
Admin ^			
	Basic settings LINE Login LIFF Roles		
Number of State	Basic settings Basic information Channel ID ③		
100/001111100			
1000100000	Region to provide Taiwan		
Tools	the service 💿		
Support	Company or Taiwan		
© LY Corporation Terms and policies About trademarks Found any problems? Please use our inquiry form ♂.			

3 OA Webhook 設定

- 3.1 開啟 LINE Official Account Manager · 點擊「設定」並前往「回應設定」頁面 · 將回應功能下方的「聊 天」和「加入好友的歡迎訊息」切換成停用狀態。
- 3.2 確認已「開啟」Webhook。
- 3.3 請將「自動回應訊息」,設定為「停用」。

	PME11 + 100	(EAR) 2.1 ¢	● 聊天 : 開閉
主頁 分析 聊天 基本檔案	LINE VOOM	充功能 購物商城	
(2) 設定 · · · · · · · · · · · · · · · · · ·	回應設力	己 號目的,說定聊天及自動前	1.专的回应方式。
回應設定 Messaging API	回應功能		
登録資訊	1	聯天	
□ 帳務專區 🔹			可能要求和社会工程。
總費頁面		加入好友的歡迎訊息	
推廣方案			幕用戶將主導號加加戶方時,可以動傳送荒型內容。 1001-100-100-100-100-100-100-100-100-10
專雇ID			Mar ave are and a set
付款記錄	l l	Webhook	PERMIT DESTROY TERMINGTON, MINETARGUMANAN BUT MANANARU
付款方式			Millinessaging API的紀正書面 発行Messaging API的紀正書面
BZ0 BW0	1	自動回應訊息	
			可使用學先級定時的為原內容進行自動阻礙。
使思治到代婚			開設自動回傳訊帶的設定構築
0 00000			