

## Warpaints Fanatic Effects: Disgusting Slime

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier:** Warpaints Fanatic Effects: Disgusting Slime
- Other means of identification:**
- WP3163
- UFI:** W440-Q0D5-U00D-KXEJ
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:**
- Relevant uses (Consumer use): Paint for artists  
Relevant uses (Professional users): Paint for artists  
Uses advised against: All uses not specified in this section or in section 7.3
- 1.3 Details of the supplier of the safety data sheet:**
- The Army Painter ApS  
Niels Bohrs Vej 34  
8660 Skanderborg - Danmark  
Phone: +4528911656  
productsafety@thearmypainter.com  
www.thearmypainter.com
- 1.4 Emergency telephone number:**
- Austria: +43 1 406 43 43  
Belgium: 070 245 245  
Bulgaria: +359 2 9154 233  
Croatia: +3851 2348 342  
Cyprus: 1401  
Czech Republic: +420 224 919 293, +420 224 915 402  
Denmark: +45 8212 1212  
Estonia: 16662, from abroad (+372) 7943 794  
Finland: 0800 147 111  
France: +33 (0)1 45 42 59 59 (ORFILA)  
Greece: (0030) 2107793777e  
Hungary: +36-80-201-199  
Iceland: 543 2222, 543 1000  
Ireland: HCP's: 01 809 2566  
Italy: +39 0382-24444  
Latvia: +371 67042473  
Lithuania: +370 (85) 2362052  
Luxembourg: (+352) 8002 5500  
The Netherlands: +31 (0)88 755 8000  
Norway: +47 22 59 13 00  
Poland: 112  
Portugal: +351 800 250 250  
Romania: +40 213183606  
Slovakia: +421 2 5477 4166 (National Toxicological Information Centre), 24/7 service  
Slovenia: 112  
Spain: +34 91 562 04 20  
Sweden: 112  
United Kingdom: 18001 111 (NHS 111), 0344 892 0111 (NPIS, for HCP's)

### SECTION 2: HAZARDS IDENTIFICATION

- 2.1 Classification of the substance or mixture:**
- CLP Regulation (EC) No 1272/2008:**
- The product is not classified as hazardous according to CLP Regulation (EC) No 1272/2008.
- 2.2 Label elements:**
- CLP Regulation (EC) No 1272/2008:**
- Labelling of packages where the contents do not exceed 125 ml:
- Hazard statements:**
- Non-applicable
- Precautionary statements:**

- CONTINUED ON NEXT PAGE -

**Warpaints Fanatic Effects: Disgusting Slime**

**SECTION 2: HAZARDS IDENTIFICATION (continued)**

Non-applicable

**Supplementary information:**

EUH208: Contains Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

UFI: W440-Q0D5-U00D-KXEJ

**2.3 Other hazards:**

Product does not meet PBT/vPvB criteria

Endocrine-disrupting properties: The product does not meet the criteria.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

**3.1 Substance:**

Non-applicable

**3.2 Mixture:**

**Chemical description:** Aqueous mixture composed of additives, aggregates, pigments and resins

**Components:**

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

| Identification                                                                            | Chemical name/Classification                                                                                                 |                                                                                                                                                                          | Concentration                  |
|-------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|
| CAS: 55965-84-9<br>EC: 911-418-6<br>Index: Non-applicable<br>REACH: 01-2120764691-48-XXXX | <b>Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)<sup>(1)</sup></b> ATP ATP13 |                                                                                                                                                                          | <b>0,0005 -<br/>&lt;0,001%</b> |
|                                                                                           | Regulation 1272/2008                                                                                                         | Acute Tox. 2: H310+H330; Acute Tox. 3: H301; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Eye Dam. 1: H318; Skin Corr. 1C: H314; Skin Sens. 1A: H317; EUH071 - Danger |                                |

<sup>(1)</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

**Other information:**

| Identification                                                                                                                 | M-factor |     |
|--------------------------------------------------------------------------------------------------------------------------------|----------|-----|
| Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)<br>CAS: 55965-84-9 EC: 911-418-6 | Acute    | 100 |
|                                                                                                                                | Chronic  | 100 |

| Identification                                                                                                                    | Specific concentration limit                                                                                                                                                                               |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)<br>CAS: 55965-84-9<br>EC: 911-418-6 | % (w/w) >=0,6: Skin Corr. 1C - H314<br>0,06<= % (w/w) <0,6: Skin Irrit. 2 - H315<br>% (w/w) >=0,6: Eye Dam. 1 - H318<br>0,06<= % (w/w) <0,6: Eye Irrit. 2 - H319<br>% (w/w) >=0,0015: Skin Sens. 1A - H317 |

**SECTION 4: FIRST AID MEASURES**

**4.1 Description of first aid measures:**

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

**By inhalation:**

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

**By skin contact:**

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

**By eye contact:**

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.

**By ingestion/aspiration:**

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

- CONTINUED ON NEXT PAGE -

## Warpaints Fanatic Effects: Disgusting Slime

### SECTION 4: FIRST AID MEASURES (continued)

- 4.2 Most important symptoms and effects, both acute and delayed:**  
Acute and delayed effects are indicated in sections 2 and 11.
- 4.3 Indication of any immediate medical attention and special treatment needed:**  
Non-applicable

### SECTION 5: FIREFIGHTING MEASURES

- 5.1 Extinguishing media:**  
**Suitable extinguishing media:**  
Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.  
**Unsuitable extinguishing media:**  
Non-applicable
- 5.2 Special hazards arising from the substance or mixture:**  
As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.
- 5.3 Advice for firefighters:**  
Depending on the magnitude of the fire it may be necessary to use full protective clothing and Self Contained Breathing Apparatus. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...)  
**Additional provisions:**  
Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, protective equipment and emergency procedures:**  
**For non-emergency personnel:**  
Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.  
**For emergency responders:**  
Wear protective equipment. Keep unprotected persons away. See section 8.
- 6.2 Environmental precautions:**  
It is recommended to avoid environmental spillage of both the product and its container.
- 6.3 Methods and material for containment and cleaning up:**  
It is recommended:  
Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal
- 6.4 Reference to other sections:**  
See sections 8 and 13.

### SECTION 7: HANDLING AND STORAGE

- 7.1 Precautions for safe handling:**
- A.- General precautions for safe use  
Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).
  - B.- Technical recommendations for the prevention of fires and explosions  
Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.
  - C.- Technical recommendations on general occupational hygiene

- CONTINUED ON NEXT PAGE -

## Warpaints Fanatic Effects: Disgusting Slime

### SECTION 7: HANDLING AND STORAGE (continued)

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

#### 7.2 Conditions for safe storage, including any incompatibilities:

A.- Specific storage requirements

Minimum Temp.: 5 °C

Maximum Temp.: 40 °C

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

#### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters:

Substances whose occupational exposure limits have to be assessed in the workplace:

There are no applicable occupational exposure limits for the substances contained in the product

**DNEL (Workers):**

| Identification                                                                                                                    |            | Short exposure |                        | Long exposure  |                        |
|-----------------------------------------------------------------------------------------------------------------------------------|------------|----------------|------------------------|----------------|------------------------|
|                                                                                                                                   |            | Systemic       | Local                  | Systemic       | Local                  |
| Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)<br>CAS: 55965-84-9<br>EC: 911-418-6 | Oral       | Non-applicable | Non-applicable         | Non-applicable | Non-applicable         |
|                                                                                                                                   | Dermal     | Non-applicable | Non-applicable         | Non-applicable | Non-applicable         |
|                                                                                                                                   | Inhalation | Non-applicable | 0,04 mg/m <sup>3</sup> | Non-applicable | 0,02 mg/m <sup>3</sup> |

**DNEL (General population):**

| Identification                                                                                                                    |            | Short exposure |                        | Long exposure  |                        |
|-----------------------------------------------------------------------------------------------------------------------------------|------------|----------------|------------------------|----------------|------------------------|
|                                                                                                                                   |            | Systemic       | Local                  | Systemic       | Local                  |
| Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)<br>CAS: 55965-84-9<br>EC: 911-418-6 | Oral       | 0,11 mg/kg     | Non-applicable         | 0,09 mg/kg     | Non-applicable         |
|                                                                                                                                   | Dermal     | Non-applicable | Non-applicable         | Non-applicable | Non-applicable         |
|                                                                                                                                   | Inhalation | Non-applicable | 0,04 mg/m <sup>3</sup> | Non-applicable | 0,02 mg/m <sup>3</sup> |

**PNEC:**

| Identification                                                                                                                    |              |                |                         |              |  |
|-----------------------------------------------------------------------------------------------------------------------------------|--------------|----------------|-------------------------|--------------|--|
| Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)<br>CAS: 55965-84-9<br>EC: 911-418-6 | STP          | 0,23 mg/L      | Fresh water             | 0,00339 mg/L |  |
|                                                                                                                                   | Soil         | 0,01 mg/kg     | Marine water            | 0,00339 mg/L |  |
|                                                                                                                                   | Intermittent | 0,00339 mg/L   | Sediment (Fresh water)  | 0,027 mg/kg  |  |
|                                                                                                                                   | Oral         | Non-applicable | Sediment (Marine water) | 0,027 mg/kg  |  |

#### 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

If the working conditions and/or safety measures adopted do not allow keeping the airborne concentration of the product below the exposure limits (if any) or at acceptable levels (if no exposure limits exist), suitable respiratory protection equipment chosen by a qualified professional should be used.

C.- Specific protection for the hands

- CONTINUED ON NEXT PAGE -

**Warpaints Fanatic Effects: Disgusting Slime**

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)**

| Pictogram                                                                                                      | PPE                                   | Labelling                                                                         | CEN Standard | Remarks                                                                                                                                                                                                                                    |
|----------------------------------------------------------------------------------------------------------------|---------------------------------------|-----------------------------------------------------------------------------------|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <br>Mandatory hand protection | Protective gloves against minor risks |  |              | Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN ISO 21420:2020 and EN ISO 374-1:2016+A1:2018 |

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

**D.- Eye and face protection**

| Pictogram                                                                                                      | PPE                                           | Labelling                                                                         | CEN Standard                    | Remarks                                                                                                                   |
|----------------------------------------------------------------------------------------------------------------|-----------------------------------------------|-----------------------------------------------------------------------------------|---------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| <br>Mandatory face protection | Panoramic glasses against splash/projections. |  | EN 166:2002<br>EN ISO 4007:2018 | Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. |

**E.- Body protection**

| Pictogram | PPE                  | Labelling                                                                           | CEN Standard      | Remarks                                                                                                                                                                                                                                                           |
|-----------|----------------------|-------------------------------------------------------------------------------------|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|           | Work clothing        |    |                   | Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994. |
|           | Anti-slip work shoes |  | EN ISO 20347:2022 | Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2022 y EN 13832-1:2019                                 |

**F.- Additional emergency measures**

It is advised to implement additional emergency equipments in workplaces that are particularly exposed to the product or in situations where risk assessments highlight the necessity of such equipments.

| Emergency measure                                                                                       | Standards                                       | Emergency measure                                                                                        | Standards                                      |
|---------------------------------------------------------------------------------------------------------|-------------------------------------------------|----------------------------------------------------------------------------------------------------------|------------------------------------------------|
| <br>Emergency shower | ANSI Z358-1<br>ISO 3864-1:2011, ISO 3864-4:2011 | <br>Eyewash stations | DIN 12 899<br>ISO 3864-1:2011, ISO 3864-4:2011 |

**Environmental exposure controls:**

To comply with environmental protection regulations, it is recommended to prevent any spillage of the product and its container. For more detailed information, please refer to subsection 7.1.D.

**Volatile organic compounds:**

With regard to Directive 2010/75/EU, this product has the following characteristics:

|                           |                               |
|---------------------------|-------------------------------|
| V.O.C. (Supply):          | 7,01 % weight                 |
| V.O.C. density at 20 °C:  | 74 kg/m <sup>3</sup> (74 g/L) |
| Average carbon number:    | 7,92                          |
| Average molecular weight: | 161,09 g/mol                  |

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**9.1 Information on basic physical and chemical properties:**

For complete information see the product datasheet.

**Appearance:**

Physical state at 20 °C: Non-applicable \*

Appearance: Non-applicable \*

Colour: Non-applicable \*

\*Non-applicable due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

## Warpaints Fanatic Effects: Disgusting Slime

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

|                                              |                         |
|----------------------------------------------|-------------------------|
| Odour:                                       | Non-applicable *        |
| Odour threshold:                             | Non-applicable *        |
| <b>Volatility:</b>                           |                         |
| Boiling point at atmospheric pressure:       | 106 °C                  |
| Vapour pressure at 20 °C:                    | 2308 Pa                 |
| Vapour pressure at 50 °C:                    | 12163,41 Pa (12,16 kPa) |
| Evaporation rate at 20 °C:                   | Non-applicable *        |
| <b>Product description:</b>                  |                         |
| Density at 20 °C:                            | 1055 kg/m <sup>3</sup>  |
| Relative density at 20 °C:                   | 1,05 - 1,06             |
| Dynamic viscosity at 20 °C:                  | 3580 - 3820 mPa·s       |
| Kinematic viscosity at 20 °C:                | Non-applicable *        |
| Kinematic viscosity at 40 °C:                | Non-applicable *        |
| Concentration:                               | Non-applicable *        |
| pH:                                          | 7,5 - 8,5               |
| Vapour density at 20 °C:                     | Non-applicable *        |
| Partition coefficient n-octanol/water 20 °C: | Non-applicable *        |
| Solubility in water at 20 °C:                | Non-applicable *        |
| Solubility properties:                       | Non-applicable *        |
| Decomposition temperature:                   | Non-applicable *        |
| Melting point/freezing point:                | Non-applicable *        |
| <b>Flammability:</b>                         |                         |
| Flash Point:                                 | Non-applicable *        |
| Flammability (solid, gas):                   | Non-applicable *        |
| Autoignition temperature:                    | 204 °C                  |
| Lower flammability limit:                    | Non-applicable *        |
| Upper flammability limit:                    | Non-applicable *        |
| <b>Particle characteristics:</b>             |                         |
| Median equivalent diameter:                  | Non-applicable *        |

#### 9.2 Other information:

##### Information with regard to physical hazard classes:

|                                                              |                  |
|--------------------------------------------------------------|------------------|
| Explosive properties:                                        | Non-applicable * |
| Oxidising properties:                                        | Non-applicable * |
| Corrosive to metals:                                         | Non-applicable * |
| Heat of combustion:                                          | Non-applicable * |
| Aerosols-total percentage (by mass) of flammable components: | Non-applicable * |

##### Other safety characteristics:

|                           |                  |
|---------------------------|------------------|
| Surface tension at 20 °C: | Non-applicable * |
| Refraction index:         | Non-applicable * |

\*Non-applicable due to the nature of the product, not providing information property of its hazards.

### SECTION 10: STABILITY AND REACTIVITY

#### 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

- CONTINUED ON NEXT PAGE -

## Warpaints Fanatic Effects: Disgusting Slime

### SECTION 10: STABILITY AND REACTIVITY (continued)

#### 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

#### 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

#### 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

| Shock and friction | Contact with air | Increase in temperature | Sunlight       | Humidity       |
|--------------------|------------------|-------------------------|----------------|----------------|
| Not applicable     | Not applicable   | Not applicable          | Not applicable | Not applicable |

#### 10.5 Incompatible materials:

| Acids              | Water          | Oxidising materials | Combustible materials | Others                        |
|--------------------|----------------|---------------------|-----------------------|-------------------------------|
| Avoid strong acids | Not applicable | Avoid direct impact | Not applicable        | Avoid alkalis or strong bases |

#### 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO<sub>2</sub>), carbon monoxide and other organic compounds.

### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

##### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

##### A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

##### B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract

##### C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
- Contact with the eyes: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

##### D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.  
IARC: Non-applicable
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

##### E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3.

##### F- Specific target organ toxicity (STOT) - single exposure:

- CONTINUED ON NEXT PAGE -

**Warpaints Fanatic Effects: Disgusting Slime**

**SECTION 11: TOXICOLOGICAL INFORMATION (continued)**

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**G- Specific target organ toxicity (STOT)-repeated exposure:**

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**H- Aspiration hazard:**

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

**Other information:**

Non-applicable

**Specific toxicology information on the substances:**

| Identification                                                                                                                    | Acute toxicity       |                 | Genus  |
|-----------------------------------------------------------------------------------------------------------------------------------|----------------------|-----------------|--------|
| Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)<br>CAS: 55965-84-9<br>EC: 911-418-6 | LD50 oral            | 64 mg/kg        | Rat    |
|                                                                                                                                   | LD50 dermal          | 87,12 mg/kg     | Rabbit |
|                                                                                                                                   | LC50 inhalation mist | 0,33 mg/L (4 h) | Rat    |

**11.2 Information on other hazards:**

**Endocrine disrupting properties**

Endocrine-disrupting properties: The product does not meet the criteria.

**Other information**

Non-applicable

**SECTION 12: ECOLOGICAL INFORMATION**

The experimental information related to the eco-toxicological properties of the product itself is not available

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

**12.1 Toxicity:**

**Acute toxicity:**

| Identification                                                                                                                    | Concentration |                    | Species              | Genus      |
|-----------------------------------------------------------------------------------------------------------------------------------|---------------|--------------------|----------------------|------------|
| Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)<br>CAS: 55965-84-9<br>EC: 911-418-6 | LC50          | 0,28 mg/L (96 h)   | Lepomis macrochirus  | Fish       |
|                                                                                                                                   | EC50          | 0,007 mg/L (48 h)  | Acartia tonsa        | Crustacean |
|                                                                                                                                   | EC50          | 0,0199 mg/L (72 h) | Skeletonema costatum | Algae      |

**Chronic toxicity:**

| Identification                                                                                                                 | Concentration |                    | Species | Genus      |
|--------------------------------------------------------------------------------------------------------------------------------|---------------|--------------------|---------|------------|
| Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)<br>CAS: 55965-84-9 EC: 911-418-6 | NOEC          | >0,001 - 0,01 mg/L |         | Fish       |
|                                                                                                                                | NOEC          | >0,001 - 0,01 mg/L |         | Crustacean |

**12.2 Persistence and degradability:**

**Substance-specific information:**

| Identification                                                                                                                    | Degradability |                | Biodegradability |          |
|-----------------------------------------------------------------------------------------------------------------------------------|---------------|----------------|------------------|----------|
| Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)<br>CAS: 55965-84-9<br>EC: 911-418-6 | BOD5          | Non-applicable | Concentration    | 0,3 mg/L |
|                                                                                                                                   | COD           | Non-applicable | Period           | 29 days  |
|                                                                                                                                   | BOD5/COD      | Non-applicable | % Biodegradable  | 38,8 %   |

**12.3 Bioaccumulative potential:**

**Substance-specific information:**

- CONTINUED ON NEXT PAGE -

## Warpaints Fanatic Effects: Disgusting Slime

### SECTION 12: ECOLOGICAL INFORMATION (continued)

| Identification                                                                                                                    | Bioaccumulation potential |          |
|-----------------------------------------------------------------------------------------------------------------------------------|---------------------------|----------|
| Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)<br>CAS: 55965-84-9<br>EC: 911-418-6 | BCF                       | 54       |
|                                                                                                                                   | Pow Log                   | 0,75     |
|                                                                                                                                   | Potential                 | Moderate |

#### 12.4 Mobility in soil:

| Identification                                                                                                                    | Absorption/desorption |                | Volatility |                             |
|-----------------------------------------------------------------------------------------------------------------------------------|-----------------------|----------------|------------|-----------------------------|
| Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)<br>CAS: 55965-84-9<br>EC: 911-418-6 | Koc                   | 7,7            | Henry      | 5E-3 Pa·m <sup>3</sup> /mol |
|                                                                                                                                   | Conclusion            | Very High      | Dry soil   | Non-applicable              |
|                                                                                                                                   | Surface tension       | Non-applicable | Moist soil | Non-applicable              |

#### 12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

#### 12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product does not meet the criteria.

#### 12.7 Other adverse effects:

Not described

### SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods:

| Code     | Description                                                    | Waste class (Regulation (EU) No 1357/2014) |
|----------|----------------------------------------------------------------|--------------------------------------------|
| 08 01 12 | waste paint and varnish other than those mentioned in 08 01 11 | Non-hazardous                              |

#### Type of waste (Regulation (EU) No 1357/2014):

Non-applicable

#### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC, The Waste Regulations 2011, 2011 No. 988). As under 15 01 (2014/955/EU) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

#### Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

### SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

### SECTION 15: REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1).
- Article 95, REGULATION (EU) No 528/2012: *Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9) - PT: (2, 4, 6, 11, 12, 13)*
- Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable
- Regulation (EU) 2019/1021 on persistent organic pollutants: Non-applicable
- Regulation (EU) 2024/590, about substances that deplete the ozone layer: Non-applicable
- REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable
- Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

#### Seveso III:

Non-applicable

- CONTINUED ON NEXT PAGE -

## Warpaints Fanatic Effects: Disgusting Slime

### SECTION 15: REGULATORY INFORMATION (continued)

#### Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):

Non-applicable

#### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

#### Other legislation:

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (CDG 2009), SI 2009 No 1348  
The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment (Amendment) Regulations 2011, 2011 No. 1885  
Control of Substances Hazardous to Health Regulations 2002 (as amended)  
EH40/2005 Workplace exposure limits  
The Waste Regulations 2011, 2011 No. 988

#### 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

### SECTION 16: OTHER INFORMATION

#### Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878)

#### Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Non-applicable

#### Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

#### CLP Regulation (EC) No 1272/2008:

Acute Tox. 2: H310+H330 - Fatal in contact with skin or if inhaled.  
Acute Tox. 3: H301 - Toxic if swallowed.  
Aquatic Acute 1: H400 - Very toxic to aquatic life.  
Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.  
Eye Dam. 1: H318 - Causes serious eye damage.  
Skin Corr. 1C: H314 - Causes severe skin burns and eye damage.  
Skin Sens. 1A: H317 - May cause an allergic skin reaction.

#### Classification procedure:

Non-applicable

#### Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

#### Principal bibliographical sources:

<http://echa.europa.eu>  
<http://eur-lex.europa.eu>

#### Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road  
IMDG: International maritime dangerous goods code  
IATA: International Air Transport Association  
ICAO: International Civil Aviation Organisation  
COD: Chemical Oxygen Demand  
BOD5: 5day biochemical oxygen demand  
BCF: Bioconcentration factor  
LD50: Lethal Dose 50  
LC50: Lethal Concentration 50  
EC50: Effective concentration 50  
LogPOW: Octanolwater partition coefficient  
Koc: Partition coefficient of organic carbon  
UFI: unique formula identifier  
IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -