

No. CANHG1900853902

Date: 27 Feb 2019

Page 1 of 7

SGS Job No.:

GZHL1812057337CW - GZ

Country of Destination:

UK

Date of Sample Received :

11 Jan 2019

Testing Period:

11 Jan 2019 - 27 Feb 2019

Test Requested:

Selected test(s) as requested by client.

Test Method:

Please refer to next page(s).

Test Results:

Please refer to next page(s).

Result Summary:

Test Requested	Conclusion
German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments, Council of Europe Resolution AP (2004) 1 and BfR recommendation – Overall migration	PASS
German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments–Sensorial examination odour and taste test	PASS
German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments, European Commission Regulation (EU) No 10/2011 with amendments and BfR recommendation –Specific Migration of Bisphenol A	PASS
German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments, European Commission Regulation (EU) No 10/2011 with amendments and BfR recommendation–Specific Migration of Heavy Metal	PASS
German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with Amendments and Council of Europe Resolution CM/Res(2013)9–Extractable heavy metals	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.ngs.com/en/Terms-and-Conditions.aspx and, for electronic formal documents subject to Terms and Conditions for Electronic Documents at http://www.ngs.com/en/Terms-en/Conditions/Term

Attention: To check the authenticity of testing (inspection report & certificate, please contact us at telephone: (86-755) 8307 1443 or email: CR.Doccheck@sgs.com

##Kedu Rad Sciented Pak Gungdou Euronic & Technology Development District Gungdou Chine 510663 t (86-20) 82155555 f (86-20) 82075113 www.sgsgroup.com.cn 中国・广州・設济技术开发区科学城科珠路198号 邮箱: 510663 t (86-20) 82155555 f (86-20) 82075113 e sgs.chine@egs.com



No. CANHG1900853902

Date: 27 Feb 2019

Page 2 of 7

Signed for and on behalf of SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

Catty Gong

Approved Signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.aggs.and, for electronic format documents author. For the conditions for Electronic Documents at <a href="http://www.ags.com/en/Terms-and-Conditions/Terms-and-Conditi

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck但sgs.com

198 Kechu Road, Scientech Park Guargeton Economic & Technology Overlagement Classed Business 510663 t (86-20) 82155555 f (86-20) 82075113 www.sgs.group.com.cn. 中国·广州·经济技术开发区科学城科珠路198号 邮第: 510663 t (86-20) 82155555 f (86-20) 82075113 e sgs.china@sgs.com



No. CANHG1900853902

Date: 27 Feb 2019

Page 3 of 7

Test Results:

Test Part Description:

Specimen No. SGS Sample ID Description

Material (claimed by the client)

SN1 CAN19-008539.001 Lt-green coated and plated metal egg cup

metal+plating+coating

German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments, Council of Europe Resolution AP (2004) 1 and BfR recommendation – Overall migration

Test Method: With reference to Commission Regulation (EU) No 10/2011 of 14 January 2011 Annex III and

Annex V for selection of condition and EN 1186-1:2002 for selection of test methods;

or EN 1186-9:2002 aqueous food simulants by article filling method;

or EN 1186-14:2002 substitute test.

Simulant Used	Time	Temperature	Max. Permissible Limit	Result of 001 Overall Migration	Comment
3% Acetic Acid (W/V) Aqueous Solution	240.0hr(s)	40°C	10mg/dm²	<3.0 mg/dm²	PASS
10% Ethanol (V/V) Aqueous Solution	240.0hr(s)	40°C	10mg/dm²	<3.0 mg/dm²	PASS
95% Ethanol	240.0hr(s)	40°C	10mg/dm ²	11.5mg/dm ^{2*}	PASS
Isooctane	48.0hr(s)	20°C	10mg/dm ²	<3.0 mg/dm²	PASS

Notes:

- 1. mg/dm² = milligram per square decimeter
- mg/kg = milligram per kilogram of foodstuff in contact with
- 2. °C = degree Celsius
- 3. Analytical tolerance of aqueous simulants is 2mg/dm2 or 12mg/kg
- 4. Analytical tolerance of fatty food simulants is 3mg/dm2 or 20mg/kg
- 5.*= The test data is obtained by considering the articles intended for repeated use as per described in Commission Regulation (EU) No 10/2011 of 14 January 2011 Annex V. Report the 3rd extractive result.

German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments-Sensorial examination odour and taste test

Test Method:

With reference to DIN10955:2004, direct contact method.

No.of panelist:6



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terma-and-Conditions.aspx.and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.ags.com/en/Terms-and-Conditions/ferms-a-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exceed parties to a transaction form exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or fatalification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) fasted.

Attention: To check the authenticity of testing inspection report a certificate, prease contact us at telephone: (86-753) 6307 344. or email: CN Doccheck能更多。com

中国·广州·经济技术开发区科学城科珠路198号

rights:Disa 510663 t (86-20) 82155555 f (86-20) 82075113 www.sgsgroup.com.cn 解第: 510663 t (86-20) 82155555 f (86-20) 82075113 e ags.china@ags.com



Test Report	No. CANHG1900853902	Date: 27 Feb 2019	Page 4 of 7

Test Item(s)	Limit	001
Test media	-5	Sugar
Test Temperature (°C)		23
Test time (hr)	120	240
Sensorial examination odour (Point scale)	2.5	0.0
Sensorial examination taste (Point scale)	2.5	0.0
Comment		PASS

Notes:

Intensity scale (rounded at 0.5):

0 - no perceptible difference

1 - just perceptible difference

2 - slight difference

3 - marked difference

4 - strong difference

German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments, European Commission Regulation (EU) No 10/2011 with amendments and BfR recommendation - Specific Migration of Bisphenol A

Test Method:

With reference to Commission Regulation (EU) No 10/2011 of 14 January 2011 Annex III and

Annex V for selection of condition and EN13130-1:2004 for selection of test method, analysis

was performed by HPLC-MS/MS.

Sample 001

Simulant Used: 3% Acetic Acid (W/V) Test Condition: 40 °C 240.0 hr(s)

Test Item(s)	Max. Permissible	Unit	MDL	Test result
	Limit			
Migration times	140		1-	1st
Area/Volume		dm²/kg		6.0
Specific migration of Bisphenol-A	0.05	mg/kg	0.01	ND
Comment				PASS

Notes:

- 1. mg/kg = milligram per kilogram of foodstuff in contact with
- 2. °C = degree Celsius
- 3. MDL=Method Detection Limit
- 4. ND = Not Detected(less than MDL)



198 Radu Road Sciented Park Guargetou Economic & Technology Development District Guargetou, China 510663 1 (96-20) 82155555 1 (96-20) 82075113 www.sgsgroup.com.cn 中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075113 e sgs.china@sgs.com



No. CANHG1900853902

Date: 27 Feb 2019

Page 5 of 7

German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with amendments, European Commission Regulation (EU) No 10/2011 with amendments and BfR recommendation—Specific Migration of Heavy Metal

Test Method: With reference to Commission Regulation (EU) No 10/2011 of 14 January 2011 Annex III and

Annex V for selection of condition and EN13130-1:2004 for selection of test method, analysis

was performed by ICP-OES.

Sample 001

Simulant Used: 3% Acetic Acid (W/V) Aqueous Solution

Test Condition: 40 °C 240.0 hr(s)

Test Item(s)	Max. Permissible Limit	Unit	MDL	Test result
Migration times	4	4	1.0	1st
Area/Volume		dm²/kg		6.0
Barium	1	mg/kg	0.25	ND
Cobalt	0.05	mg/kg	0.01	ND
Copper	5	mg/kg	0.25	ND
Iron	48	mg/kg	0.25	ND
Lithium	0.6	mg/kg	0.5	ND
Manganese	0.6	mg/kg	0.25	ND
Zinc	5	mg/kg	0.5	ND
Aluminum	1	mg/kg	0.1	ND
Nickel	0.02	mg/kg	0.01	ND
Comment				PASS

Notes:

- 1. mg/kg = milligram per kilogram of foodstuff in contact with
- 2. °C = degree Celsius
- 3. MDL=Method Detection Limit
- 4. ND = Not Detected(less than MDL)
- The limits of nickel according to Commission Regulation (EU) 2017/752 shall be applied from 19 May 2019.

German Food, Articles of Daily Use and Feed Code of September 1, 2005 (LFGB), Section 30 & 31 with Amendments and Council of Europe Resolution CM/Res(2013)9-Extractable heavy metals

Test Method: With reference to EN13130-1:2004 for selection of test method; analysis was performed by

ICP-OES and ICP-MS.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.aga.com/inp/ferms-and-Conditions.aga.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.aga.com/en/ferms-and-Conditions/Terms-e-Document.aga.Attention is drawn to the limitation of liability, indemnification and urriduction issued defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

or email: CM.Docchesh@sgs.com |領Ketu Rad.Sainted Pat Gargtou Excuss & Tednolog Development Detrict Gausghou China 510663 t (86-20) 82155555 f (86-20) 82075113 www.sgsgroup.com.cn 中国・广州・经济技术开发区科学城科珠路198号 解稿: 510663 t (86-20) 82155555 f (86-20) 82075113 e sgs.china@sgs.com



No. CANHG1900853902

Date: 27 Feb 2019

Page 6 of 7

Sample 001:

Simulant Used: Artificial tap water Test Condition: 40 °C 240.0 hr(s)

The ratio of surface area to volume ratio was : 13 dm²/kg

Test Item(s)	Limit	Unit	MDL	1st Migration
Aluminium(Al)	5	mg/kg	0.2	ND
Antimony(Sb)	0.04	mg/kg	0.02	ND
Chromium(Cr)	0.25	mg/kg	0.1	ND
Cobalt(Co)	0.02	mg/kg	0.01	ND
Copper(Cu)	4	mg/kg	0.1	ND
Iron(Fe)	40	mg/kg	0.25	ND
Manganese(Mn)	1.8	mg/kg	0.25	ND
Molybdenum(Mo)	0.12	mg/kg	0.02	ND
Nickel(Ni)	0.14	mg/kg	0.05	ND
Silver(Ag)	0.08	mg/kg	0.03	ND
Tin (Sn)	100	mg/kg	5	ND
Vanadium(V)	0.01	mg/kg	0.005	ND
Zinc(Zn)	5	mg/kg	1	ND
Arsenic(As)	0.002	mg/kg	0.001	ND
Barium(Ba)	1.2	mg/kg	0.25	ND
Beryllium(Be)	0.01	mg/kg	0.005	ND
Cadmium(Cd)	0.005	mg/kg	0.002	ND
Lead(Pb)	0.01	mg/kg	0.005	ND
Lithium (Li)	0.048	mg/kg	0.02	ND
Mercury(Hg)	0.003	mg/kg	0.002	ND
Thallium(TI)	0.0001	mg/kg	0.0001	ND

Notes:

1. mg/kg = milligram per kilogram of foodstuff in contact with

中国·广州·经济技术开发区科学城科珠路198号

- 2. MDL = Method Detection Limit
- 3. ND = Not Detected (< MDL)
- 4. Acidic foodstuff is not considered for compliance



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.agr.and. for electronic format documents subject for Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-C

or amail: CN. Doccheck Illings.com

[196 Kerb Rad Science Park Gurephos Extransic & Technology Development District, Gurephos, Comp. Comp.

解論: 510663 t (86-20) 82155555 f (86-20) 82075113 e ags.china@ags.com



No. CANHG1900853902

Date: 27 Feb 2019

Page 7 of 7

Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlead, svaliable on request or accessible at http://www.ags.com/ien/Terms-and-Conditions.ags.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.ags.com/ien/Terms-and-Conditions/Terms-e-Document.agpx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unsuthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

or amail! CM_Docchesk(Esigs.com)

198 Kechu Rax(Skiretel Pals Garagtas) Excensis & Richarlegy Development District Garagtas, China 510663 t (86–20) 82155555 f (86–20) 82075113 www.sgsgroup.com.cn

中国 -广州 -经济技术开发区科学城科珠路198号 邮第: 510663 t (86–20) 82055555 f (86–20) 82075113 e ags.china(Bags.com