

SKG-IKOB PRODUCTCERTIFICATE 410.633.02

Date of issue: 29-04-2016



Certificate holder

C.Ed. Schulte GmbH
Friedrichstraße 243
D-42551 Velbert
T: +49 (0) 2051 2040
F: +49 (0) 2051 204 229
E: info@ces.eu
I: www.ces.eu



Declaration of SKG-IKOB

This certificate has been issued on the basis of BRL 3104 in accordance with the SKG-IKOB Regulations for Attestation, Certification and Inspection.

SKG-IKOB declares that the by or on behalf of the certificate owner produced building hardware product:

long plate with electro mechanical handle link

delivered under logo / brand:

CES

delivered under type- and / or article number:

Omega Flex ILS SKG *** wide

meets class 3 STER according BRL 3104 and NEN 5089: 2009 if the product is indelibly marked with the SKG mark, as shown above.

For SKG-IKOB

A handwritten signature in blue ink, consisting of a stylized, cursive script.

ir. H.A.J. van Dartel
Certification manager

Verify at www.sterrenwijzer.nl if this certificate is still valid and actual.
This certificate contains 2 pages.

SKG-IKOB Certificatie
Poppenbouwing 56
4191 NZ Geldermalsen

Postbus 202
4190 CE Geldermalsen

T 088-2440100
info@skgikob.nl
www.skgikob.nl

CERTIFICATE

SKG-IKOB PRODUCTCERTIFICATE

C.Ed. Schulte GmbH
Number: 410.633.02

page 2 of 2

1. PRODUCT

long plate with electro mechanical handle link

MAIN GROUP

security furniture

2. TECHNICAL SPECIFICATION:

Construction: 1 set of an outside part and an inside part with mounting screws

Operating / System: for 17 mm cylinders; various handles

Material: out- and inside: steel with inox cover

Dimension: outside part: 286x55x23 mm; inside part: 286x55x23

Fixing: 3xM6x45 mm (10.9), c.o.c. 113/139 mm

Intended use: wood, PVC, metal
wood, PVC, metal in combination with mortice locks on doors

3. DELIVERY

The delivery includes an installation instruction:
Versie VOX

4. PERFORMANCES

A long plate with electro mechanical handle link according this certificate fulfils the relevant requirements of BRL 3104.

A window- or door set, in which this long plate with electro mechanical handle link is installed according the installation instructions of the certificate holder meets at least burglar resistance class (RC) 3 of NEN 5096 and EN 1627, if:

- the façade element or the (profile-)system from which the element is manufactured is delivered under a (KOMO-)quality approval with respect to the aspect burglar resistance, in which the actual window or door type is admitted and the herein mentioned conditions are fulfilled. Remark: In façade elements in accordance with a burglar resistance class (RC) of EN 1627 only SKG*** cylinders are applicable.

A window or door, in existing buildings, in which this long plate with electro mechanical handle link is installed according the installation instructions of the certificate holder, meets the requirements of the Police Mark Save Housing (PKVW) - Existing Building, if:

- the other aspects of the façade element also comply with the applicable PKVW Protection directive (publication CCV).
-