Product Technical Sheet

03 Feb 2023 18:52





205.W35-B0WALL BOX 1 SOCKET TYPE 2

Type 2 1P+N+E 32A 230V~ 7,4kW 32A 230V 1P+N+E IP54 IK08

Product Approvals

| TECHDATA | | STANDARDS | AND LAWS |
|-------------------------|----------------------------------|---|---|
| Commercial series | BE-W Series | IEC 61439-7 (2018) | switchgear and controlgear assemblies - |
| Type of product | WALL BOX 1 SOCKET TYPE 2 | sites, market squares, electric vehic | Part 7: Assemblies for specific applications such as marinas, camping sites, market squares, electric vehicle charging stations |
| Synthetical description | WALL BOX 1 SOCKET TYPE 2 | EN IEC 61851-1 (2019) | [European Standard] Electric vehicle conductive charging system - Part 1: |
| Material | ENGINEERING PLASTIC | General requirements DIRECTIVE LOW [European Directives] Low Voltage VOLTAGE 2014/35 /UE DIRECTIVE EMC [European Directives] Electromagnetic 2014/30/UE [Compatibility Directive | |
| EV standard | Type 2 1P+N+E 32A 230V~ 7,4kW | | Directive |
| Rated current | 32A | | |
| | | | |
| Rated voltage | 230V | | |
| Working frequency | 50/60Hz | | |
| Poles | 1P+N+E | | |
| Protection degree IP | IP54 | | |
| Working temperature | -30°C/+50°C | | |
| GLOW WIRE | GW 650°C | | |
| Protection degree IK | IK08 | | |
| Colour | ANTHRACITE | | |
| Mounting version | SURFACE MOUNTING | | |
| Dimensions | 235x370x115mm | | |