


Product Data Sheet GWJ3002R

JOINON range



The I-CON wall boxes are the JOINON solution designed and studied for integration into private and semipublic contexts in accordance with the international standard IEC 61851-1 ed. 3. They feature an elegant and compact design, a special "one-hand recharge" function, a vandal-proof socket as an alternative to the cable and holder connector integrated in the station, an IP55 protection rating together with an IK10 impact rating, smart load management, back-lighting, and various installation options: wall-mounting, flush-mounting or floor-mounting.


| INPUT | - | Socket/Connector Nr. (Type) | 1 (Type 2 antivandalproof, with shutter) |
|--------------------------------------|-----------------------|-----------------------------|---|
| Terminal blocks | 3 x 10 mm² | Charging activation | Locally managed, via RFID |
| Curent nominal | 32 A | Human Interface | Led RGB |
| Total power | 7.4 Kilowatt | Connectivity | Nu |
| OUTPUT | - | MECHANICAL FACTS | _ |
| Tensiune nominală | 230 V | Mounting and installation | Wall mounting (floor mounting with support) |
| Current | 32 A | Culoare | Gri închis |
| supplied (max) | | | |
| Maximum current | 7.4 Kilowatt | Material | Thermoplastic (Post-industrial origin) |
| Thermal-magnetic protection | Currently not present | External treatments | Nu |
| Tip de protecție diferențială | Currently not present | Clasă de protecție IP | IP55 |
| Contor energie | Currently not present | Cod IK | IK10 |
| DC Leakage check | Da | Temperatură de operare | -25 +50 °C |
| (Auto)restart electrical protections | Currently not present | Customizations | Yes (front) |



DIMENSIONAL



375



TECHNICAL SYMBOLOGY

IK

IK10



IP55

STANDARDS/APPROVALS

GEWISS S.p.A. Via A. Volta, 1 24069 Cenate Sotto - Bergamo - Italy tel. +39 035 94 61 11 fax +39 035 94 69 09 www.gewiss.com sat@gewiss.com Last update 03/02/2023 Data, measures, designs and pictures are shown only as informative purposes, and could be changed without previous notice