LARA CARRE

CJC SYSTEMS



LARA CARRE

CJC SYSTEMS

ABOUT	Switch panel 24v & KNX with flat square push-button and LED lighting (also possible without LED lighting)
WIRING	Multicable type SPV / SVV 8 / 10 / 12 / 14 / 16 / 20 x 0.8mm (0.5mm) & UTP-cable CAT5 - BUS cable
POWER SUPPLY	Using transformer 24v ac or using home automation systems 24v dc - 29v via KNX bus
ASSEMBLY AND INSTALLATION	In universal built-in boxes with screws, claws are optional
CUSTOMIZABLE BUTTONS	The color finish of the buttons can be customized in any desired color upon request.
ENGRAVING	Our buttons & plates are fully engravable according to your wishes, all kinds of fonts & symbols are possible.
CARE AND MAINTENANCE	Please do not clean our products with aggressive cleaning agents or alcohol-based products. These can damage the exclusive finish and materials used. To maintain the quality and appearance, we recommend using only mild cleaning applications. Do not place any type of tape on the bronze finishes this can damage the varnish layer.
FINISH CODE	To complete your order code, add the code of your chosen finish to the product code. For example: CJC1041**V**

SWITCH PANEL 24V & KNX WITH FLAT PUSH-BUTTON AND LED LIGHTING

Using impulse relay 24v ac
home automation systems

85 X 85 X 6 — 1 PUSH-BUTTON - 5 LEDS (1 central red LED + 4 white control LEDS)



HC LEDS 12mA - polarization 24v	CJC1041
HC LEDS 6mA + polarization 24v	CJC0041
KNX	CJC2741
KNX + temperature & humidity sensor	CJC2741TH

85 X 85 X 6 — 2/4 PUSH-BUTTONS - 5 LEDS (1 central red LED + 4 white control LEDS)



HC LEDS 12mA - polarization 24v	CJC1042
HC LEDS 6mA + polarization 24v	CJC0042
KNX	CJC2742
KNX + temperature & humidity sensor	CJC2742TH

155 X 85 X 6 — 2/4 + 1 PUSH-BUTTONS - 10 LEDS (2 central red LEDS + 8 white control LEDS)



HC LEDS 12mA - polarization 24v	CJC1441
HC LEDS 6mA + polarization 24v	CJC0441
KNX	CJC2841

155 X 85 X 6 — 2/4 + 2/4 PUSH-BUTTONS - 10 LEDS (2 central red LEDS + 8 white control LEDS)



HC LEDS 12mA - polarization 24v	CJC1442
HC LEDS 6mA + polarization 24v	CJC0442
KNX	CJC2842

LARA BANDE

CJC SYSTEMS

LARA BANDE

CJC SYSTEMS

ABOUT	Switch panel 24v & KNX with flat square push-button and LED lighting (also possible without LED lighting)
WIRING	Multicable type SPV / SVV 8 / 10 / 12 / 14 / 16 / 20 x 0.8mm (0.5mm) & UTP-cable CAT5 - BUS cable
POWER SUPPLY	Using transformer 24v ac or using home automation systems 24v dc - 29v via KNX bus
ASSEMBLY	Bande horizontal: built-in-boxes type Bticino503e Bande vertical: In universal built-in-boxes
CUSTOMIZABLE BUTTONS	The color finish of the buttons can be customized in any desired color upon request.
ENGRAVING	Our buttons & plates are fully engravable according to your wishes, all kinds of fonts & symbols are possible.
CARE AND MAINTENANCE	Please do not clean our products with aggressive cleaning agents or alcohol-based products. These can damage the exclusive finish and materials used. To maintain the quality and appearance, we recommend using only mild cleaning applications. Do not place any type of tape on the bronze finishes this can damage the varnish layer.
FINISH CODE	To complete your order code, add the code of your chosen finish to the product code. For example: CJC1341**V**

SWITCH PANEL 24V & KNX WITH FLAT PUSH-BUTTON AND LED LIGHTING

Using impulse relay 24v ac
home automation systems

118 X 85 X 6 — 1 PUSH-BUTTON - 5 LEDS (1 central red LED + 4 white control LEDS)



HC LEDS 12mA - polarization 24v	CJC1341
HC LEDS 6mA + polarization 24v	CJC0341
KNX	CJC3041
KNX + temperature & humidity sensor	CJC3041TH

118 X 85 X 6 — 2/4 PUSH-BUTTONS - 5 LEDS (1 central red LED + 4 white control LEDS)



HC LEDS 12mA - polarization 24v	CJC1342
HC LEDS 6mA + polarization 24v	CJC0342
KNX	CJC3042
KNX + temperature & humidity sensor	CJC3042TH

85 X 118 X 6 — 1 PUSH-BUTTON - 5 LEDS (1 central red LED + 4 white control LEDS)



HC LEDS 12mA - polarization 24v	CJC1341V
HC LEDS 6mA + polarization 24v	CJC0341V
KNX	CJC3041V
KNX + temperature & humidity sensor	CJC3041VTH

85 X 118 X 6 — 2/4 PUSH-BUTTONS - 5 LEDS (1 central red LED + 4 white control LEDS)



HC LEDS 12mA - polarization 24v	CJC1342V
HC LEDS 6mA + polarization 24v	CJC0342V
KNX	CJC3042V
KNX + temperature & humidity sensor	CJC3042VTH

SYMBOLS

CJC SYSTEMS



Away | Lights | Room Off | Living | Lamp | Room Off | All Off | Balcony | Room Off | Left Shutter

Bedroom | Shutter | Right Shutter | Here

Note: All symbols and fonts can be fully customized to your specifications and should be indicated at the time of ordering.