



MACHINES AND TOOLS
AGRO / GARDEN

2026



VITO AGRO
MAGNUM

55 cc/21

OREGON



TOOLS FOR FARMING BRAVERY

REGON

PRO-AM®

.32



Warranty VITO

All VITO machines and tools are covered by current legislation on consumer warranties for movable goods.

VITO's warranty acts as a seal of security and trust when purchasing any machine or tool.

In the event of a breakdown, the procedures guarantee replacement with original parts or a new machine.


A team of professionals is on hand to solve the problem, quickly deliver the machine or tool and answer any technical or use-related questions.

After-sales service

At VITO, the after-sales service is a crucial factor and a way of guaranteeing and increasing trust in tools and machines.

VITO's ambition is not only to lead the market in the sales and distribution of machines and tools, but also to lead the way in technical and specialised after-sales service.

It is a factor that elevates the VITO brand in the eyes of the market and consumers, transmitting trust to any user of VITO machines and tools.



Repair service

Up-to-date stock of parts and components for all references in the range, to guarantee higher quality and speed in the repair service and warranty.

The team of specialised professionals is made up of highly qualified and experienced engineers and mechanics, who are always available and motivated to ensure that each machine is repaired quickly and accurately.

Technical assistance

With an area of 2.000 m², VITO's service centre is equipped with specialised repair equipment and machines.

It includes 6 performance test rooms with the aim of evaluating and testing the technical data of all machines and tools.

TABLE OF CONTENTS

6

Interchangeable
battery-powered
machines



20

Interchangeable
battery packs



29

Agricultural
machinery



63

Forest



75

Water pumps



93

Spraying




107

Hand tools



135

Pruning and grape-
harvesting tools



151

Wire mesh
and netting



157

Garden
machinery



175

Garden tools



191

Irrigation




203

Lubrication



206

Planograms



INTERCHANGEABLE BATTERY-POWERED MACHINES





20V *Lithium*
POWER

VIBCRSBSFL40

Brushless split brushcutter 40V


20V^{Lithium} POWER

VIBCRMB40

Brushless multifunction brushcutter 40V ^{NEW}


20V^{Lithium} POWER

Main features:

- › Brushless motor;
- › Compact motor;
- › Multifunction control handle.

Technical data


Rated voltage	40 V DC (2 x 20 V)
No-load rotational speed	1 – 5700 rpm 2 – 8200 rpm 3 – 9600 rpm
Shaft tube length	1350 mm
Shaft tube diameter	26 mm
Blade cutting width	250 mm
Nylon line cutting width	350 mm
Nylon line diameter	2 mm
Sound power level (LWA)	95 dB
Product weight	4.2 Kg
Product dimensions	960 x 320 x 175 mm
Weight with packaging	5.9 Kg
Packaging dimensions	953 x 175 x 318 mm
Bar code	5604612710941



Quick handlebar adjustment



Multifunction control handle



Tool kit included

Packaging content

- › Brush cutting blade 250 mm;
- › Nylon line cutting head;
- › Guard and thrust plate;
- › Front shaft;
- › Support cup and fastening nut for cutting accessories;
- › Carrying strap;
- › Cable clamps (x2);
- › Tool kit.

Accessories P. 25

Main features:

- › Brushless motor;
- › 3 speeds;
- › Smooth start-up;
- › Reverse rotation;
- › Electric brake.

Technical data

Rated voltage	40 V DC (2 x 20 V)
No-load rotational speed	1 – 4200 rpm 2 – 6000 rpm 3 – 7100 rpm
Shaft tube length	1350 mm
Shaft tube diameter	26 mm
Blade cutting width	250 mm
Nylon line cutting width	350 mm
Nylon line diameter	2 mm
Sound power level (LWA)	92 dB
Product weight	3.05 Kg
Product dimensions	998 x 235 x 168 mm
Weight with packaging	11.5 Kg
Packaging dimensions	1425 x 430 x 185 mm
Bar code	5604612761004



Quick handlebar adjustment



Throttle

Packaging content

- › Brush cutting blade;
- › Nylon line cutting head;
- › Hedge trimmer blade;
- › Chainsaw guide bar;
- › Guard and thrust plate;
- › Support cup and fastening nut for cutting accessories;
- › Carrying strap;

Accessories P. 25

VIBCP1620

Sprayer
20V**20V** Lithium
POWER


VIBCE20

Handheld spreader
20V **NEW****20V** Lithium
POWER**Main features:**

- › Microswitch on the trigger;
- › Adjustable jet, fan and spray;
- › Adjustment knob.

Technical data

Rated voltage	20 V DC
Useful capacity	16 L
Pressure	5 bar
Max. liquid flow rate	1.4 L/min
Number of nozzles	6
Hose	1.5 m
Lance	550 mm
Product weight	4 Kg
Product dimensions	320 x 230 x 565 mm
Weight with packaging	5.7 Kg
Packaging dimensions	355 x 290 x 690 mm
Bar code	5604612726843

Liquid flow
adjustment knobAdjustable padded
straps

Accessories included

Packaging content

- › Lance;
- › Hose;
- › Spray nozzles (x6);
- › Adjustable carrying straps (x2).

Accessories P. 25, 28

Main features:

- › Brushed motor;
- › Suitable for seeds and granular fertilisers.

Technical data

Rated voltage	20 V DC
Tank capacity	3 L
Maximum range	1.6 – 5 m
Granulometry	13 mm
Sound power level (LWA)	82 dB(A)
Product weight	1.1 Kg
Product dimensions	267 x 223 x 291 mm
Weight with packaging	2.2 Kg
Packaging dimensions	295 x 235 x 307 mm
Bar code	5604612765958

Flow rate adjustment
knobAdjustable deflector
shield

Dispenser

Accessories P. 25

VIBCMPC20

Mini chainsaw

20V – 100mm


20V Lithium
POWER

VIBCMPCB20

Mini brushless chainsaw

20V – 150mm **NEW**



20V Lithium
POWER

Main features:

- › Motor type: brushed;
- › Safety button;
- › Chain baffle and guide bar cover.

Technical data

Rated voltage	20 V DC
Chain speed	0 – 8 m/s
Drive links	32
Gauge measurement	1/4"
Guide bar length	100 mm
Sound power level (LWA)	105 dB
Product weight	1.39 Kg
Product dimensions	280 x 70 x 355 mm
Weight with packaging	2.2 Kg
Packaging dimensions	460 x 245 x 100 mm
Bar code	5604612727079



Chain baffle



Trigger



Guide bar cover

Packaging content

- › Guide bar;
- › Chain;
- › Guide bar cover.

Accessories P. 25, 28

Main features:

- › Brushless motor;
- › Safety button;
- › Chain baffle and guide bar cover;
- › Chain lubrication system.

Technical data

Rated voltage	20 V DC
Chain speed	0 – 8 m/s
Drive links	38
Gauge measurement	1/4"
Guide bar length	150 mm
Sound power level (LWA)	91 dB
Product weight	1.3 Kg
Product dimensions	190 x 100 x 410 mm
Weight with packaging	2.4 Kg
Packaging dimensions	450 x 130 x 165 mm
Bar code	5604612761059



Handle



Oil level sight glass



Protection

Packaging content

- › Guide bar;
- › Chain;
- › Guide bar cover;
- › Auxiliary handle.

Accessories P. 25, 28

VIBCMPC20.E

Extension pole for mini chainsaw **NEW**

20V Lithium
POWER

VIBCTPBSFL20

Brushless pruning shears 20V


20V Lithium
POWER

Main features:

- › Adjustable length, greater access to hard-to-reach areas;
- › Greater safety when pruning at height, thanks to the reduced risk of accidents;
- › Compatible with the Mini Chainsaw (VIBCMPC20) and the Mini Brushless Chainsaw (VIBCMPCB20).

Technical data

Rated voltage	20 V DC
Telescopic bar measurements	1.9 m – 2.4 m
Product weight	1.6 Kg
Product dimensions	2100 x 80 x 120 mm
Weight with packaging	2.4 Kg
Packaging dimensions	1150 x 150 x 170 mm
Bar code	5604612752002



Telescopic bar

Socket for battery
(not included)Hook for better
attachment of the mini
chainsaw

Accessories P. 25

Main features:

- › Brushless motor;
- › Ideal for pruning shrubs, vines and small trees;
- › Highly durable blade and ergonomic handle;
- › Audible start-up signals.

Technical data

Rated voltage	20 V DC
Max. branch diameter	30 mm
Sound power level (LWA)	77 dB
Product weight	0.95 Kg
Product dimensions	295 x 110 x 65 mm
Weight with packaging	1.13 Kg
Packaging dimensions	390 x 175 x 90 mm
Bar code	5604612712822



Safe activation mode



Comfortable handle

Packaging content

- › Internal hex key;
- › External hex key;
- › Oil bottle.

Accessories P. 25

VIBCEPB20

Brushless electric pruning chainsaw

20V **NEW**

20V **Lithium
POWER**



Main features:

- › Brushless motor;
- › OREGON guide bar and chain;
- › Chain brake;
- › Chain lubrication system.

Technical data

Rated voltage	20 V DC
Chain speed	0 – 7 m/s
Drive links	33
Gauge measurement	3/8"
Guide bar length	200 mm
Lubricating oil	120 ml
Sound power level (LWA)	99 dB (A)
Product weight	2.3 Kg
Product dimensions	502 x 201 x 223 mm
Weight with packaging	3.3 Kg
Packaging dimensions	270 x 230 x 230 mm
Bar code	5604612765941



Guide bar tightening
and adjustment



Oil level sight glass



Hanging ring

Packaging content

- › OREGON guide bar and chain;
- › Guide bar cover.

Accessories P. 25, 28

VIBCEBSFL40

Brushless electric chainsaw

40V

20V **Lithium
POWER**



Main features:

- › Brushless motor;
- › OREGON guide bar and chain;
- › Chain brake;
- › Chain lubrication system.

Technical data

Rated voltage	40 V DC (2 x 20 V)
Chain speed	0 – 19 m/s
Drive links	52
Gauge measurement	3/8"
Guide bar length	350 mm
Lubricating oil	160 ml
Sound power level (LWA)	101 dB
Product weight	3.6 Kg
Product dimensions	810 x 225 x 215 mm
Weight with packaging	4.2 Kg
Packaging dimensions	480 x 230 x 230 mm
Bar code	5604612710934



Electronic chain brake



Safety button



Guide bar tightening
and adjustment

Packaging content

- › OREGON guide bar and chain;
- › Guide bar cover.

Accessories P. 25, 28



VIBCS20

Leaf blower

20V **NEW**

20V ^{Lithium} POWER


Main features:

- > 2-speed regulator;
- > On/Off switch.

Technical data

Power	20 V DC
No-load rotational speed 1st speed	15000 rpm
No-load rotational speed 2nd speed	20000 rpm
Maximum air speed – 1st speed	72 Km/h
Maximum air speed – 2nd speed	101 Km/h
Maximum air flow – 1st speed	360 m ³ /h
Maximum air flow – 2nd speed	505 m ³ /h
Sound power level (LWA)	95 dB
Product weight	2.04 Kg
Product dimensions	880 x 200 x 255 mm
Weight with packaging	2.57 Kg
Packaging dimensions	410 x 230 x 275 mm
Bar code	5604612752095



Comfortable handle



ON/OFF switch


2-speed level
regulator

Packaging content

- > Blower tube.

Accessories P. 25

VIBCSSFL40

Leaf blower

40V

20V ^{Lithium} POWER


Main features:

- > Safety button;
- > Turbo switch;
- > On/Off switch.

Technical data

Rated voltage	40 V DC (2 x 20 V)
No-load rotational speed	18000 rpm
Maximum air speed	150 Km/h
Maximum air flow rate	750 m ³ /h
Sound power level (LWA)	95.6 dB (A)
Product weight	2.5 Kg
Product dimensions	170 x 265 x 780 mm
Weight with packaging	3.3 Kg
Packaging dimensions	445 x 290 x 275 mm
Bar code	5604612702144



Comfortable handle



Carrying strap

Packaging content

- > Blower tube;
- > Carrying strap.

Accessories P. 25



VIBCAS40

Leaf blower vacuum

40V **NEW**



20V Lithium
POWER




Main features:

- › 2-in-1 function, guaranteeing versatility;
- › Vacuum tube and blower tube;
- › 6 adjustable speed levels;
- › Greater autonomy thanks to the 35-litre collection bag.



Collection bag included



Support wheel



Speed dial

Packaging content

- › Blower tube;
- › Vacuum tube;
- › Wheel;
- › 35-litre collection bag;
- › Carrying strap.

Technical data

Rated voltage	40 V DC (2 x 20 V)
No-load rotational speed	8000 - 14000 rpm
Maximum air speed	200 Km/h
Maximum air flow rate	220 m³/h
Speed adjustment levels	6
Maximum suction speed	42.1 m/s
Maximum suction flow rate	0.09 m³/s
Collection bag capacity	35 L
Sound power level (LWA)	108 dB
Product weight	4.1 Kg
Product dimensions	1300 x 200 x 300 mm
Weight with packaging	5.3 Kg
Packaging dimensions	610 x 350 x 315 mm
Bar code	5604612752101

Accessories P. 25



VIBCCSSFL20

Hedge trimmer

20V

20V Lithium **POWER**

Main features:

- › Two-way blade;
- › Auxiliary handle with safety switch;
- › Suitable for hedges with medium-sized branches.

Technical data

Rated voltage	20 V DC
No-load rotation	1300 rpm
Teeth height	20 mm
Teeth gap	15 mm
Blade length	510 mm
Rotary handle	90°
Sound power level (LWA)	94 dB
Product weight	2.2 Kg
Product dimensions	970 x 210 x 200 mm
Weight with packaging	3.75 Kg
Packaging dimensions	975 x 210 x 200 mm
Bar code	5604612702175



Blade cover



Guard



Adjustable handle

Packaging content

- › Guard;
- › Cutting blade;
- › Blade cover.

Accessories P. 25

VIBCACSFL20

Grass trimmer

20V

20V Lithium **POWER**

Main features:

- › Guard;
- › Adjustable auxiliary handle;
- › Telescopic shaft.

Technical data

Rated voltage	20 V DC
No-load rotation	9000 rpm $\pm$ 10%
Cutting diameter	254 mm
Length	1.12 – 1.42 m
Rotating head	90°
Number of cutting blades	20
Sound power level (LWA)	91.9 dB
Product weight	1.9 Kg
Product dimensions	285 x 310 x 1045 mm
Weight with packaging	2.8 Kg
Packaging dimensions	1050 x 235 x 140 mm
Bar code	5604612702151



Adjustable auxiliary handle



Rotating head



Cutting guide

Packaging content

- › Set of 20 cutting blades;
- › Wire protection;
- › Cutting guide.

Accessories P. 25, 28

VIBCMR20

Lawnmower 20V – 320mm

20V Lithium
POWER



VIBCMRB20

Brushless lawnmower 20V – 320mm **NEW**

20V Lithium
POWER



Main features:

- › Brushed motor;
- › 3 cutting height levels;
- › Transport handle.

Technical data

Rated voltage	20 V DC
No-load rotation	3500 rpm
Cutting width	320 mm
Cutting height	30, 45, 55 mm
Grass bag capacity	30 L
Wheel diameter	125 – 150 mm
Sound power level (LWA)	90 dB
Product weight	8.8 Kg
Product dimensions	1100 x 365 x 965 mm
Weight with packaging	10.5 Kg
Packaging dimensions	660 x 455 x 385 mm
Bar code	5604612727055



Safety key



Grass bag



Start-up switch

Packaging content

- › 30-litre grass bag.

Accessories P. 25, 28

Main features:

- › Brushless motor;
- › 3 cutting height levels;
- › Transport handle.

Technical data

Rated voltage	20 V DC
No-load rotation	3500 rpm
Cutting width	320 mm
Cutting height	30, 45, 55 mm
Grass bag capacity	30 L
Wheel diameter	125 – 150 mm
Sound power level (LWA)	80 dB
Product weight	8.8 Kg
Product dimensions	1100 x 365 x 965 mm
Weight with packaging	12.5 Kg
Packaging dimensions	660 x 450 x 380 mm
Bar code	5604612761509



Safety key



Grass bag



Start-up switch

Packaging content

- › 30-litre grass bag.

Accessories P. 25, 28



VIBCMRB40

Brushless lawnmower

40V – 400mm



20V Lithium
POWER




Main features:

- › Brushless motor;
- › 6-position cutting height adjustment lever;
- › Transport handle.



Safety key



Compact



Grass bag

Packaging content

- › 40-litre grass bag.

Accessories P. 25, 28

Technical data

Rated voltage	40 V DC (2 x 20 V)
No-load rotation	2800 rpm
Cutting width	400 mm
Cutting height	25, 35, 45, 55, 65, 75 mm
Grass bag capacity	40 L
Wheel diameter	150 – 200 mm
Sound power level (LWA)	92 dB
Product weight	13 Kg
Product dimensions	1500 x 480 x 1040 mm
Weight with packaging	14.9 Kg
Packaging dimensions	800 x 500 x 490 mm
Bar code	5604612727048

INTERCHANGEABLE BATTERY-POWERED PACKS



**Packs of interchangeable
battery-powered machines****Pack 1 GARDEN****Pack content:**

- > Brushless Pruning Shears 20V;
- > Standard charger 20V;
- > Battery 2Ah.

Reference		Ean
VIBCTPBSFL20B2CS	1	5604612734961

Pack 2 GARDEN**Pack content:**

- > Brushless split brushcutter 40V;
- > Dual fast charger 20V;
- > 2 batteries 4Ah.

Reference		Ean
VIBCRSBSFL402B4CD	1	5604612735029

Pack 3 GARDEN**Pack content:**

- > Brushless electric chainsaw 40V;
- > Dual fast charger 20V;
- > 2 batteries 4Ah.

Reference		Ean
VIBCEBSFL402B4CD	1	5604612734978

Pack 4 GARDEN**Pack content:**

- > Leaf blower 40V;
- > Dual fast charger 20V;
- > 2 batteries 4Ah.

Reference		Ean
VIBCSSFL402B4CD	1	5604612734985

Pack 5 GARDEN



Pack content:

- > Hedge trimmer 20V;
- > Fast charger 20V;
- > Battery 4Ah.

Reference		Ean
VIBCCSFL20B4CS	1	5604612734947

Pack 6 GARDEN



Pack content:

- > Grass trimmer 20V;
- > Fast charger 20V;
- > Battery 2Ah.

Reference		Ean
VIBCACSFL20B2CS	1	5604612734954

Pack 7 GARDEN



Pack content:

- > Mini chainsaw 20V;
- > Fast charger 20V;
- > Battery 2Ah.

Reference		Ean
VIBCMPC20B2CS	1	5604612741846

**Packs of interchangeable
battery-powered machines****Pack 8 GARDEN****Pack content:**

- › Brushless lawnmower 40V – 400mm;
- › Dual fast charger 20V;
- › 2 batteries 4Ah.

Reference		Ean
VIBCMRB402B4CD	1	5604612743901

Pack 9 GARDEN**Pack content:**

- › Lawnmower 20V – 320mm;
- › Fast charger 20V;
- › Battery 4Ah.

Reference		Ean
VIBCMR20B4CS	1	5604612743918

Pack 10 GARDEN**Pack content:**

- › Battery-powered sprayer 16L – 20V;
- › Fast charger 20V;
- › Battery 4Ah.

Reference		Ean
VIBCP1620B4CS	1	5604612746087



VITO AGRO

HD430432-10

VITO

VITO max

20V Li-Ion

Batteries for interchangeable battery-powered machines

Lithium batteries 20V



Features:

- > 18650 cells;
- > No memory effect.



Non-slip
rubber
base



Battery
status LED

Technical data	VIBCBL202A	VIBCBL203A	VIBCBL204A	VIBCBL205A	VIBCBL206A
Rated voltage	20 V	20 V	20 V	20 V	20 V
Amperage	2.0 Ah	3.0 Ah	4.0 Ah	5.0 Ah	6.0 Ah
No memory effect	✓	✓	✓	✓	✓
Charge status test button	✓	✓	✓	✓	✓
Charge status LED indicator	✓	✓	✓	✓	✓
Product weight	0.38 Kg	0.38 Kg	0.63 Kg	0.63 Kg	0.63 Kg
Product dimensions	120 x 75 x 50 mm	120 x 75 x 50 mm	120 x 75 x 65 mm	120 x 75 x 65 mm	120 x 75 x 65 mm
Weight with packaging	0.44 Kg	0.45 Kg	0.72 Kg	0.72 Kg	0.73 Kg
Packaging dimensions	130 x 85 x 65 mm	130 x 85 x 65 mm	130 x 85 x 85 mm	130 x 85 x 85 mm	130 x 85 x 85 mm
Bar code	5604612711498	5604612744045	5604612711504	5604612744052	5604612744632

Lithium battery Max 20V NEW

Features:

- > 21700 cells;
- > More compact, more resistant and with greater autonomy;
- > More power.

Technical data	VIBCBL204B	VIBCBL208B
Rated voltage	20 V	20 V
Amperage	4.0 Ah	8.0 Ah
No memory effect	✓	✓
Charge status test button	✓	✓
Charge status LED indicator	✓	✓
Product weight	0.6 Kg	1 Kg
Product dimensions	122.5 x 55.2 x 81.2 mm	122.5 x 77.5 x 81.2 mm
Weight with packaging	0.7 Kg	1.1 Kg
Packaging dimensions	130 x 90 x 65 mm	130 x 90 x 85 mm
Bar code	5604612761035	5604612761042



4Ah



8Ah





Fast charger – standard



Features:

- > Charge status test button;
- > Charge status LED indicator;
- > Power cord 1.9 m;
- > Charging current 3.0 A.

Reference		Ean
VIBCCR20	20	5604612690298

Fast charger – dual



Features:

- > Charge status test button;
- > Charge status LED indicator;
- > Power cord 1.9 m;
- > Charging current 3.0 A.

Reference		Ean
VIBCCDR20	10	5604612702069

Smart charger 20V NEW



Features:

- > Smart charging;
- > Display with charge status;
- > Power cord 1.9 m;
- > Charging current 3.0 A to 8.0 A.

Reference		Ean
VIBCCRI20	1	5604612761028

**Battery packs for interchangeable
battery-powered machines****Starter Pack 2Ah****Pack content:**

- > Battery 2Ah;
- > Standard charger 20V.

Reference		Ean
VIBCB2CS	1	5604612753801

**Starter Pack 3Ah****Pack content:**

- > Battery 3Ah;
- > Standard charger 20V.

Reference		Ean
VIBCB3CS	1	5604612762940

**Starter Pack 4Ah****Pack content:**

- > Battery 4Ah;
- > Standard charger 20V.

Reference		Ean
VIBCB4CS	1	5604612753818

**Starter Pack 2x4Ah****Pack content:**

- > 2 batteries 4Ah;
- > Dual charger 20V.

Reference		Ean
VIBC2B4CD	1	5604612753825

**Starter Pack 5Ah****Pack content:**

- > Battery 5Ah;
- > Standard charger 20V.

Reference		Ean
VIBCB5CS	1	5604612762957

**Starter Pack 2x5Ah****Pack content:**

- > 2 batteries 5Ah;
- > Dual charger 20V.

Reference		Ean
VIBC2B5CD	1	5604612762964



Accessories for lawnmower and grass trimmer with interchangeable battery

20V Lithium
POWER


Reference	Description	Compatible with		Ean
VIBCMR20.1.048	Blade for lawnmower – 320 mm	VIBCMR20 / VIBCMRB20	1	5604612727956
VIBCMRB40.1.002	Blade for lawnmower – 400 mm	VIBCMRB40	1	5604612727949
VIBCMRSF.1.067	Blade for lawnmower – 405 mm	VIBCMRSFL40	1	5604612727932
VIBCACSL20.L	Blade for grass trimmer – 120 mm	VIBCACSL20	20	5604612707071

Accessories for sprayer with interchangeable battery



Reference	Description	Compatible with		Ean
VIBCP1620L	Stainless steel lance for sprayer	VIBCP1620	1	5604612727826
VIBCP1620A	Set of shoulder straps for sprayer	VIBCP1620	1	5604612727833
VIBCP1620P	Set of 6 nozzles for sprayer	VIBCP1620	1	5604612727819
VIBCP1620T	Lid with seal for sprayer	VIBCP1620	1	5604612727840

Accessories for mini chainsaws and electric chainsaws with interchangeable battery



Reference	Description	Drive links	Compatible with		Ean
VICMP1432	Chain for mini chainsaw – 1/4"	32	VIBCMPC20	1	5604612727901
VILMP1432	Guide bar for mini chainsaw – 4"	-	VIBCMPC20	1	5604612727925
VICMPCB20	Chain for mini brushless chainsaw – 1/4" NEW	38	VIBCMPCB20	1	5604612775339
VILMPCB20	Guide bar for mini brushless chainsaw – 6" NEW	-	VIBCMPCB20	1	5604612775353



Reference	Description	Drive links	Compatible with		Ean
VICEPB20	Chain for electric pruning chainsaw – 3/8" NEW	33	VIBCEPB20	1	5604612775346
VILEPB20	Guide bar for electric pruning chainsaw – 8" NEW	-	VIBCEPB20	1	5604612775360
VICE3852	Chain for electric brushless chainsaw – 3/8"	52	VIBCEBSFL40	1	5604612779030
VILE14A38	Guide bar for brushless electric chainsaw – 14"	-	VIBCEBSFL40	1	5604612721282

AGRICULTURAL MACHINERY



VIAB43

Earth auger 43cc 1.6hp



Main features:

- > Manual fuel injection pump;
- > Easy-start system;
- > Different drilling diameters.

Technical data


Engine	2-stroke combustion
Engine power	1.6 hp / 1.2 kW
Engine displacement	43 cc
Engine rotational speed	9200 rpm
Drill rotational speed	2800 rpm
Drill length	730 mm
Drill diameter	100 mm, 150 mm, 200 mm
Drill weight	2 Kg / 2.5 Kg / 3 Kg
Fuel	Mixture 1:30
Fuel tank	1 L
Autonomy	1.5 h
Sound power level (LWA)	102 dB
Product weight	8.5 Kg
Product dimensions	320 x 380 x 500 mm
Weight with packaging	19.7 Kg
Packaging dimensions	780 x 460 x 450 mm
Bar code	5604612705312



Manual fuel injection pump



Drills



Tool kit included

Packaging content

- > Drills (x3);
- > Tool kit.

Accessories P. 60

VIRR52E

Wheeled brushcutter 52cc 2.15hp



Main features:

- > Manual fuel injection pump;
- > Easy-start system;
- > Adjustable handlebars;
- > Pneumatic wheels.

Technical data

Engine	2-stroke combustion
Power	2.15 hp / 1.6 kW
Engine displacement	52 cc
Rotational speed	8500 rpm
Fuel	Mixture 1:40
Fuel tank	1 L
Autonomy	1.5 h
Shaft tube length	500 mm
Shaft tube diameter	26 mm
Cutting blade width	255 mm
Sound power level (LWA)	114 dB
Product weight	13.5 Kg
Product dimensions	1200 x 430 x 1030 mm
Weight with packaging	15.3 Kg
Packaging dimensions	575 x 320 x 465 mm
Bar code	5604612717377



Rear wheel for changing direction



Side exhaust



Tool kit included

Packaging content

- > Cutting blade;
- > Thrust plate;
- > Support cup and fastening nut for cutting accessories;
- > Tool kit.

Accessories P. 43 to 51

VIRA30

Brushcutter

30cc 1.5hp **NEW**



Main features:

- > A range of functions including trimming, cutting and pruning;
- > Easy-start system and anti-vibration system;
- > A lighter and more compact design.

Technical data


Engine	2-stroke combustion
Engine power	1.5 hp / 1.1 kW
Engine displacement	30 cc
Rotational speed	7500 rpm
Fuel	Mixture 1:40
Fuel tank	0.6 L
Autonomy	1 h
Shaft tube length	1500 mm
Shaft tube diameter	26 mm
Cutting blade width	255 mm
Nylon line diameter	2.4 mm
Nylon line cutting width	440 mm
Sound power level (LWA)	110 dB(A)
Product weight	6 Kg
Product dimensions	1800 x 250 x 250 mm
Weight with packaging	8 Kg
Packaging dimensions	1660 x 300 x 230 mm
Bar code	5604612754068



Multifunction control handle



Adjustable auxiliary handle



Tool kit and accessories

Packaging content

- > Brush cutting blade;
- > Nylon line cutting head;
- > Thrust plate;
- > Support cup;
- > Fastening nut;
- > Set of screws;
- > Hex key 4/5 mm (x2);
- > Double open-end wrench 8/10 mm;
- > Spark plug wrench;
- > Fuel mixing bottle;
- > Carrying harness.

Accessories P. 43 to 51

VIR43E

Brushcutter

43cc 1.5hp



Main features:

- > Easy-start system;
- > Anti-vibration system;
- > Carrying strap and soft handles.

Technical data

Engine	2-stroke combustion
Engine power	1.5 hp / 1.1 kW
Engine displacement	43 cc
Rotational speed	7500 rpm
Fuel	Mixture 1:40
Fuel tank	1 L
Autonomy	1.5 h
Shaft tube length	1500 mm
Shaft tube diameter	26 mm
Cutting blade width	255 mm
Nylon line diameter	2.4 mm
Nylon line cutting width	440 mm
Sound power level (LWA)	112 dB
Product weight	6.1 Kg
Product dimensions	1800 x 570 x 470 mm
Weight with packaging	7.5 Kg
Packaging dimensions	310 x 230 x 350 mm
Bar code	5604612690021



Manual fuel injection pump



Carrying strap



Tool kit included

Packaging content

- > Brush cutting blade;
- > Nylon line cutting head;
- > Thrust plate;
- > Support cup and fastening nut for cutting accessories;
- > Carrying strap;
- > Tool kit.

Accessories P. 43 to 51

VIR43C

Brushcutter 43cc 1.6hp **NEW**



Main features:

- › Wide cutting diameter, ideal for tall, dense vegetation;
- › Easy-start system;
- › Anti-vibration system.

Technical data

Engine	2-stroke combustion
Engine power	1.6 hp / 1.2 kW
Engine displacement	43 cc
Rotational speed	7000 rpm
Fuel	Mixture 1:30
Fuel tank	1 L
Autonomy	1.5 h
Shaft tube length	1500 mm
Shaft tube diameter	28 mm
Cutting blade width	255 / 305 mm
Nylon line diameter	2.5 mm
Nylon line cutting width	415 mm
Sound power level (LWA)	108 dB(A)
Product weight	9.7 Kg
Product dimensions	1800 x 300 x 290 mm
Weight with packaging	12.1 Kg
Packaging dimensions	1840 x 300 x 300 mm
Bar code	5604612744816



Anti-vibration system



Tool kit included



Carrying harness

Packaging content

- › Brush cutting blade;
- › Nylon line cutting head;
- › Thrust plate;
- › Support cup;
- › Fastening nut;
- › Set of screws;
- › Hex key 4/5 mm (x2);
- › Double open-end wrench 8/10 mm;
- › Spark plug wrench;
- › Fuel mixing bottle;
- › Carrying harness.

Accessories P. 43 to 51

VIR52C

Brushcutter 52cc 1.9hp **NEW**



Main features:

- › Wide cutting diameter, ideal for tall, dense vegetation;
- › Easy-start system;
- › Anti-vibration system.

Technical data

Engine	2-stroke combustion
Engine power	1.9 hp / 1.4 kW
Engine displacement	52 cc
Rotational speed	7000 rpm
Fuel	Mixture 1:30
Fuel tank	1 L
Autonomy	1.5 h
Shaft tube length	1500 mm
Shaft tube diameter	28 mm
Cutting blade width	255 / 305 mm
Nylon line diameter	2.5 mm
Nylon line cutting width	415 mm
Sound power level (LWA)	108 dB
Product weight	9 Kg
Product dimensions	1890 x 700 x 290 mm
Weight with packaging	12.1 Kg
Packaging dimensions	1832 x 300 x 300 mm
Bar code	5604612744823



Anti-vibration system



Carrying harness



Tool kit included

Packaging content

- › Brush cutting blade;
- › Nylon line cutting head;
- › Thrust plate;
- › Support cup;
- › Fastening nut;
- › Set of screws;
- › Hex key 4/5 mm (x2);
- › Double open-end wrench 8/10 mm;
- › Spark plug wrench;
- › Fuel mixing bottle;
- › Carrying harness.

Accessories P. 43 to 51

VIR45

Brushcutter

45cc 2.2hp **NEW**



VIR53

Brushcutter

53cc 2.6hp **NEW**



Main features:


- › Automatic cutting head for various types of vegetation;
- › Greater cooling capacity;
- › Dual air filter.

Technical data

Engine	2-stroke combustion
Engine power	2.2 hp / 1.6 kW
Engine displacement	45 cc
Rotational speed	10000 rpm
Fuel	Mixture 1:40
Fuel tank	0.92 L
Autonomy	1.5 h
Shaft tube length	1500 mm
Shaft tube diameter	28 mm
Cutting blade width	255 / 305 mm
Nylon line diameter	2.8 mm
Nylon line cutting width	450 mm
Sound power level (LWA)	114 dB (A)
Product weight	9.5 Kg
Product dimensions	1840 x 700 x 290 mm
Weight with packaging	11.9 Kg
Packaging dimensions	1840 x 300 x 300 mm
Bar code	5604612751760



Multifunction
control handle



Simple harness



Tool kit included

Packaging content

- › Brush cutting blade;
- › Nylon line cutting head;
- › Thrust plate;
- › Support cup;
- › Fastening nut;
- › Set of screws;
- › Hex key 4/5 mm (x2);
- › Double open-end wrench 8/10 mm;
- › Spark plug wrench;
- › Fuel mixing bottle;
- › Simple harness.

Accessories P. 43 to 51

Main features:


- › Automatic cutting head for various types of vegetation;
- › Greater cooling capacity;
- › Dual air filter.

Technical data

Engine	2-stroke combustion
Engine power	2.6 hp / 1.9 kW
Engine displacement	53 cc
Rotational speed	10000 rpm
Fuel	Mixture 1:40
Fuel tank	0.92 L
Autonomy	1.5 h
Shaft tube length	1500 mm
Shaft tube diameter	28 mm
Cutting blade width	255 / 305 mm
Nylon line diameter	2.8 mm
Nylon line cutting width	450 mm
Sound power level (LWA)	115 dB (A)
Product weight	9.5 Kg
Product dimensions	1840 x 700 x 290 mm
Weight with packaging	11.9 Kg
Packaging dimensions	1840 x 300 x 300 mm
Bar code	5604612751777



Multifunction
control handle



Simple harness



Tool kit included

Packaging content

- › Brush cutting blade;
- › Nylon line cutting head;
- › Thrust plate;
- › Support cup;
- › Fastening nut;
- › Set of screws;
- › Hex key 4/5 mm (x2);
- › Double open-end wrench 8/10 mm;
- › Spark plug wrench;
- › Fuel mixing bottle;
- › Simple harness.

Accessories P. 43 to 51



VIR42

Professional brushcutter

42cc 2.4hp



VIR47

Professional brushcutter

47cc 2.7hp



Main features:


- › Manual fuel injection pump;
- › Easy-start system;
- › Advanced anti-vibration system;
- › Cylinder coating of nickel with silicon carbide;
- › Quick handlebar fastening.

Technical data

Engine	2-stroke combustion
Engine power	2.4 hp / 1.8 kW
Engine displacement	42 cc
Rotational speed	8150 rpm
Fuel	Mixture 1:40
Fuel tank	1 L
Autonomy	1.5 h
Shaft tube length	1500 mm
Shaft tube diameter	28 mm
Cutting blade width	255 mm
Nylon line diameter	2.4 mm
Nylon line cutting width	430 mm
Sound power level (LWA)	114 dB
Product weight	9.4 Kg
Product dimensions	1860 x 665 x 250 mm
Weight with packaging	13 Kg
Packaging dimensions	1850 x 290 x 280 mm
Bar code	5604612705923



Advanced anti-vibration system



Professional harness



Tool kit included

Packaging content

- › Brush cutting blade;
- › Nylon line cutting head;
- › Professional harness for brushcutter;
- › Tool kit.

Accessories P. 43 to 51

Main features:


- › Manual fuel injection pump;
- › Easy-start system;
- › Advanced anti-vibration system;
- › Cylinder coating of nickel with silicon carbide;
- › Quick handlebar fastening.

Technical data

Engine	2-stroke combustion
Engine power	2.7 hp / 2.0 kW
Engine displacement	47 cc
Rotational speed	10000 / 10500 rpm
Fuel	Mixture 1:40
Fuel tank	1 L
Autonomy	1.5 h
Shaft tube length	1500 mm
Shaft tube diameter	28 mm
Cutting blade width	255 mm
Nylon line diameter	2.4 mm
Nylon line cutting width	430 mm
Sound power level (LWA)	114 dB
Product weight	9.4 Kg
Product dimensions	1860 x 665 x 250 mm
Weight with packaging	13 Kg
Packaging dimensions	1850 x 290 x 280 mm
Bar code	5604612703196



Advanced anti-vibration system



Professional harness



Tool kit included

Packaging content

- › Brush cutting blade;
- › Nylon line cutting head;
- › Professional harness for brushcutter;
- › Tool kit.

Accessories P. 43 to 51

VIRK45

Professional brushcutter KWK

45cc 1.9hp **NEW**

Powered by
Kawasaki




VIRK53

Professional brushcutter KWK

53cc 2.7hp **NEW**

Powered by
Kawasaki



Main features:

- > Kawasaki engine;
- > Suitable for demanding jobs and prolonged use;
- > Spark arrestor, ensuring greater safety;
- > EasyStart system and anti-vibration system;
- > Support harness included.

Technical data

Engine	2-stroke combustion
Engine power	1.9 hp / 1.42 kW
Engine displacement	45.4 cc
No-load rotational speed (engine)	10000 / 10500 rpm
No-load rotational speed (shaft)	7750 / 8150 rpm
Idle speed	3000 ± 400 rpm
Fuel	Mixture 1:40
Fuel tank	0.9 L
Autonomy	1.5 h
Shaft tube length	1500 mm
Shaft tube diameter	28 mm
Cutting blade width	255 mm
Nylon line diameter	2.4 mm
Nylon line cutting width	480 mm
Sound power level (LWA)	113 dB
Product weight	12 Kg
Product dimensions	1845 x 680 x 205 mm
Weight with packaging	15.5 Kg
Packaging dimensions	1835 x 290 x 185 mm
Bar code	5604612759292

Main features:

- > Kawasaki engine;
- > Suitable for demanding jobs and prolonged use;
- > Spark arrestor, ensuring greater safety;
- > EasyStart system and anti-vibration system;
- > Support harness included.

Technical data

Engine	2-stroke combustion
Engine power	2.7 hp / 2.0 kW
Engine displacement	53.2 cc
No-load rotational speed (engine)	10000 / 10500 rpm
No-load rotational speed (shaft)	7750 / 8150 rpm
Idle speed	3000 ± 400 rpm
Fuel	Mixture 1:40
Fuel tank	1.1 L
Autonomy	1.5 h
Shaft tube length	1500 mm
Shaft tube diameter	28 mm
Cutting blade width	255 mm
Nylon line diameter	2.4 mm
Nylon line cutting width	480 mm
Sound power level (LWA)	113 dB
Product weight	12.5 Kg
Product dimensions	1845 x 680 x 205 mm
Weight with packaging	16 Kg
Packaging dimensions	1835 x 290 x 185 mm
Bar code	5604612759308



Kawasaki engine



Support harness



Tool kit included

Packaging content

- > Brush cutting blade;
- > Nylon line cutting head;
- > Professional harness for brushcutter;
- > Tool kit.


Accessories P. 43 to 51



Kawasaki engine



Support harness



Tool kit included

Packaging content

- > Brush cutting blade;
- > Nylon line cutting head;
- > Professional harness for brushcutter;
- > Tool kit.

Accessories P. 43 to 51



VIRMF52

Multifunction brushcutter

52cc 2.15hp **NEW**




Main features:

- › 4 tools in 1: brush cutting blade, nylon line cutting head, hedge trimmer blade and chainsaw guide bar;
- › Suitable for any type of vegetation;
- › Includes a carrying harness for added comfort.



Carrying harness



Tool kit included

Packaging content

- › Brush cutting blade;
- › Nylon line cutting head;
- › Hedge trimmer blade;
- › Chainsaw guide bar;
- › Thrust plate;
- › Support cup;
- › Fastening nut for cutting accessories;
- › Hex key 4/5 mm (x2);
- › Double open-end wrench 8/10 mm;
- › Slotted/Philips screwdriver;
- › Spark plug wrench;
- › Case for tools and accessories;
- › Fuel mixing bottle;
- › Carrying harness.

Accessories P. 43 to 51

Technical data

Engine	2-stroke combustion
Engine power	2.15 hp / 1.6 kW
Engine displacement	52 cc
Rotational speed	8500 rpm
Fuel	Mixture 1:40
Fuel tank	1 L
Autonomy	1.5 h
Shaft tube length	1500 mm
Shaft tube diameter	26 mm
Cutting blade width	255 mm
Nylon line diameter	2.4 mm
Nylon line cutting width	440 mm
Hedge trimmer blade length	450 mm
Cutting diameter (hedge trimmer)	19 mm
Guide bar length	300 mm
Lubricating oil	H150 / 150 ml
Sound power level (LWA)	114 dB
Product weight	13.3 Kg
Product dimensions	1150 x 270 x 280 mm
Weight with packaging	14.8 Kg
Packaging dimensions	1150 x 270 x 280 mm
Bar code	5604612746070

VIRM52E

Backpack brushcutter 52cc 2.15hp



Main features:

- > Manual fuel injection pump;
- > Easy-start system;
- > Multifunction control handle.

Technical data

Engine	2-stroke combustion
Engine power	2.15 hp / 1.6 kW
Engine displacement	52 cc
Rotational speed	8500 rpm
Fuel	Mixture 1:40
Fuel tank	1 L
Autonomy	1.5 h
Shaft tube diameter	26 mm
Cutting blade width	255 mm
Nylon line diameter	2.4 mm
Nylon line cutting width	440 mm
Sound power level (LWA)	114 dB
Product weight	11 Kg
Product dimensions	1500 x 300 x 450 mm
Weight with packaging	11.8 Kg
Packaging dimensions	1500 x 420 x 320 mm
Bar code	5604612717360



Padded straps



Tool kit included

Packaging content

- > Brush cutting blade;
- > Nylon line cutting head;
- > Tool kit.

Accessories P. 43 to 51

VIRM47

Backpack brushcutter 47cc 2.7hp



Main features:

- > Manual fuel injection pump;
- > Easy-start system;
- > Advanced anti-vibration system;
- > Cylinder coating of nickel with silicon carbide.

Technical data

Engine	2-stroke combustion
Engine power	2.7 hp / 2.0 kW
Engine displacement	47 cc
Rotational speed	10000 / 10500 rpm
Fuel	Mixture 1:40
Fuel tank	1 L
Autonomy	1.5 h
Shaft tube diameter	28 mm
Cutting blade width	255 mm
Nylon line diameter	2.4 mm
Nylon line cutting width	430 mm
Sound power level (LWA)	114 dB
Product weight	13.6 Kg
Product dimensions	1450 x 280 x 580 mm
Weight with packaging	16 Kg
Packaging dimensions	1450 x 280 x 370 mm
Bar code	5604612692087



Padded straps
CONFORT PLUS



Tool compartment



Tool kit included

Packaging content

- > Brush cutting blade;
- > Nylon line cutting head;
- > Tool kit.

Accessories P. 43 to 51

Overview

Brushcutters



Technical data	VIRR52E	VIRA30	VIR43E	VIR43C
Engine	2-stroke combustion	2-stroke combustion	2-stroke combustion	2-stroke combustion
Engine power	2.15 hp / 1.6 kW	1.5 hp / 1.1 kW	1.5 hp / 1.1 kW	1.6 hp / 1.2 kW
Engine displacement	52 cc	30 cc	43 cc	43 cc
Rotational speed	8500 rpm	7500 rpm	7500 rpm	7000 rpm
Fuel	Mixture 1:40	Mixture 1:40	Mixture 1:40	Mixture 1:30
Fuel tank	1 L	0.6 L	1 L	1 L
Autonomy	1.5 h	1 h	1.5 h	1.5 h
Shaft tube length	500 mm	1500 mm	1500 mm	1500 mm
Shaft tube diameter	26 mm	26 mm	26 mm	28 mm
Blade cutting width	255 mm	255 mm	255 mm	255 / 305 mm
Nylon line diameter	-	2.4 mm	2.4 mm	2.5 mm
Nylon line cutting width	-	440 mm	440 mm	415 mm
Blade cutting width – Brushcutter	-	-	-	-
Blade length – Hedge trimmer	-	-	-	-
Cutting diameter – Hedge trimmer	-	-	-	-
Guide bar length – Chainsaw	-	-	-	-
Lubricating oil – Chainsaw	-	-	-	-
Vibration level with main handle only	-	-	-	-
Vibration level with auxiliary handle only	-	-	-	-
Sound power level (LWA)	114 dB	110 dB (A)	112 dB	108 dB (A)
Product weight	13.5 Kg	6 Kg	6.1 Kg	9.7 Kg
Product dimensions	1200 x 430 x 1030 mm	1800 x 250 x 250 mm	1800 x 570 x 470 mm	1800 x 300 x 290 mm

Packaging content

Carrying strap	-	-	✓	-
Harness for brushcutter	-	✓	-	✓
Professional harness for brushcutter	-	-	-	-
Cutting blade	✓	✓	✓	✓
Automatic head	-	✓	✓	✓
Tool kit	✓	✓	✓	✓
Fuel mixing bottle;	-	✓	✓	✓
Weight with packaging	15.3 Kg	8 Kg	7.5 Kg	12.1 Kg
Packaging dimensions	575 x 320 x 465 mm	1660 x 300 x 230 mm	310 x 230 x 350 mm	1840 x 300 x 300 mm



Technical data	VIR52C	VIR45	VIR53	VIR42
Engine	2-stroke combustion	2-stroke combustion	2-stroke combustion	2-stroke combustion
Engine power	1.9 hp / 1.4 kW	2.2 hp / 1.6 kW	2.6 hp / 1.9 kW	2.4 hp / 1.8 kW
Engine displacement	52 cc	45 cc	53 cc	42 cc
Rotational speed	7000 rpm	10000 rpm	10000 rpm	8150 rpm
Fuel	Mixture 1:30	Mixture 1:40	Mixture 1:40	Mixture 1:40
Fuel tank	1 L	0.92 L	0.92 L	1 L
Autonomy	1.5 h	1.5 h	1.5 h	1.5 h
Shaft tube length	1500 mm	1500 mm	1500 mm	1500 mm
Shaft tube diameter	28 mm	28 mm	28 mm	28 mm
Blade cutting width	255 / 305 mm	255 / 305 mm	255 / 305 mm	255 mm
Nylon line diameter	2.5 mm	2.8 mm	2.8 mm	2.4 mm
Nylon line cutting width	415 mm	450 mm	450 mm	430 mm
Blade cutting width – Brushcutter	-	-	-	-
Blade length – Hedge trimmer	-	-	-	-
Cutting diameter – Hedge trimmer	-	-	-	-
Guide bar length – Chainsaw	-	-	-	-
Lubricating oil – Chainsaw	-	-	-	-
Vibration level with main handle only	-	-	-	3.05 ± 1.5
Vibration level with auxiliary handle only	-	-	-	3.39 ± 1.5
Sound power level (LWA)	108 dB	114 dB (A)	115 dB (A)	114 dB
Product weight	9 Kg	9.5 Kg	9.5 Kg	9.4 Kg
Product dimensions	1890 x 700 x 290 mm	1840 x 700 x 290 mm	1840 x 700 x 290 mm	1860 x 665 x 250 mm

Packaging content

Carrying strap	-	-	-	-
Harness for brushcutter	✓	✓	✓	-
Professional harness for brushcutter	-	-	-	✓
Cutting blade	✓	✓	✓	✓
Automatic head	✓	✓	✓	✓
Tool kit	✓	✓	✓	✓
Fuel mixing bottle;	✓	✓	✓	-
Weight with packaging	12.1 Kg	11.9 Kg	11.9 Kg	13 Kg
Packaging dimensions	1832 x 300 x 300 mm	1840 x 300 x 300 mm	1840 x 300 x 300 mm	1850 x 290 x 280 mm



Technical data	VIR47	VIRK45	VIRK53
Engine	2-stroke combustion	2-stroke combustion	2-stroke combustion
Engine power	2.7 hp / 2.0 kW	1.9 hp / 1.42 kW	2.7 hp / 2.0 kW
Engine displacement	47 cc	45.4 cc	53.2 cc
Rotational speed	10000 / 10500 rpm	10000 / 10500 rpm	10000 / 10500 rpm
Fuel	Mixture 1:40	Mixture 1:40	Mixture 1:40
Fuel tank	1 L	0.9 L	1.1 L
Autonomy	1.5 h	1.5 h	1.5 h
Shaft tube length	1500 mm	1500 mm	1500 mm
Shaft tube diameter	28 mm	28 mm	28 mm
Blade cutting width	255 mm	255 mm	255 mm
Nylon line diameter	2.4 mm	2.4 mm	2.4 mm
Nylon line cutting width	430 mm	480 mm	480 mm
Blade cutting width – Brushcutter	-	-	-
Blade length – Hedge trimmer	-	-	-
Cutting diameter – Hedge trimmer	-	-	-
Guide bar length – Chainsaw	-	-	-
Lubricating oil – Chainsaw	-	-	-
Vibration level with main handle only	3.05 ± 1.5	3.05 ± 1.5	3.05 ± 1.5
Vibration level with auxiliary handle only	3.39 ± 1.5	3.39 ± 1.5	3.39 ± 1.5
Sound power level (LWA)	114 dB	113 dB	113 dB
Product weight	9.4 Kg	12 Kg	12.5 Kg
Product dimensions	1860 x 665 x 250 mm	1845 x 680 x 205 mm	1845 x 680 x 205 mm

Packaging content

Carrying strap	-	-	-
Harness for brushcutter	-	-	-
Professional harness for brushcutter	✓	✓	✓
Cutting blade	✓	✓	✓
Automatic head	✓	✓	✓
Tool kit	✓	✓	✓
Fuel mixing bottle;	-	✓	✓
Weight with packaging	13 Kg	15.5 Kg	16 Kg
Packaging dimensions	1850 x 290 x 280 mm	1835 x 290 x 185 mm	1835 x 290 x 185 mm



Technical data	VIRMF52	VIRM52E	VIRM47
Engine	2-stroke combustion	2-stroke combustion	2-stroke combustion
Engine power	2.15 hp / 1.6 kW	2.15 hp / 1.6 kW	2.7 hp / 2.0 kW
Engine displacement	52 cc	52 cc	47 cc
Rotational speed	8500 rpm	8500 rpm	10000 / 10500 rpm
Fuel	Mixture 1:40	Mixture 1:40	Mixture 1:40
Fuel tank	1 L	1 L	1 L
Autonomy	1.5 h	1.5 h	1.5 h
Shaft tube length	1500 mm	-	-
Shaft tube diameter	26 mm	26 mm	28 mm
Blade cutting width	255 mm	255 mm	255 mm
Nylon line diameter	2.4 mm	2.4 mm	2.4 mm
Nylon line cutting width	440 mm	440 mm	430 mm
Blade cutting width – Brushcutter	255 mm	-	-
Blade length – Hedge trimmer	450 mm	-	-
Cutting diameter – Hedge trimmer	19 mm	-	-
Guide bar length – Chainsaw	300 mm	-	-
Lubricating oil – Chainsaw	H150 / 150 ml	-	-
Vibration level with main handle only	-	3.05 ± 1.5	3.05 ± 1.5
Vibration level with auxiliary handle only	-	3.39 ± 1.5	3.39 ± 1.5
Sound power level (LWA)	114 dB	114 dB	114 dB
Product weight	13.3 Kg	11 Kg	13.6 Kg
Product dimensions	1150 x 270 x 280 mm	1500 x 300 x 450 mm	1450 x 280 x 580 mm

Packaging content

Carrying strap	-	-	-
Harness for brushcutter	✓	-	-
Professional harness for brushcutter	-	-	-
Cutting blade	✓	✓	✓
Automatic head	✓	✓	✓
Tool kit	✓	✓	✓
Fuel mixing bottle;	✓	✓	✓
Weight with packaging	14.8 Kg	11.8 Kg	16 Kg
Packaging dimensions	1150 x 270 x 280 mm	1500 x 420 x 320 mm	1450 x 280 x 370 mm

Steek brush for brushcutter



Features:

- > Wire thickness: 0.5 mm;
- > Bore diameter: 1" (25.4 mm);
- > Maximum rotational speed: 10.000 rpm.

Reference	Dim.		Ean
VIEAR150	150 mm	1	5604612718091
VIEAR200	200 mm	1	5604612718107

Nylon brush for brushcutter



Features:

- > Wire thickness: 0.5 mm;
- > Bore diameter: 1" (25.4 mm);
- > Maximum rotational speed: 10.000 rpm.

Reference	Dim.		Ean
VIENR200	200 mm	1	5604612718114

Automatic brushcutter head



Features:

- > For use with 1 – 3 mm line;
- > Includes round nylon line: 2.4 mm thick and 2.5 m long.

Reference	Dim.		Ean
VICRA	110 x 80 mm	25	5604612663285

Brushcutter aluminium head 4 holes with nylon line



Features:

- > For use with 2 – 5 mm line;
- > Includes 4 square nylon lines: 2 mm thick.

Reference	Dim.		Ean
VICAR4	450 x 550 mm	50	5604612663278

4 square nylon lines for brushcutter



Features:

- > Line length: 30 cm.

Reference	Ø Line		Ean
VIFRQ43	2 mm	12	5604612608019
VIFRQ44	3 mm	12	5604612608026



Twisted line for brushcutter




Reference	Length	Thickness		Ean
VIFRT1315	15 m	1.3 mm	1	5604612662844
VIFRT1360	60 m	1.3 mm	1	5604612716318
VIFRT13100	100 m	1.3 mm	1	5604612716325
VIFRT13200	200 m	1.3 mm	1	5604612716332
VIFRT2015	15 m	2.0 mm	1	5604612662851
VIFRT2060	60 m	2.0 mm	1	5604612716349
VIFRT20100	100 m	2.0 mm	1	5604612716356
VIFRT20200	200 m	2.0 mm	1	5604612716363

Twisted line plus for brushcutter




Reference	Length	Thickness		Ean
VIFRTP2415	15 m	2.4 mm	1	5604612662868
VIFRTP2460	60 m	2.4 mm	1	5604612716370
VIFRTP24200	200 m	2.4 mm	1	5604612716387
VIFRTP24360	360 m	2.4 mm	1	5604612716394
VIFRTP3015	15 m	3.0 mm	1	5604612662875
VIFRTP360	60 m	3.0 mm	1	5604612690397
VIFRTP30186	186 m	3.0 mm	1	5604612716400
VIFRTP4015	15 m	4.0 mm	1	5604612716417
VIFRTP4040	40 m	4.0 mm	1	5604612716424
VIFRTP40160	160 m	4.0 mm	1	5604612716431

Round nylon line for brushcutter



Reference	Length	Thickness		Ean
VIFR12	12 m	1.3 mm	1	5604612034481
VIFR1360	60 m	1.3 mm	1	5604612716479
VIFR13100	100 m	1.3 mm	1	5604612716486
VIFR13200	200 m	1.3 mm	1	5604612716493
VIFR16	15 m	1.6 mm	1	5604612690694
VIFR1660	60 m	1.6 mm	1	5604612716509
VIFR16100	100 m	1.6 mm	1	5604612716516
VIFR16200	200 m	1.6 mm	1	5604612716523
VIFR215	15 m	2.0 mm	1	5604612026271
VIFR2060	60 m	2.0 mm	1	5604612716530
VIFR20100	100 m	2.0 mm	1	5604612716547
VIFR20200	200 m	2.0 mm	1	5604612716554
VIFR15	15 m	2.4 mm	1	5604612034498
VIFR2460	60 m	2.4 mm	1	5604612716561
VIFR24150	150 m	2.4 mm	1	5604612716578
VIFR24300	300 m	2.4 mm	1	5604612716585
VIFR315	15 m	3.0 mm	1	5604612034511
VIFR60	60 m	3.0 mm	1	5604612034504
VIFR30120	120 m	3.0 mm	1	5604612716592
VIFR30255	255 m	3.0 mm	1	5604612716608

Square nylon line for brushcutter



Reference	Length	Thickness		Ean
VIFRQ315	15 m	3.0 mm	1	5604612608033
VIFRQ360	60 m	3.0 mm	1	5604612608040
VIFRQ30100	100 m	3.0 mm	1	5604612716448
VIFRQ30230	230 m	3.0 mm	1	5604612716455
VIFRQ4087	87 m	4.0 mm	1	5604612662837
VIFRQ40140	140 m	4.0 mm	1	5604612716462

Brush cutting blade 2 teeth



Features:

- > Cutting diameter: 310 mm;
- > Bore size: 25 mm;
- > Thickness: 2 mm;
- > EN 847-1-2005.

Reference	Dim.		Ean
VIDCM2	310 x 2 mm	6	5604612109530

Professional brush cutting blade 2 teeth



Features:

- > Cutting diameter: 310 mm;
- > Bore size: 25 mm;
- > Thickness: 2 mm;
- > EN 847-1-2005.

Reference	Dim.		Ean
VIDCMP2	310 x 2 mm	6	5604612675912

Brush cutting blade 3 teeth



Features:

- > Cutting diameter: 255 mm;
- > Bore size: 25 mm;
- > Thickness: 2 mm;
- > EN 847-1-2005.

Reference	Dim.		Ean
VIDCM3	255 x 2 mm	6	5604612022549

Brush cutting blade 8 teeth



Features:

- > Cutting diameter: 255 mm;
- > Bore size: 25 mm;
- > Thickness: 2 mm;
- > EN 847-1-2005.

Reference	Dim.		Ean
VIDCM8	255 x 2 mm	6	5604612022556

Grass cutting blade

20 teeth

**Features:**

- > Cutting diameter: 255 mm;
- > Bore size: 25 mm;
- > Thickness: 2 mm;
- > EN 847-1-2005.

Reference	Dim.		Ean
VIDCE20	255 x 2 mm	6	5604612022518

Grass cutting blade

40 teeth

**Features:**

- > Cutting diameter: 255 mm;
- > Bore size: 25 mm;
- > Thickness: 2 mm;
- > EN 847-1-2005.

Reference	Dim.		Ean
VIDCE40	255 x 2 mm	6	5604612022525

Grass cutting blade

80 teeth

**Features:**

- > Cutting diameter: 255 mm;
- > Bore size: 25 mm;
- > Thickness: 2 mm;
- > EN 847-1-2005.

Reference	Dim.		Ean
VIDCE80	255 x 2 mm	6	5604612022532

Carbide-tipped circular blade PRO

30 teeth

**Features:**

- > Cutting diameter: 255 mm;
- > Bore size: 25 mm;
- > Diamond tooth height: 11 mm;
- > Thickness: 2 mm;
- > EN 847-1-2005.

Reference	Dim.		Ean
VIDEP30	255 x 2 mm	6	5604612675905

Carbide-tipped circular blade

40 teeth



Features:

- > Cutting diameter: 255 mm;
- > Bore size: 25 mm;
- > Diamond tooth height: 11 mm;
- > Thickness: 2 mm;
- > EN 847-1-2005.

Reference	Dim.		Ean
VIDE40	255 x 2 mm	6	5604612013554

Perforated grass/brush cutting blade ^{NEW}

40 teeth



Features:

- > Cutting diameter: 255 mm;
- > Bore size: 25 mm;
- > Thickness: 2 mm;
- > EN 847-1-2005.

Reference	Dim.		Ean
VIDPCE40	255 x 5 mm	6	5604612751722

Curved brush cutting blade ^{NEW}

3 teeth



Features:

- > Cutting diameter: 305 mm;
- > Bore size: 25 mm;
- > Thickness: 3 mm;
- > EN 847-1-2005.



Reference	Dim.		Ean
VIDCMC3	245 x 35 mm	6	5604612751708

Curved brush cutting blade PRO ^{NEW}

3 teeth



Features:

- > Cutting diameter: 305 mm;
- > Bore size: 25 mm;
- > Thickness: 3 mm;
- > EN 847-1-2005.



Reference	Dim.		Ean
VIDCMCP3	245 x 35 mm	6	5604612751715



Helmet with face shield and earmuffs ^{NEW}



Features:

- > Helmet material: ABS;
- > Face shield material: Mesh;
- > Certification: EN 397:2012 + A1:2012, EN ISO 16321-3:2022, EN 352-3:2020;
- > SNR: 24 dB;
- > Ventilation slots;
- > Manually adjustable harness;
- > Absorbent band on the forehead;
- > Protection against flying particles;
- > Synthetic foam cushions.

Reference		Ean
VICSPFA	8	5604612676278

Face shield and earmuffs set ^{NEW}



Features:

- > Helmet material: ABS;
- > Face shield material: Mesh;
- > Certification: EN ISO 16321-3:2022 and EN 352-1:2020;
- > Regulators facilitate adjustment of the headband;
- > Interior comprising a soft, mouldable cushion;
- > Adjustable earmuffs;
- > Effective impact protection.

Reference		Ean
VIPFAB	6	5604612770013

Acrylic face shield



Features:

- > Helmet material: Polypropylene;
- > Face shield material: Polycarbonate + aluminium;
- > Certification: EN ISO 16321-1:2022;
- > Protection against flying particles and splashes;
- > Manually adjustable harness;
- > Flip-up face shield;
- > Absorbent band on the forehead.

Reference		Ean
VIP1760B	20	5604612662301

Mesh face shield



Features:

- > Helmet material: Polypropylene;
- > Face shield material: Steel mesh;
- > Certification: EN ISO 16321-3:2022;
- > Protection against flying particles;
- > Manually adjustable harness;
- > Flip-up face shield;
- > Absorbent band on the forehead.

Reference		Ean
VIP1780B	20	5604612662318

Mesh face shield + accessory ^{NEW}



Features:

- > Helmet material: Polypropylene;
- > Face shield material: Acrylic face shield made of poly-carbonate + aluminium, steel mesh face shield;
- > Certification: Acrylic face shield EN ISO 16321-1:2022, Mesh face shield EN ISO 16321-3:2022;
- > Protection against flying particles;
- > Manually adjustable harness;
- > Flip-up face shield;
- > Absorbent band on the forehead.

Reference		Ean
VIP17801760BA	1	5604612705541

Harness for brushcutter



Features:

- > Use – occasional;
- > Easy to transport;
- > Ergonomic;
- > Adjustable straps;
- > Made of nylon and metal;
- > Padded;
- > Lumbar support.

Reference		Ean
VICSR	1	5604612663377

Professional harness for brushcutter



Features:

- > Use – professional;
- > Rigid support;
- > Lumbar adjustment;
- > Adjustable straps;
- > Made of nylon and metal;
- > Padded;
- > Lumbar support.

Reference		Ean
VICSPR	1	5604612673505

Work shin guards



Features:

- > Outer coating made of polyethylene;
- > Certification: EN 14404:2004+A1:2010;
- > Polyester-coated internal padding foam;
- > Four quick-release buckles.

Reference		Ean
VICT	25	5604612641207

VIME5

Petrol tiller

5hp **NEW**



Main features:

- > Dual filter;
- > Engine oil level sensor;
- > Quick adjustment of the front wheel.

Technical data

Engine	4-stroke combustion
Engine power	5 hp / 3.7 kW
Engine displacement	149 cc
Rotational speed	3600 rpm
Transmission	Belt drive
Speeds	1 forward
Fuel	Petrol
Fuel tank	1.0 L
Working width	630 mm
Tines diameter	260 mm
Working depth	100 – 200 mm
Engine oil	15W40
Engine oil sump	0.4 L
Gearbox lubrication	Grease
Sound power level (LWA)	90 dB
Product weight	29.5 Kg
Product dimensions	1010 x 450 x 1300 mm
Weight with packaging	32 Kg
Packaging dimensions	710 x 380 x 650 mm
Bar code	5604612772062



Clutch



Throttle



Puncture-proof wheels

Packaging content

- > Wheels;
- > Tines for petrol tiller;
- > Depth regulator;
- > Tool kit.

Accessories P. 56

VIME7A

Petrol tiller belt drive transmission

7hp



Main features:

- > Air filter with oil;
- > Engine oil level sensor;
- > Quick adjustment of the front wheel.

Technical data

Engine	4-stroke combustion
Engine power	7 hp / 5.2 kW
Engine displacement	212 cc
Rotational speed	3600 rpm
Transmission	Belt drive
Speeds	2 forward + 1 reverse
Fuel	Petrol
Fuel tank	3.6 L
Working width	700 – 850 mm
Tines diameter	350 mm
Engine oil	15W40
Engine oil sump	0.6 L
Gear oil	80W90
Gear oil sump	1.4 L
Sound power level (LWA)	98 dB
Product weight	82 Kg
Product dimensions	870 x 1600 x 1100 mm
Weight with packaging	87 Kg
Packaging dimensions	840 x 470 x 650 mm
Bar code	5604612722890


VIME7A.M (Assembled item) 5604612728403



Protective bumper



Tool kit



Double drive belt

Packaging content

- > Furrow opener;
- > Tines for petrol tiller;
- > Depth regulator;
- > Tool kit.

Accessories P. 56




VIMETD7A

Petrol tiller direct transmission 7hp **NEW**



Main features:

- > Air filter with oil;
- > Engine oil level sensor;
- > Quick adjustment of the front wheel.



Protective bumper



Tool kit



Engine cover

Packaging content

- > Furrow opener;
- > Tines for petrol tiller;
- > Depth regulator;
- > Tool kit.

Accessories P. 56

Technical data

Engine	4-stroke combustion
Engine power	7 hp / 5.2 kW
Engine displacement	212 cc
Rotational speed	3600 rpm
Transmission	Direct
Speeds	2 forward + 1 reverse
Fuel	Petrol
Fuel tank	3.6 L
Working width	1050 – 1200 mm
Tines diameter	350 mm
Engine oil	15W40
Engine oil sump	0.6 L
Gear oil	80W90
Gear oil sump	2 L
Sound power level (LWA)	98 dB
Product weight	99 Kg
Product dimensions	870 x 1460 x 1260 mm
Weight with packaging	105 Kg
Packaging dimensions	880 x 510 x 770 mm
Bar code	5604612722883
VIMETD7A.M (Assembled item)	5604612728410

VIMEDTD7B

Diesel tiller direct transmission 7hp **NEW**



Main features:


- > Electric start;
- > Triple filter system;
- > Oil level sensor;
- > Quick adjustment of the front stand.

Technical data

Engine	Diesel
Engine power	7 hp / 5.2 kW
Engine displacement	246 cc
Rotational speed	3600 rpm
Transmission	Direct
Speeds	2 forward + 1 reverse
Fuel	Diesel
Fuel tank	3.6 L
Working width	1150 mm
Tines diameter	350 mm
Engine oil	15W40
Engine oil sump	0.6 L
Gear oil	80W90
Gear oil sump	2 L
Sound power level (LWA)	98 dB
Product weight	117 Kg
Product dimensions	670 x 1300 x 1130 mm
Weight with packaging	127 Kg
Packaging dimensions	880 x 455 x 815 mm
Bar code	5604612740092
VIMEDTD7B.M (Assembled item)	5604612747275



Tool kit



Triple filter system



Electric start

Packaging content

- > Furrow opener;
- > Tines for petrol tiller;
- > Depth regulator;
- > Tool kit.

Accessories P. 56

VIMEDTD12A

Diesel tiller direct transmission 12hp




Main features:


- > Electric start;
- > Triple filter system;
- > Oil level sensor;
- > Grille guard with headlight.

Technical data

Engine	Diesel
Engine power	12 hp / 8.9 kW
Engine displacement	456 cc
Rotational speed	3600 rpm
Transmission	Direct
Speeds	2 forward + 1 reverse
Fuel	Diesel
Fuel tank	5.5 L
Working width	1450 mm
Tines diameter	360 mm
Engine oil	15W40
Engine oil sump	1.65 L
Gear oil	80W90
Gear oil sump	2.5 L
Sound power level (LWA)	98 dB
Product weight	180 Kg
Product dimensions	1450 x 1400 x 1750 mm
Weight with packaging	194 Kg
Packaging dimensions	1010 x 650 x 820 mm
Bar code	5604612721084
VIMEDTD12A.M (Assembled item)	5604612712181



Tool kit



Triple filter system



Electric start

Packaging content

- > Double furrow opener;
- > Tines for petrol tiller;
- > Depth regulator;
- > Tool kit.

Accessories P. 56

Overview

Tillers

Technical data	VIME5	VIME7A	VIMETD7A	VIMEDTD7B	VIMEDTD12A
Engine	4-stroke combustion	4-stroke combustion	4-stroke combustion	Diesel	Diesel
Engine power	5 hp / 3.7 kW	7 hp / 5.2 kW	7 hp / 5.2 kW	7 hp / 5.2 kW	12 hp / 8.9 kW
Engine displacement	149 cc	212 cc	212 cc	246 cc	456 cc
Rotational speed	3600 rpm	3600 rpm	3600 rpm	3600 rpm	3600 rpm
Transmission	Belt drive	Belt drive	Direct	Direct	Direct
Speeds	1 forward	2 forward + 1 reverse	2 forward + 1 reverse	2 forward + 1 reverse	2 forward + 1 reverse
Fuel	Petrol	Petrol	Petrol	Diesel	Diesel
Fuel tank	1.0 L	3.6 L	3.6 L	3.6 L	5.5 L
Working width	630 mm	700 – 850 mm	1050 – 1200 mm	1150 mm	1450 mm
Tines diameter	260 mm	350 mm	350 mm	350 mm	360 mm
Engine oil	15W30	15W40	15W40	15W40	15W40
Engine oil sump	0.4 L	0.6 L	0.6 L	0.6 L	1.65 L
Gear oil	-	80W90	80W90	80W90	80W90
Gear oil sump	-	1.4 L	2 L	2 L	2.5 L
Handlebar adjustment	-	✓	✓	✓	✓
Electric start	-	-	-	✓	✓
Sound power level (LWA)	90 dB	98 dB	98 dB	98 dB	98 dB
Product weight	29.5 Kg	82 Kg	99 Kg	117 Kg	180 Kg
Product dimensions (mm)	1010 x 450 x 1300	870 x 1600 x 1100	870 x 1460 x 1260	670 x 1300 x 1130	1450 x 1400 x 1750

Packaging content

Tines	✓	✓	✓	✓	✓
Furrow opener	-	✓	✓	✓	✓
Handlebar	✓	✓	✓	✓	✓
Front wheel	✓	✓	✓	-	-
Traction wheels	✓	✓	✓	✓	✓
Depth regulator	✓	✓	✓	✓	✓
Set of spanners	-	-	-	✓	✓
Battery	-	-	-	✓	✓
Weight with packaging	32 Kg	87 Kg	105 Kg	127 Kg	194 Kg
Packaging dimensions (mm)	710 x 380 x 650	840 x 470 x 655	880 x 510 x 770	880 x 455 x 815	1010 x 650 x 820

Accessories for tillers



VIME7.16



VIME7.17



VIMEDTD12AARD



VIME7AB



VIME5.FC

Reference	Description	Compatible with		Ean
VIME7.16	Plough	VIME7A / VIMETD7A / VIMEDTD7B	1	5604612663995
VIME7.17	Furrow opener	VIME7A / VIMETD7A / VIMEDTD7B	1	5604612715687
VIMEDTD12AARD	Double furrow opener	VIMEDTD12 / VIMEDTD12A	1	5604612714314
VIME7AB	Potato lifter	VIME7A / VIMETD7A / VIMEDTD7B	1	5604612649913
VIME5.FC	Set of 2 complete tines NEW	VIME5	1	5604612775308



VIME7.C.6.000



VIMEDTD7.C.16.000



VIMEDTD12A.C17.000



VIME7RM



VIME7.4008C

Reference	Description	Compatible with	Working width		Ean
VIME7.C.6.000	Set of 2 tines	VIME7A	700 – 850 mm	1	5604612668747
VIMEDTD7.C.16.000	Set of 2 tines	VIMETD7A / VIMEDTD7B	1150 – 1200 mm	1	5604612726621
VIMEDTD12A.C17.000	Set of 2 tines	VIMEDTD12A	1450 mm	1	5604612725372
VIME7RM	Set of 2 metal wheels	VIME7A / VIMETD7A / VIMEDTD7B	-	1	5604612650834
VIME7.4008C	Air chamber	VIME7A / VIMETD7A	-	1	5604612729417



VIMEDTD12A.C16.051



VIME5.RD



VIME5.RE



VIME7.4008D



VIME7.4008E

Reference	Description	Compatible with		Ean
VIMEDTD12A.C16.051	Air chamber	VIMEDTD12 / VIMEDTD12A	1	5604612729424
VIME5.RD	Right-hand wheel NEW	VIME5	1	5604612775322
VIME5.RE	Left-hand wheel NEW	VIME5	1	5604612775315
VIME7.4008D	Pneumatic wheel – Right-hand side	VIME7A / VIMETD7A / VIMEDTD7B	1	5604612647315
VIME7.4008E	Pneumatic wheel – Left-hand side	VIME7A / VIMETD7A / VIMEDTD7B	1	5604612647322

VIM7

Petrol cultivator

7hp



Main features:

- › Triple filter system;
- › Oil level sensor;
- › Independent drive for the tines;
- › Quick handlebar adjustment.

Technical data

Engine	4-stroke combustion
Engine power	7 hp / 5.2 kW
Engine displacement	212 cc
Rotational speed	3600 rpm
Transmission	Direct
Speeds	2 forward + 1 reverse
Fuel	Petrol
Fuel tank	3.6 L
Working width	620 mm
Tines diameter	320 mm (x8)
Engine oil	15W40
Engine oil sump	0.6 L
Gear oil sump	1.4 L
Tines oil sump	1 L
Gear and tines oil	80W90
Sound power level (LWA)	98 dB
Product weight	100 Kg
Product dimensions	700 x 1400 x 1115 mm
Weight with packaging	132 Kg
Packaging dimensions	1190 x 555 x 650 mm
Bar code	5604612721077
VIM7.M (Assembled item)	5604612696450



Rear wheel for movement



Engine guard



Two-way tines

Packaging content

- › Two-way tines;
- › Metal wheels;
- › Tool kit.

Accessories P. 58

VIM14

Petrol cultivator

14hp **NEW**




Main features:


- › Various speeds and implements;
- › Pneumatic wheels with traction;
- › Adjustable handlebar, rubber grips and LED floodlight.

Technical data


Engine	4-stroke combustion
Engine power	14 hp / 10.3 kW
Engine displacement	420 cc
Rotational speed	3600 rpm
Transmission	Direct
Speeds	3 forward + 2 reverse
Fuel	Petrol
Fuel tank	6.5 L
Working width	650 mm
Tines diameter	310 mm (x8)
Engine oil	15W40
Engine oil sump	1.1 L
Gear oil sump	1 L
Tines oil sump	0.2 L
Gear and tines oil	80W90
Sound power level (LWA)	101 dB
Product weight	154.5 Kg
Product dimensions	2000 x 1000 x 1500 mm
Weight with packaging	155 Kg
Packaging dimensions	1000 x 610 x 1300 mm
Bar code	5604612751456



Adjustable handlebar and rubber handles



Engine guard



LED floodlight

Packaging content

- › Traction wheels;
- › Cover with connection for electric start;
- › Spark plug wrench;

- › Funnel;
- › Double open-end wrenches (x4);
- › Tines.

Accessories P. 58

Accessories for cultivators



VIM7.1.C11.010



VIM7RM



VIM14.ACOPACE



VIM14.ACOPMAQ



VIM14.A



VIM14.AD

Reference	Description	Compatible with		Ean
VIM7.1.C11.010	Air chamber	VIM7	1	5604612729431
VIM7RM	Set of 2 metal wheels	VIM7	1	5604612718084
VIM14.ACOPACE	Accessory coupling NEW	VIM14	1	5604612751548
VIM14.ACOPMAQ	Machine coupling NEW	VIM14	1	5604612751531
VIM14.A	Plough NEW	VIM14	1	5604612751517
VIM14.AD	Double plough NEW	VIM14	1	5604612751524



VIM14.D



VIM14.C



VIM14.EL



VIM14.LN



VIM14.P

Reference	Description	Compatible with		Ean
VIM14.D	Flail mower 60 cm NEW	VIM14	1	5604612751470
VIM14.C	Reaper 120 cm NEW	VIM14	1	5604612751463
VIM14.EL	Sweeper brush 110 cm NEW	VIM14	1	5604612751500
VIM14.LN	Snowplough 100 cm NEW	VIM14	1	5604612751494
VIM14.P	Levelling blade 100 cm NEW	VIM14	1	5604612751487

VIME25

Electric grain mill1300W – 25L **NEW****Main features:**

- › On/Off switch;
- › Motor with thermal protection;
- › Grinding options for different thicknesses;
- › Suitable for domestic use.

Technical data

Rated power	1300 W
Collection bucket capacity	25 L
No-load rotational speed	19000 rpm
Motor type	Brushed
Number of sieves	5
Grinding diameter	2, 3, 4, 6 and 8 mm
Funnel capacity	6.5 L
Grindind capacity	300 Kg/h
Supply voltage	230 V 50 Hz
Sound power level (LWA)	60 dB
Product weight	6.2 Kg
Product dimensions	225 x 225 x 845 mm
Weight with packaging	7.2 Kg
Packaging dimensions	365 x 365 x 550 mm
Bar code	5604612757564



Funnel



Grinding blade



Includes 5 sieves

Packaging content

- › Collection bucket;
- › Sieves (x5).

Accessories P. 60


VIME50

Electric grain mill1300W – 50L **NEW****Main features:**

- › On/Off switch;
- › Motor with thermal protection;
- › Grinding options for different thicknesses;
- › Suitable for domestic use.

Technical data

Rated power	1300 W
Collection bucket capacity	50 L
No-load rotational speed	19000 rpm
Motor type	Brushed
Number of sieves	5
Grinding diameter	2, 3, 4, 6 and 8 mm
Funnel capacity	13.7 L
Grindind capacity	400 Kg/h
Supply voltage	230 V 50 Hz
Sound power level (LWA)	60 dB
Product weight	7 Kg
Product dimensions	340 x 340 x 935 mm
Weight with packaging	9.5 Kg
Packaging dimensions	365 x 365 x 550 mm
Bar code	5604612757571



Funnel



Grinding blade



Includes 5 sieves

Packaging content

- › Collection bucket;
- › Sieves (x5).

Accessories P. 60

Accessories for earth augers



Reference	Description	Dim.		Ean
VIAB43.100	Drill for earth auger – 100 mm	730 x 50 mm	1	5604612705671
VIAB43.150	Drill for earth auger – 150 mm	730 x 75 mm	1	5604612705688
VIAB43.200	Drill for earth auger – 200 mm	730 x 100 mm	1	5604612705695

Accessories for agricultural machinery



Reference	Description	Dim.		Ean
VIVELA5510B	Spark plug – Blister	55 x 10 mm	1	5604612715403
VIVELA8020B	Spark plug – Blister	80 x 20 mm	1	5604612715410

Accessories for electric grain mill



Reference	Description	Compatible with		Ean
VIME25.B	Bucket for electric grain mill – 25 L	VIME25	1	5604612757663
VIME50.B	Bucket for electric grain mill – 50 L	VIME50	1	5604612757670



Reference	Description	Compatible with		Ean
VIMEC2MM	Sieve for electric grain mill – 2 mm	VIME25 / VIME50	1	5604612757687
VIMEC3MM	Sieve for electric grain mill – 3 mm	VIME25 / VIME50	1	5604612757694
VIMEC4MM	Sieve for electric grain mill – 4 mm	VIME25 / VIME50	1	5604612757700
VIMEC6MM	Sieve for electric grain mill – 6 mm	VIME25 / VIME50	1	5604612757717
VIMEC8MM	Sieve for electric grain mill – 8 mm	VIME25 / VIME50	1	5604612757724



PVC garden and rubble wheelbarrow



Features:

- > 100-litre capacity;
- > Pneumatic wheel 3.50 – 8”;
- > Round-fronted tray;
- > Front wheel arch;
- > PVC and metal.

Reference	Dim.		Ean
VICA19	940 x 600 x 580 mm	1	5604612627065

Farmer's handcart with brake



Features:

- > Load capacity 130 kg;
- > Pneumatic wheels 495 x 150 mm;
- > Steel chassis;
- > Brake.

Reference	Pack. dim.		Ean
VICA8	1000 x 720 x 365 mm	1	5604612111977

Farmer's handcart without brake



Features:

- > Load capacity 130 kg;
- > Pneumatic wheels;
- > Steel chassis.

Reference	Pack. dim.		Ean
VICA9	1000 x 720 x 365 mm	1	5604612111984

Trailer mod. 7



Features:

- > Load capacity 325 kg;
- > Pneumatic wheels 410 x 100 mm;
- > Rear reflector plate;
- > Steel chassis;
- > Brake.

Reference	Pack. dim.		Ean
VIAME7A	1205 x 912 x 315 mm	1	5604612668792

Trailer mod. 12



Features:

- > Load capacity 450 kg;
- > Pneumatic wheels 495 x 150 mm;
- > Rear reflector plate;
- > Steel chassis;
- > Brake.

Reference	Pack. dim.		Ean
VIAME12A	1505 x 1110 x 385 mm	1	5604612689957

Accessories for wheelbarrows and farmer's handcarts



VIRO1



VIRO2



VIROD3



VIROD9



VIROD8

Reference	Description	Dim.		Ean
VIRO1	Pneumatic wheel for wheelbarrow	360 mm	1	5604612658946
VIRO2	Solid wheel for wheelbarrow	330 mm	1	5604612658953
VIROD3	PU wheel for wheelbarrow	350 mm	1	5604612673178
VIROD9	Wheel for farmer's handcart with brake	505 mm	1	5604612724658
VIROD8	Wheel for farmer handcart without brake	505 mm	1	5604612112004

FOREST



VIMP2810

Pruning chainsaw

28.5cc

MAGNUM



Main features:

- › WALBRO carburettor primer bulb;
- › OREGON guide bar and chain;
- › Anti-vibration system;
- › Adjustment of the chain tension.

Technical data

Engine	2-stroke combustion
Engine power	1.3 hp / 1 kW
Engine displacement	28.5 cc
Rotational speed	12000 rpm
Fuel	Mixture – 1:40
Fuel tank	0.21 L
Max. cutting length	250 mm
Drive links	40
Gauge measurement	3/8"
Lubricating oil	H150 – 200 ml
Sound power level (LWA)	109.3 dB
Product weight	3.9 Kg
Product dimensions	540 x 240 x 232 mm
Weight with packaging	5 Kg
Packaging dimensions	300 x 260 x 265 mm
Bar code	5604612708573



WALBRO carburettor
primer bulb



Captive nuts



Tool kit

Packaging content

- › OREGON guide bar and chain;
- › Guide bar cover;
- › Tool kit.

Accessories P. 69, 73, 74

VIMS37

Chainsaw

37cc

MAGNUM



Main features:

- › WALBRO carburettor primer bulb;
- › OREGON guide bar and chain;
- › Easy-start system;
- › Anti-vibration system;
- › Automatic return of the CHOKE lever.

Technical data

Engine	2-stroke combustion
Engine power	2.1 hp / 1.55 kW
Engine displacement	37 cc
Rotational speed	12000 rpm
Fuel	Mixture 1:40
Fuel tank	0.55 L
Max. cutting length	400 mm
Drive links	57
Gauge measurement	3/8"
Lubricating oil	H150 – 260 ml
Sound power level (LWA)	110.9 dB
Product weight	6.3 Kg
Product dimensions	790 x 245 x 275 mm
Weight with packaging	7.4 Kg
Packaging dimensions	440 x 275 x 310 mm
Bar code	5604612708580



WALBRO carburettor
primer bulb



Captive nuts



Compartment
for wrench

Packaging content

- › OREGON guide bar and chain;
- › Guide bar cover;
- › Tool kit.

Accessories P. 69, 73, 74

VIMS45B

MAGNUM**Chainsaw**
45cc**Main features:**

- › WALBRO carburettor primer bulb;
- › OREGON guide bar and chain;
- › Easy-start system;
- › Anti-vibration system;
- › Automatic return of the CHOKE lever.

Technical data

Engine	2-stroke combustion
Engine power	2.5 hp / 1.95 kW
Engine displacement	45 cc
Rotational speed	12000 rpm
Fuel	Mixture 1:40
Fuel tank	0.52 L
Max. cutting length	450 mm
Drive links	72
Gauge measurement	0.325"
Lubricating oil	H150 – 250 ml
Sound power level (LWA)	109.3 dB
Product weight	7.4 Kg
Product dimensions	890 x 295 x 245 mm
Weight with packaging	8.6 Kg
Packaging dimensions	470 x 277 x 312 mm
Bar code	5604612708597

WALBRO carburettor
primer bulb

Captive nuts

Compartment
for wrench**Packaging content**

- › OREGON guide bar and chain;
- › Guide bar cover;
- › Tool kit.

Accessories P. 69, 73, 74

VIMS55

MAGNUM**Chainsaw**
55cc**Main features:**

- › WALBRO carburettor primer bulb;
- › OREGON guide bar and chain;
- › Easy-start system;
- › Anti-vibration system;
- › Automatic return of the CHOKE lever.

Technical data

Engine	2-stroke combustion
Engine power	3.2 hp / 2.4 kW
Engine displacement	55 cc
Rotational speed	12000 rpm
Fuel	Mixture 1:40
Fuel tank	0.52 L
Max. cutting length	500 mm
Drive links	78
Gauge measurement	0.325"
Lubricating oil	250 ml
Sound power level (LWA)	110.5 dB
Product weight	7.4 Kg
Product dimensions	890 x 300 x 245 mm
Weight with packaging	9 Kg
Packaging dimensions	530 x 278 x 320 mm
Bar code	5604612708603

WALBRO carburettor
primer bulb

Captive nuts

Compartment
for wrench**Packaging content**

- › OREGON guide bar and chain;
- › Guide bar cover;
- › Tool kit.

Accessories P. 69, 73, 74

VIE1800B

Electric chainsaw

1800W **NEW**



Main features:

- › Oil reservoir with level indicator;
- › Automatic chain lubrication system;
- › Safety system 'Double Brake';
- › 405 mm OREGON blade.

Technical data

Power	1800 W
Max. cutting length	405 mm
Drive links	57
Gauge measurement	3/8"
Lubricating oil	H150 – 150 ml
Supply voltage	230 V 50 Hz
Sound power level (LWA)	111 dB
Product weight	4.6 Kg
Product dimensions	800 x 260 x 185 mm
Weight with packaging	5 Kg
Packaging dimensions	460 x 200 x 280 mm
Bar code	5604612731168



Chain tensioner



Guide bar cover



Ergonomic handle

Packaging content

- › OREGON guide bar and chain;
- › Guide bar cover;
- › Tool kit.

Accessories P. 69, 73, 74

VIE2000

Electric chainsaw

2000W **NEW**



Main features:

- › Oil reservoir with level indicator;
- › Automatic chain lubrication system;
- › Safety system 'Double Brake';
- › 455 mm OREGON blade.

Technical data

Power	2000 W
Max. cutting length	455 mm
Drive links	63
Gauge measurement	3/8"
Lubricating oil	H150 – 150 ml
Supply voltage	230 V 50 Hz
Sound power level (LWA)	111 dB
Product weight	4.8 Kg
Product dimensions	850 x 260 x 185 mm
Weight with packaging	5.5 Kg
Packaging dimensions	500 x 200 x 280 mm
Bar code	5604612731175



Chain tensioner



Guide bar cover



Ergonomic handle

Packaging content

- › OREGON guide bar and chain;
- › Guide bar cover;
- › Tool kit.

Accessories P. 69, 73, 74

Overview

Chainsaws

Technical data	VIMS37	VIMS45B	VIMS55	VIE1800B	VIE2000
Engine	2-stroke combustion	2-stroke combustion	2-stroke combustion	-	-
Engine power	2.1 hp / 1.55 kW	2.5 hp / 1.95 kW	3.2 hp / 2.4 kW	1800 W	2000 W
Engine displacement	37 cc	45 cc	55 cc	-	-
Supply voltage	-	-	-	230 V 50 Hz	230 V 50 Hz
Rotational speed	12,000 rpm	12,000 rpm	12,000 rpm	-	-
Fuel	Mixture 1:40	Mixture 1:40	Mixture 1:40	-	-
Fuel tank	0.55 L	0.52 L	0.52 L	-	-
Max. cutting length	400 mm	450 mm	500 mm	405 mm	455 mm
Drive links	57	72	78	57	63
Gauge measurement	3/8"	0.325"	0.325"	3/8"	3/8"
Lubricating oil	H150 – 260 ml	H150 – 250 ml	H150 – 250 ml	H150 – 150 ml	H150 – 150 ml
Sound power level (LWA)	110.9 dB	109.3 dB	110.5 dB	111 dB	111 dB
Product weight	6.3 Kg	7.4 Kg	7.4 Kg	4.6 Kg	4.8 Kg
Product dimensions	790 x 245 x 275 mm	890 x 295 x 245 mm	890 x 300 x 245 mm	800 x 260 x 185 mm	850 x 260 x 185 mm

Packaging content

Oregon guide bar	✓	✓	✓	✓	✓
OREGON chain	✓	✓	✓	✓	✓
Guide bar cover	✓	✓	✓	✓	✓
Tool kit	✓	✓	✓	✓	✓
Weight with packaging	7.4 Kg	8.6 Kg	9 Kg	5 Kg	5.5 Kg
Packaging dimensions	440 x 275 x 310 mm	470 x 277 x 312 mm	530 x 278 x 320 mm	460 x 200 x 280 mm	500 x 200 x 280 mm

VIACE85

Chainsaw sharpener 85W



Main features:

- › Universal 35° angle adjustment;
- › Angular scale.

Technical data

Power	85 W
Revolutions per minute	5800 rpm
Continuous operation	20 min
Outer diameter of the wheel	108 mm
Inner diameter of the wheel	23 mm
Wheel thickness	3.2 mm
Sharpening angles	35° / 35°
Supply voltage	230 V 50 Hz
Sound power level (LWA)	77 dB
Product weight	2 Kg
Product dimensions	200 x 230 x 310 mm
Weight with packaging	2.3 Kg
Packaging dimensions	255 x 220 x 170 mm
Bar code	5604612668280



Example of use



Angular scale

Packaging content

- › Sharpening wheel.

Accessories P. 74

VICMCL

Metal log sawhorse



Main features:

- › Teeth cut into the metal to prevent the log from rotating whilst sawing;
- › Angular, sturdy profiles.

Technical data

Material	Aluminium
Max. load capacity	200 Kg
Max. trunk diameter	300 mm
Product weight	7 Kg
Product dimensions	795 x 880 x 320 mm
Weight with packaging	7.4 Kg
Packaging dimensions	102 x 35 x 160 mm
Bar code	5604612699505



Chipped teeth

Packaging content

- › Metal bars (x10);
- › Screws and nuts (x41);
- › Quick-release hex bolts (x3).

Holster with 3 felling wedges ^{NEW}

FOREST



Features:

- > Holster made of carbon fibre fabric;
- > Opening with velcro strap for practical attachment to a work belt;
- > 3 ABS wedges with grooves and non-slip teeth, in different sizes:
Size S – 13.9 cm;
Size M – 20.3 cm;
Size L – 25.4 cm.

Reference		Ean
VICC3CA	20	5604612745578

Chainsaw bag 55 ^{NEW}

FOREST



Features:

- > Compatible with chainsaws with guide bars up to 22";
- > Padded polyester for impact protection;
- > Greater stability guaranteed by reinforced PVC base;
- > Ergonomic handle and adjustable non-slip shoulder strap;
- > Internal compartments for additional organisation;
- > Pocket for an identification card.

Reference	Dim.		Ean
VISM55	95 x 29 x 27 cm	15	5604612745585

Cut-resistant chainsaw gloves 10" ^{NEW}

FOREST



Features:

- > Anti-cut reinforcement on the back of the left hand;
- > Superior grip thanks to cowhide leather with anti-slip properties;
- > Velcro strap on the wrist;
- > High visibility: reflective fluorescent orange colour;
- > Class 1, design A, Type 2 certification, meeting the protection requirements for professional chainsaw work.

Reference		Ean
VILM10	40	5604612745561

Cut-resistant chainsaw chaps ^{NEW}

FOREST

EN ISO
11393-2 : 2019



Design B
Class1



Features:

- > Composition: 100% 300D polyester;
- > 8 layers of high-performance polyester;
- > High visibility: reflective fluorescent orange colour;
- > Full coverage from waist to ankles;
- > Sturdy buckles and functional front pocket;
- > Adjustable size, with the possibility of shortening the length;
- > Class 1, Design B certification, suitable for professional work.

Reference		Ean
VIPACM	6	5604612745554

VIRL7A

Horizontal log splitter 7 tonnes



Main features:

- › Dual-control activation;
- › Protective grille;
- › Easy to transport.

Technical data

Maximum force	7 tonnes
Motor power	2900 W
Max. cutting length	520 mm
Max. cutting diameter	230 mm
Duty cycle	S3 – 40%
Supply voltage	230 V 50 Hz
Temperature	5 – 40 °C
Hydraulic oil	ISO VG 22
Sound power level (LWA)	75 dB
Product weight	73 Kg
Product dimensions	1220 x 400 x 1240 mm
Packaging weight 1	53.3 Kg
Packaging dimensions 1	1020 x 310 x 480 mm
Packaging weight 2	20 Kg
Packaging dimensions 2	930 x 415 x 150 mm
Bar code	5604612698249



Electric motor



Metal stand



Protective grille

Packaging content

- › Wheeled metal stand;
- › Protective grille.

VIRLV9

Vertical log splitter 9 tonnes



Main features:

- › Dual-control activation;
- › 3 cutting positions;
- › Side protection;
- › Easy to transport.

Technical data


Maximum force	9 tonnes
Motor power	3500 W
Max. cutting length	1000 mm
Max. cutting diameter	350 mm
Cutting levels	560, 780, 1000 mm
Duty cycle	S6 – 40%
Supply voltage	230 V 50 Hz
Temperature	5 – 40 °C
Hydraulic oil	ISO VG 22
Sound power level (LWA)	85 dB
Product weight	130.5 Kg
Product dimensions	1100 x 680 x 1500 mm
Weight with packaging	132 Kg
Packaging dimensions	500 x 450 x 990 mm
Bar code	5604612698232



Electric motor



Adjustable base



Side cutting support

Packaging content

- › Cutting accessories.



VIRLG12

Petrol log splitter 12 tonnes



Main features:

- › Dual-control activation;
- › 3 cutting positions: vertical, horizontal, diagonal;
- › Cutting capacity in 2 or 4 sections.



Combustion engine



Quick adjustment
of the cutting position



Wedges

Packaging content

- › Log guide;
- › Ram stop;
- › Wedge.

Technical data

Maximum force	12 tonnes
Engine	4-stroke combustion
Motor power	7 hp / 5.2 kW
Engine displacement	208 cc
Rotational speed	2800 rpm
Fuel	Petrol
Fuel tank	3.6 L
Autonomy	2.5 h
Engine oil	15W40
Engine oil sump	0.6 L
Hydraulic oil	ISO VG 22
Hydraulic oil tank	5 L
Duty cycle	29 s
Type of activation	Dual
Maximum cutting length	520 mm
Maximum cutting diameter	300 mm
Sound power level (LWA)	118 dB
Product weight	127 Kg
Product dimensions	1315 x 525 x 1480 mm
Weight with packaging	135 Kg
Packaging dimensions	745 x 455 x 1115 mm
Bar code	5604612721060
VIRLG12.M (Assembled item)	5604612687083

VIBTRG7

Petrol wood shredder 7hp **NEW**



Main features:

- > Emergency button;
- > Pneumatic wheels;
- > 2 shredding blades;
- > Adjustable discharge chute deflector.

Technical data

Engine	4-stroke combustion
Engine power	7 hp / 5.2 kW
Engine displacement	208 cc
No-load rotational speed	3600 rpm
Blade speed	2400 rpm
Fuel	Petrol
Fuel tank	3.6 L
Wheel diameter	254 mm
Max. branch diameter	70 mm
Engine oil	15W40
Engine oil sump	0.6 L
Sound power level (LWA)	114 dB
Product weight	78 Kg
Product dimensions	1100 x 620 x 1230 mm
Weight with packaging	83 Kg
Packaging dimensions	710 x 620 x 970 mm
Bar code	5604612744618



2 shredding blades



Adjustable discharge
chute deflector



Pneumatic wheels

Packaging content

- > Front support and wheels;
- > Tool kit.

VIBTRG15

Petrol wood shredder 15hp **NEW**



Main features:

- > Electric start;
- > Emergency button;
- > Pneumatic wheels;
- > 3 shredding blades.

Technical data

Engine	4-stroke combustion
Engine power	15 hp / 11.2 kW
Engine displacement	420 cc
No-load rotational speed	3600 rpm
Blade speed	2400 rpm
Fuel	Petrol
Fuel tank	6.5 L
Wheel diameter	330 mm
Max. branch diameter	100 mm
Engine oil	15W40
Engine oil sump	1.1 L
Sound power level (LWA)	114 dB
Product weight	123 Kg
Product dimensions	1200 x 700 x 1260 mm
Weight with packaging	128 Kg
Packaging dimensions	710 x 620 x 1020 mm
Bar code	5604612744625



3 shredding blades



Adjustable discharge
chute deflector



Electric start

Packaging content

- > Front support and wheels;
- > Tool kit.

Accessories for pruning, electric and petrol chainsaws



VICMP25



VICMS38



VICMS45



VICMS55



VICMS62

Reference	Description	Drive links	Compatible with		Ean
VICMP25	Chain for pruning chainsaw – 3/8"	40	VIMP2810 / VIMP2510A	1	5604612689841
VICMS38	Chain for electric/petrol chainsaw – 3/8"	57	VIMS38A / VIMS37 / VIE1800A / VIE1800B / VIE2000	1	5604612689858
VICMS45	Chain for chainsaw – 0.325"	72	VIMS45A / VIMS45B	1	5604612689865
VICMS55	Chain for chainsaw – 0.325"	78	VIMS55	1	5604612715717
VICMS62	Chain for chainsaw – 3/8"	72	VIMS62A	1	5604612689872



VICMS3863



VILMP25



VILMS38



VILMS45



VILMS55

Reference	Description	Drive links	Compatible with		Ean
VICMS3863	Chain for electric/petrol chainsaw – 3/8" NEW	63	VIE2000	1	5604612732301
VILMP25	Guide bar for pruning chainsaw – 10"	-	VIMP2810 / VIMP2510A	1	5604612689889
VILMS38	Guide bar for chainsaw – 16"	-	VIMS37 / VIMS38A	1	5604612689896
VILMS45	Guide bar for chainsaw – 18"	-	VIMS45B / VIMS45A	1	5604612689902
VILMS55	Guide bar for chainsaw – 20"	-	VIMS55	1	5604612715700



VILMS62



VILES1800



VILES1838

Reference	Description	Compatible with		Ean
VILMS62	Guide bar for chainsaw – 20"	VIMS62A	1	5604612689919
VILES1800	Guide bar for electric chainsaw – 16" NEW	VIE1800A / VIE1800B / VIE2000	1	5604612689926
VILES1838	Guide bar for 2000W electric chainsaw – 18" NEW	VIE2000	1	5604612732295

Chainsaw file



Features:

- > Suitable for sharpening chainsaw chains;
- > Rubber-coated/bi-material handle;
- > Carbon steel body.

Reference	Dim.		Ean
VILM532	5/32" - 3.96 mm	10	5604612106461
VILM316	3/16" - 4.76 mm	10	5604612106454
VILM732	7/32" - 5.56 mm	10	5604612106478
VILM14	1/4" - 6.35 mm	10	5604612106485

Set of 4 chainsaw files



Features:

- > Suitable for sharpening chains on electric and petrol chainsaws;
- > Carbon steel body.

Reference	Dim.		Ean
VILM4532	5/32" - 3.96 mm	10	5604612670535
VILM4316	3/16" - 4.76 mm	10	5604612670542
VILM4732	7/32" - 5.56 mm	10	5604612670528
VILM414	1/4" - 6.35 mm	10	5604612670511

Screwdriver for carburetor



Features:

- > Chrome vanadium steel shaft.

Reference		Ean
VICPC	10	5604612677596

Grinding wheel for chainsaw sharpener



Features:

- > Suitable for sharpening chains on electric and petrol chainsaws;
- > Maximum rotational speed: 5800 rpm.
- > Compatible with: VIACE85.

Reference	Ø		Ean
VIDAF	108 mm	1	5604612668839

WATER

PUMPS



VIBAS400

Submersible dirty water pump 400W




Main features:

- › Plastic housing;
- › Float switch, height-adjustable;
- › It allows a maximum lift of 5 m.

Technical data

Power	400 W
Maximum flow rate	7500 L/h
Max. immersion depth	5 m
Max. manometric head	5 m
Max. particle size	35 mm
Outlet connection – hose	25 32 mm
Outlet connection – threaded	1" 1/2"
Power cord	10 m
Maximum fluid temperature	35° C
Supply voltage	230 V 50 Hz
IP rating	IPX8
Product weight	3.7 Kg
Product dimensions	150 x 170 x 310 mm
Weight with packaging	4 Kg
Packaging dimensions	220 x 160 x 340 mm
Bar code	5604612697167

Manometric Chart



Packaging content

- › Hose connector.

Accessories P. 91, 92

Dirty water

VIBAS750

Submersible dirty water pump 750W




Main features:

- › Plastic housing;
- › Float switch, height-adjustable;
- › It allows a maximum lift of 8 m.

Technical data

Power	750 W
Maximum flow rate	12500 L/h
Max. immersion depth	5 m
Max. manometric head	8 m
Max. particle size	35 mm
Outlet connection – hose	25 32 mm
Outlet connection – threaded	1" 1/2"
Power cord	10 m
Maximum fluid temperature	35° C
Supply voltage	230 V 50 Hz
IP rating	IPX8
Product weight	3.7 Kg
Product dimensions	150 x 170 x 310 mm
Weight with packaging	4 Kg
Packaging dimensions	220 x 160 x 340 mm
Bar code	5604612725457

Manometric Chart



Packaging content

- › Hose connector.

Accessories P. 91, 92

Dirty water

VIBAS550

Submersible dirty water pump

550W




Main features:

- › Stainless steel housing;
- › Float switch, height-adjustable;
- › It allows a maximum lift of 7 m.

Technical data

Power	550 W
Maximum flow rate	10500 L/h
Max. immersion depth	7 m
Max. manometric head	7 m
Max. particle size	35 mm
Outlet connection – hose	25 32 mm
Outlet connection – threaded	1" 1/2"
Power cord	10 m
Maximum fluid temperature	35° C
Supply voltage	230 V 50 Hz
IP rating	IPX8
Product weight	4.2 Kg
Product dimensions	155 x 160 x 325 mm
Weight with packaging	4.6 Kg
Packaging dimensions	220 x 160 x 370 mm
Bar code	5604612697181

Manometric Chart



Packaging content

- › Hose connector.

Accessories P. 91, 92

Dirty water

VIBAS1100

Submersible dirty water pump

1100W




Main features:

- › Stainless steel housing;
- › Float switch, height-adjustable;
- › It allows a maximum lift of 9.5 m.

Technical data

Power	1100 W
Maximum flow rate	15000 L/h
Max. immersion depth	7 m
Max. manometric head	9.5 m
Max. particle size	35 mm
Outlet connection – hose	25 32 mm
Outlet connection – threaded	1" 1/2"
Power cord	10 m
Maximum fluid temperature	35° C
Supply voltage	230 V 50 Hz
IP rating	IPX8
Product weight	6 Kg
Product dimensions	165 x 190 x 375 mm
Weight with packaging	6.4 Kg
Packaging dimensions	225 x 160 x 385 mm
Bar code	5604612697198

Manometric Chart



Packaging content

- › Hose connector.

Accessories P. 91, 92

Dirty water

VIBAL400

Submersible clean water pump 400W




Main features:

- > Plastic housing;
- > Float switch, height-adjustable;
- > It allows a maximum lift of 5 m.

Technical data

Power	400 W
Maximum flow rate	7000 L/h
Max. immersion depth	7 m
Max. manometric head	5 m
Max. particle size	5 mm
Outlet connection – hose	25 32 mm
Outlet connection – threaded	1" 1/2"
Power cord	10 m
Maximum fluid temperature	35° C
Supply voltage	230 V 50 Hz
IP rating	IPX8
Product weight	3.6 Kg
Product dimensions	150 x 170 x 280 mm
Weight with packaging	4 Kg
Packaging dimensions	220 x 160 x 310 mm
Bar code	5604612701468

Manometric Chart



Packaging content

- > Hose connector.

Accessories P. 91, 92

Clean water

VIBAL750

Submersible clean water pump 750W




Main features:

- > Plastic housing;
- > Float switch, height-adjustable;
- > It allows a maximum lift of 9 m.

Technical data

Power	750 W
Maximum flow rate	11000 L/h
Max. immersion depth	7 m
Max. manometric head	9 m
Max. particle size	5 mm
Outlet connection – hose	25 32 mm
Outlet connection – threaded	1" 1/2"
Power cord	10 m
Maximum fluid temperature	35° C
Supply voltage	230 V 50 Hz
IP rating	IPX8
Product weight	3.6 Kg
Product dimensions	150 x 170 x 280 mm
Weight with packaging	4 Kg
Packaging dimensions	220 x 160 x 310 mm
Bar code	5604612725440

Manometric Chart



Packaging content

- > Hose connector.

Accessories P. 91, 92

Clean water

VIBAL550A

Submersible clean water pump

550W




Main features:

- › Stainless steel housing;
- › Float switch, height-adjustable;
- › It allows a maximum lift of 7.5 m.

Technical data

Power	550 W
Maximum flow rate	8500 L/h
Max. immersion depth	7 m
Max. manometric head	7.5 m
Max. particle size	5 mm
Outlet connection – hose	25 32 mm
Outlet connection – threaded	1" 1/2"
Power cord	10 m
Maximum fluid temperature	35° C
Supply voltage	230 V 50 Hz
IP rating	IPX8
Product weight	4 Kg
Product dimensions	150 x 170 x 280 mm
Weight with packaging	4.6 Kg
Packaging dimensions	220 x 165 x 340 mm
Bar code	5604612697150

Manometric Chart



Packaging content

- › Hose connector.

Accessories P. 91, 92

Clean water

VIBSMAL1000

Multistage submersible clean water pump

1000W




Main features:

- › Stainless steel housing;
- › Float switch, height-adjustable;
- › It allows a maximum lift of 40 m;
- › Fitted with 3 impellers.

Technical data

Power	1000 W
Maximum flow rate	6500 L/h
Max. immersion depth	7 m
Max. manometric head	40 m
Max. particle size	1 mm
Outlet connection – threaded	1"
Power cord	10 m
Maximum fluid temperature	35° C
Supply voltage	230 V 50 Hz
IP rating	IPX8
Product weight	9.5 Kg
Product dimensions	150 x 440 x 150 mm
Weight with packaging	10.125 Kg
Packaging dimensions	220 x 200 x 500 mm
Bar code	5604612710439

Manometric Chart



Packaging content

- › Hose connector.

Accessories P. 91, 92

Clean water

VIBSS750

Submersible water pump 750W




Main features:

- > Stainless steel and cast iron housing;
- > Float switch, height-adjustable;
- > It allows a maximum lift of 10 m.

Technical data

Power	750 W
Maximum flow rate	24000 L/h
Max. immersion depth	5 m
Max. manometric head	10 m
Max. particle size	35 mm
Connections	2" / 50 mm
Power cord	6 mS
Maximum fluid temperature	35° C
Supply voltage	230 V 50 Hz
IP rating	IP68
Product weight	17.5 Kg
Product dimensions	240 x 160 x 450 mm
Weight with packaging	19 Kg
Packaging dimensions	280 x 200 x 475 mm
Bar code	5604612654795

Manometric Chart



Packaging content

- > Hose connector.

Accessories P. 91, 92

Dirty water

VIBSS1100

Submersible water pump 1100W




Main features:

- > Stainless steel and cast iron housing;
- > Float switch, height-adjustable;
- > It allows a maximum lift of 13 m.

Technical data

Power	1100 W
Maximum flow rate	30000 L/h
Max. immersion depth	5 m
Max. manometric head	13 m
Max. particle size	35 mm
Connections	2" / 50 mm
Power cord	6 mS
Maximum fluid temperature	35° C
Supply voltage	230 V 50 Hz
IP rating	IP68
Product weight	19.1 Kg
Product dimensions	240 x 160 x 470 mm
Weight with packaging	20.8 Kg
Packaging dimensions	280 x 200 x 490 mm
Bar code	5604612654801

Manometric Chart



Packaging content

- > Hose connector.

Accessories P. 91, 92

Dirty water



VIBSS1500


Submersible water pump 1500W



Main features:

- › Stainless steel and cast iron housing;
- › Float switch, height-adjustable;
- › It allows a maximum lift of 13 m.

Manometric Chart



Packaging content

- › Hose connector.

Accessories P. 91, 92

Technical data

Power	1500 W
Maximum flow rate	36000 L/h
Max. immersion depth	5 m
Max. manometric head	13 m
Max. particle size	35 mm
Connections	2" / 50 mm
Power cord	6 mS
Maximum fluid temperature	35° C
Supply voltage	230 V 50 Hz
IP rating	IP68
Product weight	20.9 Kg
Product dimensions	240 x 160 x 490 mm
Weight with packaging	22.7 Kg
Packaging dimensions	280 x 200 x 515 mm
Bar code	5604612654818

Dirty water

VIBAF750A

Self-priming jet pump 750W



VIBAF1100A

Self-priming jet pump 1100W




Main features:

- › Cast iron housing;
- › Anti-corrosion treatment.

Technical data

Power	750 W
Maximum flow rate	3000 L/h
Max. immersion depth	9 m
Max. manometric head	40 m
Pressure	4 bar
Inlet connection – threaded	1"
Outlet connection – threaded	1"
Maximum fluid temperature	35° C
Supply voltage	230 V 50 Hz
IP rating	IP54
Sound power level (LWA)	70 dB
Product weight	11 Kg
Product dimensions	180 x 410 x 200 mm
Weight with packaging	12 Kg
Packaging dimensions	450 x 210 x 235 mm
Bar code	5604612696696

Manometric Chart



Accessories P. 91, 92

Clean water


Main features:

- › Cast iron housing;
- › Anti-corrosion treatment.

Technical data

Power	1100 W
Maximum flow rate	4800 L/h
Max. immersion depth	9 m
Max. manometric head	55 m
Pressure	5.7 bar
Inlet connection – threaded	1.5"
Outlet connection – threaded	1"
Maximum fluid temperature	35° C
Supply voltage	230 V 50 Hz
IP rating	IP54
Sound power level (LWA)	75 dB
Product weight	24.5 Kg
Product dimensions	200 x 500 x 245 mm
Weight with packaging	26 Kg
Packaging dimensions	550 x 250 x 290 mm
Bar code	5604612696702

Manometric Chart



Accessories P. 91, 92

Clean water



VIBAF1500A




Self-priming jet pump 1500W



Main features:

- > Cast iron housing;
- > Anti-corrosion treatment.

Manometric Chart



Accessories P. 91, 92

Technical data

Power	1500 W
Maximum flow rate	7800 L/h
Max. immersion depth	9 m
Max. manometric head	51 m
Pressure	5.1 bar
Inlet connection – threaded	1.5"
Outlet connection – threaded	1"
Maximum fluid temperature	35° C
Supply voltage	230 V 50 Hz
IP rating	IP54
Sound power level (LWA)	77 dB
Product weight	26 Kg
Product dimensions	200 x 500 x 245 mm
Weight with packaging	28 Kg
Packaging dimensions	550 x 250 x 290 mm
Bar code	5604612696719

Clean water

VIBCM900

Multistage centrifugal pump 900W




Main features:

- › Stainless steel and cast iron housing;
- › Anti-corrosion treatment;
- › Fitted with 3 impellers.

Technical data

Power	900 W
Maximum flow rate	5400 L/h
Max. immersion depth	8 m
Max. manometric head	36 m
Inlet connection – threaded	1"
Outlet connection – threaded	1"
Maximum fluid temperature	35° C
Supply voltage	230 V 50 Hz
IP rating	IPX4
Sound power level (LWA)	86 dB
Product weight	12.3 Kg
Product dimensions	175 x 390 x 185 mm
Weight with packaging	13 Kg
Packaging dimensions	421 x 206 x 229 mm
Bar code	5604612645670

Manometric Chart



Accessories P. 91, 92

Clean water

VIBCM1100

Multistage centrifugal pump 1100W




Main features:

- › Stainless steel and cast iron housing;
- › Anti-corrosion treatment;
- › Fitted with 4 impellers.

Technical data

Power	1100 W
Maximum flow rate	5400 L/h
Max. immersion depth	8 m
Max. manometric head	48 m
Inlet connection – threaded	1"
Outlet connection – threaded	1"
Maximum fluid temperature	35° C
Supply voltage	230 V 50 Hz
IP rating	IPX4
Sound power level (LWA)	86 dB
Product weight	13 Kg
Product dimensions	175 x 410 x 185 mm
Weight with packaging	14 Kg
Packaging dimensions	449 x 220 x 270 mm
Bar code	5604612642204

Manometric Chart



Accessories P. 91, 92

Clean water

VIBTI800A

Stainless steel garden jet pump 800W




Main features:

- › Stainless steel housing;
- › Anti-corrosion treatment;
- › Water drain plug;
- › Water filler cap;
- › Ergonomic and easy-to-carry handle.

Technical data

Power	800 W
Maximum flow rate	3000 L/h
Max. immersion depth	8 m
Max. manometric head	40 m
Connections	1" – 25 mm
Max. particle size	1 mm
Maximum fluid temperature	35° C
Supply voltage	230 V 50 Hz
Power cord	1.2 m
IP rating	IPX4
Product weight	5.8 Kg
Product dimensions	170 x 330 x 260 mm
Weight with packaging	6.4 Kg
Packaging dimensions	380 x 250 x 275 mm
Bar code	5604612697204

Manometric Chart



Accessories P. 91, 92

Clean water

VIGP800

Booster pump 800W




Main features:

- › Stainless steel housing;
- › Anti-corrosion treatment;
- › Water drain plug;
- › Water filler cap;
- › Stainless steel connecting hose;
- › Membrane tank.

Technical data

Power	800 W
Maximum flow rate	3200 L/h
Max. immersion depth	8 m
Max. manometric head	38 m
Pressure	1.5~3.8 bar
Tank capacity	24 L
Connections	1"
Maximum fluid temperature	35° C
Supply voltage	230 V 50 Hz
IP rating	IPX8
Sound power level (LWA)	86 dB
Product weight	11.7 Kg
Product dimensions	265 x 500 x 560 mm
Weight with packaging	13.4 Kg
Packaging dimensions	525 x 300 x 570 mm
Bar code	5604612645687

Manometric Chart



Accessories P. 91, 92

Clean water

VIMB12TA

Petrol water pump 1"



Main features:

- > Compact and easy to carry;
- > Rubber feet.

Technical data

Engine	2-stroke combustion
Engine power	1.5 hp / 1.1 kW
Engine displacement	43 cc
Rotational speed	7000 rpm
Suction depth	8 m
Maximum pumping head	30 m
Fuel	Mixture 1:40
Fuel tank	1 L
Autonomy	1.5 h
Maximum flow rate	6500 L/h
Outlet connection	1" / 25 mm
Sound power level (LWA)	89.7 dB
Product weight	7.5 Kg
Product dimensions	290 x 390 x 345 mm
Weight with packaging	8.8 Kg
Packaging dimensions	405 x 310 x 350 mm
Bar code	5604612684396



Accessories

Packaging content

- > Filter;
- > Spark plug wrench;
- > Hose couplings with seals (2);
- > Clamps (x3);
- > Fuel mixing bottle.

Accessories P. 91, 92

Clean water

VIMB15A

Petrol water pump 1.5"



Main features:

- > Metal structure for protection and transport;
- > Rubber feet.

Technical data

Engine	4-stroke combustion
Engine power	3 hp / 2.2 kW
Engine displacement	105 cc
Rotational speed	3600 rpm
Suction depth	6 m
Maximum pumping head	20 m
Fuel	Petrol
Fuel tank	1.4 L
Autonomy	2 h
Maximum flow rate	10000 L/h
Outlet connection	1.5" / 40 mm
Sound power level (LWA)	110 dB
Product weight	15 Kg
Product dimensions	420 x 320 x 330 mm
Weight with packaging	16.7 Kg
Packaging dimensions	430 x 350 x 365 mm
Bar code	5604612697563



ON/OFF switch



Accessories

Packaging content

- > Filter;
- > Spark plug wrench;
- > Hose couplings with seals (2);
- > Clamps (x3).

Accessories P. 91, 92

Clean water



VIMB2LA

Petrol water pump 2"



Main features:


- > Metal structure for protection and transport;
- > Rubber feet.

Technical data

Engine	4-stroke combustion
Engine power	5.5 hp / 4.1 kW
Engine displacement	163 cc
Rotational speed	3600 rpm
Suction depth	8 m
Maximum pumping head	26 m
Fuel	Petrol
Fuel tank	3.6 L
Autonomy	3 h
Maximum flow rate	30000 L/h
Outlet connection	2" / 50 mm
Sound power level (LWA)	98.4 dB
Product weight	21.6 Kg
Product dimensions	470 x 370 x 390 mm
Weight with packaging	23.5 Kg
Packaging dimensions	480 x 390 x 400 mm
Bar code	5604612684402



ON/OFF switch



Accessories

Packaging content

- > Filter;
- > Spark plug wrench;
- > Hose couplings with seals (2);
- > Clamps (x3).

Accessories P. 91, 92

Clean water

VIMBD2A

Diesel water pump 2"



Main features:

- > Metal structure for protection and transport;
- > Rubber feet;
- > Silent blocks.

Technical data

Engine	Diesel
Engine power	5 hp / 3.7 kW
Engine displacement	246 cc
Rotational speed	3600 rpm
Suction depth	7 m
Maximum pumping head	30 m
Fuel	Diesel
Fuel tank	13 L
Autonomy	13 h
Maximum flow rate	30000 L/h
Outlet connection	2" / 50 mm
Sound power level (LWA)	103 dB
Product weight	54 Kg
Product dimensions	570 x 520 x 650 mm
Weight with packaging	57 Kg
Packaging dimensions	585 x 540 x 675 mm
Bar code	5604612670856



Electric start



Silent blocks



Accessories

Packaging content

- > Filter;
- > Spark plug wrench;
- > Clamps (x3);
- > Tool kit.

Accessories P. 91, 92

Clean water


VIMBD3A

Diesel water pump
3"**Main features:**

- › Metal structure for protection and transport;
- › Rubber feet;
- › Silent blocks.

Technical data

Engine	Diesel
Engine power	5 hp / 3.7 kW
Engine displacement	246 cc
Rotational speed	3600 rpm
Suction depth	7 m
Maximum pumping head	21 m
Fuel	Diesel
Fuel tank	13 L
Autonomy	11 h
Maximum flow rate	52000 L/h
Outlet connection	3" / 80 mm
Sound power level (LWA)	105 dB
Product weight	57 Kg
Product dimensions	570 x 520 x 650 mm
Weight with packaging	60 Kg
Packaging dimensions	585 x 540 x 675 mm
Bar code	5604612670863



Electric start



Silent blocks



Accessories

Packaging content

- › Filter;
- › Spark plug wrench;
- › Clamps (x3);
- › Tool kit.

Accessories P. 91, 92

Clean water

VIMBD4A

Diesel water pump
4"**Main features:**

- › Metal structure for protection and transport;
- › Rubber feet;
- › Silent blocks.

Technical data

Engine	Diesel
Engine power	9 hp / 6.7 kW
Engine displacement	418 cc
Rotational speed	3600 rpm
Suction depth	7 m
Maximum pumping head	25 m
Fuel	Diesel
Fuel tank	13 L
Autonomy	7.5 h
Maximum flow rate	70000 L/h
Outlet connection	4" / 100 mm
Sound power level (LWA)	107 dB
Product weight	81.6 Kg
Product dimensions	700 x 540 x 740 mm
Weight with packaging	85 Kg
Packaging dimensions	585 x 540 x 675 mm
Bar code	5604612670870



Electric start



Silent blocks



Accessories

Packaging content

- › Filter;
- › Spark plug wrench;
- › Clamps (x3);
- › Tool kit.

Accessories P. 91, 92

Clean water

VIIP1500

Pressure switch for jet pump 1500W **NEW**



Main features:

- › Electronic control system;
- › Suitable for both domestic and professional settings;
- › Efficient start-up and shutdown control;
- › Protection against dry running;
- › Compatible with: VIBAF750A, VIBAF1100A and VIBAF1500A.

Technical data

Maximum power	1500 W
Minimum pressure	1.5 bar / 1 MPa
Maximum pressure	10 bar
Inlet connection – threaded	1"
Outlet connection – threaded	1"
Rated current	10
Maximum fluid temperature	60° C
Supply voltage	230 V 50 Hz
IP rating	IP65
Product weight	1 Kg
Product dimensions	165 x 145 x 175 mm
Weight with packaging	1.08 Kg
Packaging dimensions	145 x 145 x 185 mm
Bar code	5604612765613

Clean water

VIIPD2200

Digital pressure switch for jet pump 2200W **NEW**



Main features:

- › Electronic control system;
- › 3 operating modes: manual mode, automatic mode and programmed mode;
- › Digital display ensuring easy and quick reading;
- › Digital control of start-up and stop pressures;
- › Protection against dry running;
- › Compatible with: VIBAF750A, VIBAF1100A and VIBAF1500A.

Technical data

Maximum power	2200 W
Minimum pressure	1.5 bar / 1 MPa
Maximum pressure	10 bar
Rated current	10 A
Inlet connection – threaded	1"
Outlet connection – threaded	1"
Maximum fluid temperature	60° C
Supply voltage	230 V 50 Hz
IP rating	IP65
Product weight	1 Kg
Product dimensions	170 x 145 x 170 mm
Weight with packaging	1.2 Kg
Packaging dimensions	160 x 170 x 180 mm
Bar code	5604612765620

Clean water

Accessories for water pumps



VIDF24



VIDI24



VIDV24



VIDV50



VIMBD24

Reference	Description		Ean
VIDF24	Membrane pressure tank – 24 L	1	5604612648954
VIDI24	Stainless steel membrane pressure tank – 24 L	1	5604612648961
VIDV24	Vertical membrane pressure tank – 24 L	1	5604612648930
VIDV50	Vertical membrane pressure tank – 50 L	1	5604612648947
VIMBD24	Rubber membrane for pressure tank – 24 L	1	5604612648978



VIMBD50



VIBB15



VIBB3



VIBB5



VIPBM

Reference	Description		Ean
VIMBD50	Rubber membrane for pressure tank – 50 L	1	5604612648985
VIBB15	Float switch with counterweight – 1.5 m	30	5604612649005
VIBB3	Float switch with counterweight – 3 m	30	5604612649012
VIBB5	Float switch with counterweight – 5 m	30	5604612649029
VIPBM	Pressure switch for water pump – 1/4"	1	5604612648992



VIMBM



VIB100



VIFRA1



VIFAPP



VIFAPG

Reference	Description	Ø		Ean
VIMBM	Pressure gauge for water pump	1/4" 6 mm	1	5604612649036
VIB100	Hose – 50 cm	1/4" 6 mm	1	5604612649043
VIFRA1	Check valve with stainless steel filter	1" 25 mm	1	5604612649074
VIFAPP	Small filter – 1 L	1" 25 mm	1	5604612649104
VIFAPG	Large filter – 2 L	1" 25 mm	1	5604612649111



VIRFP



VIRFG



VIT3



VIT5

Reference	Description	Ø		Ean
VIRFP	Replacement cartridge for small filter – 1 L	1" 25 mm	1	5604612649128
VIRFG	Replacement cartridge for large filter – 2 L	1" 25 mm	1	5604612649135
VIT3	3-way connector	1.25" x 3	1	5604612649050
VIT5	5-way connector	1.25" x 3 / 0.5" x 2	1	5604612649067

Suction hose with non-return valve



Features:

> Ideal for domestic and agricultural water supply systems, as well as for drawing water from wells, cisterns and other groundwater sources.

Reference	Dim.	Ø		Ean
VIP9	9 m	1" 25.4 mm	1	5604612649098

Suction hose



Features:

> Material: PVC;
> High resistance to negative pressure.

Reference	Dim.	Ø		Ean
VIMS257	7 m	25 mm	1	5604612690892
VIMS387	7 m	38 mm	1	5604612724627
VIMS427	7 m	42 mm	1	5604612690908
VIMS537	7 m	53 mm	1	5604612690915
VIMS507	7 m	50 mm	1	5604612724634
VIMS1007	7 m	100 mm	1	5604612694449
VIMS25	50 m	25 mm	1	5604612649265
VIMS35	50 m	35 mm	1	5604612650896
VIMS38MM	50 m	38 mm	1	5604612724641
VIMS42	50 m	42 mm	1	5604612650902
VIMS50	50 m	50 mm	1	5604612665395
VIMS53	50 m	53 mm	1	5604612649241
VIMS78	50 m	78 mm	1	5604612649258
VIMS100	50 m	100 mm	1	5604612649234

Discharge hose for water pump



Features:

> Ideal for water supply systems used in agriculture, gardening and the construction industry.

Reference	Dim.	Ø		Ean
VIMSB2525	25 m	25 mm	1	5604612690861
VIMSB4025	25 m	40 mm	1	5604612690878
VIMSB5525	25 m	55 mm	1	5604612690885
VIMSB25	50 m	25 mm	1	5604612649289
VIMSB40	50 m	40 mm	1	5604612650872
VIMSB45	50 m	45 mm	1	5604612650889
VIMSB55	50 m	55 mm	1	5604612649296
VIMSB76	50 m	76 mm	1	5604612649302
VIMSB102	50 m	102 mm	1	5604612649272

SPRAYING



VIPU1K

Sprayer 1L




Main features:

- › Suitable for cleaning and disinfection;
- › Ideal for spraying plants;
- › Adjustable jet and spray;
- › Nebuliser.

Technical data

Useful capacity	1 L
Maximum range	1 m
Material	Plastic
Product weight	0.11 Kg
Product dimensions	120 x 280 mm
Bar code	5604612656478



Jet and spray function

VIPU1,5

Sprayer 1.5L



Main features:


- › Suitable for use with pesticides, fertilisers and cleaning products;
- › Safety valve with a maximum pressure of 2 bar;
- › Position brake;
- › Adjustable jet and spray;
- › Nebuliser.

Technical data

Useful capacity	1.5 L
Maximum range	1 m
Material	Plastic
Product weight	0.3 Kg
Product dimensions	190 x 320 mm
Bar code	5604612014728



Safety valve



Jet and spray function

Accessories P. 104

VIPU5

Sprayer
5L

VIPU8

Sprayer
8L**Main features:**

- › Suitable for use with pesticides, fertilisers and cleaning products;
- › Safety valve with a maximum pressure of 3 bar;
- › Position brake;
- › Adjustable jet and spray;
- › Adjustable strap.

Technical data


Useful capacity	5 L
Hose	1.2 m
Lance	0.6 m
Material	Plastic
Product weight	1 Kg
Product dimensions	180 x 430 mm
Weight with packaging	1.3 Kg
Packaging dimensions	185 x 180 x 430 mm
Bar code	5604612014438

Main features:


- › Suitable for use with pesticides, fertilisers and cleaning products;
- › Safety valve with a maximum pressure of 3 bar;
- › Position brake;
- › Adjustable jet and spray;
- › Adjustable strap.

Technical data

Useful capacity	8 L
Hose	1.2 m
Lance	0.6 m
Material	Plastic
Product weight	1.45 Kg
Product dimensions	180 x 550 mm
Weight with packaging	1.7 Kg
Packaging dimensions	190 x 180 x 560 mm
Bar code	5604612014445



Safety valve




Jet and spray function


Packaging content

- › Elbow for sprayer;
- › Lance;
- › Hose;
- › Carrying strap.

Accessories P. 104 to 106



Safety valve



Jet and spray function

Packaging content

- › Elbow for sprayer;
- › Lance;
- › Hose;
- › Carrying strap.

Accessories P. 104 to 106



VIPU12K

Sprayer 12L



VIPU12

Sprayer 12L



Main features:

- › Suitable for large agricultural and garden areas;
- › Adjustable back straps;
- › Adjustable jet, flat, fan and spray;
- › Position brake.

Technical data

Useful capacity	12 L
Max. range	2.5 m
Hose	1.2 m
Lance	0.6 m
Material	Plastic
Number of nozzles	1
Product weight	2.9 Kg
Product dimensions	320 x 550 x 135 mm
Weight with packaging	3.6 Kg
Packaging dimensions	430 x 165 x 585 mm
Bar code	5604612636920



Trigger lock



Spray nozzles

Packaging content

- › Spray nozzle (x3);
- › Lance;
- › Hose;
- › Carrying strap.

Accessories P. 104 to 106

Main features:

- › Suitable for agricultural use;
- › High-flow spray gun;
- › Adjustable jet and spray.

Technical data

Useful capacity	12 L
Max. range	2 m
Hose	1.2 m
Lance	0.6 m
Material	Plastic
Number of nozzles	1
Product weight	2 Kg
Product dimensions	285 x 470 x 160 mm
Weight with packaging	2.4 Kg
Packaging dimensions	295 x 200 x 510 mm
Bar code	5604612034375



Lance with pump

Packaging content

- › Spray nozzle;
- › Lance;
- › Hose;
- › Carrying strap.

Accessories P. 104 to 106

VIPU16

Sprayer 16L



Main features:


- > Suitable for large agricultural and garden areas;
- > Adjustable back straps;
- > Adjustable jet, flat, fan and spray;
- > Position brake.

Technical data

Useful capacity	16 L
Max. range	2.5 m
Hose	1.2 m
Lance	0.6 m
Material	Plastic
Number of nozzles	4
Product weight	3.2 Kg
Product dimensions	350 x 580 x 170 mm
Weight with packaging	3.8 Kg
Packaging dimensions	425 x 200 x 580 mm
Bar code	5604612034344



Trigger lock



Spray nozzles

Packaging content

- > Spray nozzles (x3);
- > Lance;
- > Hose;
- > Carrying straps (x2).

Accessories P. 104 to 106

VIPU16BB1

Battery-powered sprayer 16L



Main features:

- > Suitable for large agricultural and garden areas;
- > Adjustable back straps;
- > Adjustable jet, flat, fan and spray;
- > Stainless steel lance (extends from 60 to 100 cm).

Technical data


Useful capacity	16 L
Pressure	5.5 – 6 bar
Max. liquid flow rate	4.5 L/min
Battery	12V – 8Ah
Charging autonomy	3 h
Charging time	8 h
Number of nozzles	4
Hose	1.2 m
Extendable lance	60 – 100 cm
Product weight	5 Kg
Product dimensions	480 x 200 x 410 mm
Weight with packaging	6 Kg
Packaging dimensions	415 x 220 x 510 mm
Bar code	5604612726102



Voltage regulator



Trigger lock



Spray nozzles

Packaging content

- > Spray nozzles (x4);
- > Extendable stainless steel lance;
- > Hose;
- > Carrying straps CONFORT PLUS (x2);
- > Charger.

Accessories P. 104 to 106

VIPU16BC1

Lithium-ion battery-powered sprayer

16L




Main features:

- › Suitable for large agricultural and garden areas;
- › Lithium battery 12 V – 8Ah;
- › Super lightweight (3.7 Kg);
- › Adjustable back straps CONFORT PLUS;
- › Stainless steel lance (extends from 60 to 100 cm).

Technical data

Useful capacity	16 L
Pressure	5.5 – 6 bar
Max. liquid flow rate	4.5 L/min
Battery	12 V – 8 Ah
Charging autonomy	3 h
Charging time	8 h
Number of nozzles	4
Hose	1.2 m
Extendable lance	60 – 100 cm
Product weight	3.7 Kg
Product dimensions	410 x 220 x 510 mm
Weight with packaging	4.8 Kg
Packaging dimensions	415 x 220 x 510 mm
Bar code	5604612726119



Straps CONFORT PLUS



Voltage regulator



Trigger lock

Packaging content

- › Spray nozzles (x4);
- › Extendable lance;
- › Hose;
- › Carrying straps CONFORT PLUS (x2);
- › Charger.

Accessories P. 104 to 106

VIAT43

Mist duster

43cc **NEW**



Main features:


- › Suitable for agricultural, forestry or gardening environments;
- › Spray regulator: adjustment of spray intensity;
- › Can be used with powder or liquid;
- › Throttle integrated into the equipment's hose;
- › Anti-vibration system.

Technical data


Engine	2-stroke combustion
Power	1.6 hp / 1.2 kW
Engine displacement	43 cc
Useful capacity	14 L
No-load rotational speed	7000 rpm
Fuel	Mixture 1:30
Fuel tank	1.0 L
Max. liquid flow rate	2.3 L/min
Dust flow rate	6 Kg/min
Max. range (horizontal)	12 m
Max. range (vertical)	7 – 8 m
Sound power level (LWA)	108 dB
Product weight	11.2 Kg
Product dimensions	440 x 350 x 640 mm
Weight with packaging	12.8 Kg
Packaging dimensions	440 x 360 x 660 mm
Bar code	5604612768898



Carrying straps



Liquid sprayer



Set of tubes

Packaging content

- › Set of tubes;
- › Sprinkler;
- › Metal discharge chain;
- › Tool kit.



VIPU5FM

FLORUS

Manual Florus sprayer

5L **NEW**



VIPU8FM

FLORUS

Manual Florus sprayer

8L **NEW**



Main features:

- > Suitable for use with pesticides, fertilisers and cleaning products;
- > Safety valve with a maximum pressure of 3 bar;
- > Position brake;
- > Adjustable jet and spray;
- > Adjustable strap.

Technical data

Useful capacity	5 L
Hose	1.2 m
Lance	0.6 m
Material	Plastic
Product weight	1.3 Kg
Product dimensions	210 x 200 x 400 mm
Weight with packaging	1.6 Kg
Packaging dimensions	220 x 220 x 400 mm
Bar code	5604612775438

Packaging content

- > Elbow for sprayer;
- > Lance;
- > Hose;
- > Carrying strap.

Accessories P. 104 to 106

Main features:

- > Suitable for use with pesticides, fertilisers and cleaning products;
- > Safety valve with a maximum pressure of 3 bar;
- > Position brake;
- > Adjustable jet and spray;
- > Adjustable strap.

Technical data

Useful capacity	8 L
Hose	1.2 m
Lance	0.6 m
Material	Plastic
Product weight	1.8 Kg
Product dimensions	210 x 200 x 520 mm
Weight with packaging	2.1 Kg
Packaging dimensions	220 x 220 x 530 mm
Bar code	5604612775445

Packaging content

- > Elbow for sprayer;
- > Lance;
- > Hose;
- > Carrying strap.

Accessories P. 104 to 106

VIPU16FM

Manual Florus sprayer

16L **NEW**



FLORUS



Main features:

- > Suitable for large agricultural and garden areas;
- > Padded, adjustable shoulder straps;
- > Adjustable jet, flat, fan and spray;
- > Position brake.

Technical data


Useful capacity	16 L
Max. range	2.5 m
Hose	1.2 m
Material	Plastic
Number of nozzles	4
Extendable lance	60 – 100 cm
Product weight	3.3 Kg
Product dimensions	350 x 210 x 530 mm
Weight with packaging	4 Kg
Packaging dimensions	370 x 230 x 550 mm
Bar code	5604612775452



Adjustable padded straps



Lumbar support



Accessories

Packaging content

- > Spray nozzles (x3);
- > Telescopic stainless steel lance;
- > Hose;
- > Adjustable padded straps (x2).

Accessories P. 104 to 106

VIPU16FB

Battery-powered Florus sprayer

16L **NEW**



FLORUS



Main features:

- > Suitable for large agricultural and garden areas;
- > Adjustable, ergonomic straps with a front buckle;
- > Adjustable jet, flat, fan and spray;
- > Stainless steel lance (extends from 70 to 120 cm).

Technical data

Useful capacity	16 L
Pressure	5.5 – 6 bar
Max. liquid flow rate	4.5 L/min
Battery	12V – 8Ah
Charging autonomy	3 h
Charging time	8 h
Number of nozzles	4
Hose	1.2 m
Extendable lance	70 – 120 cm
Product weight	5.2 Kg
Product dimensions	350 x 210 x 520 mm
Weight with packaging	6.1 Kg
Packaging dimensions	380 x 230 x 530 mm
Bar code	5604612775469



Adjustable straps with buckle



Lumbar support



Stainless steel lance

Packaging content

- > Spray nozzles (x5);
- > Fully extendable stainless steel lance;
- > Hose;
- > Carrying straps CONFORT PLUS with front buckle (x2);
- > Charger.

Accessories P. 104 to 106



VIPU16FBL

Lithium-ion battery-powered Florus sprayer 16L **NEW**



FLORUS



Main features:

- › Suitable for large agricultural and garden areas;
- › Adjustable, ergonomic straps with a front buckle;
- › Adjustable jet, flat, fan and spray;
- › Stainless steel lance (extends from 70 to 120 cm).



Adjustable straps
with buckle



Lumbar support



Stainless steel lance

Technical data

Useful capacity	16 L
Pressure	5.5 – 6 bar
Max. liquid flow rate	4.5 L/min
Battery	12V – 8Ah
Charging autonomy	3 h
Charging time	8 h
Number of nozzles	4
Hose	1.2 m
Extendable lance	70 – 120 cm
Product weight	3.8 Kg
Product dimensions	350 x 210 x 520 mm
Weight with packaging	4.8 Kg
Packaging dimensions	380 x 230 x 530 mm
Bar code	5604612775476

Packaging content

- › Spray nozzles (x5);
- › Fully extendable stainless steel lance;
- › Hose;
- › Carrying straps CONFORT PLUS with front buckle (x2);
- › Charger.

Accessories P. 104 to 106

Accessories for sprayers



VIPUB1.5BL



VIPUBLBL



VIPU16BPLABL



VIPU16BPIABL



VIPU16BP8BL

Reference	Description	Compatible with		Ean
VIPUB1.5BL	Nozzle for sprayer – Blister	VIPU1.5	1	5604612677473
VIPUBLBL	Flat fan nozzle for sprayer – Blister	VIPU5 / VIPU8 / VIPU5FM / VIPU8FM	1	5604612748425
VIPU16BPLABL	Brass nozzle for battery-powered sprayer – Blister NEW	Universal	1	5604612739560
VIPU16BPIABL	Adjustable stainless steel nozzle for battery-powered sprayer – Blister NEW	Universal	1	5604612778866
VIPU16BP8BL	8-hole nozzle for battery-powered sprayer – Blister NEW	VIPU16BB1 / VIPU16BC1 / VIPU16FB / VIPU16FBL	1	5604612739607



VIPU16BPLBL



VIPU16BPABL



VIPU16BP3BBL



VIPUV58BL



VIPUC58BL

Reference	Description	Compatible with		Ean
VIPU16BPLBL	Flat jet nozzle for battery-powered sprayer – Blister NEW	VIPU16BB1 / VIPU16BC1 / VIPU16FB / VIPU16FBL	1	5604612739584
VIPU16BPABL	Adjustable nozzle for battery-powered sprayer – Blister NEW	VIPU16BB1 / VIPU16BC1 / VIPU16FB / VIPU16FBL	1	5604612739492
VIPU16BP3BBL	3-way nozzle for battery-powered sprayer – Blister NEW	VIPU16BB1 / VIPU16BC1 / VIPU16FB / VIPU16FBL	1	5604612739591
VIPUV58BL	Pressure relief valve for sprayer – Blister	VIPU5 / VIPU8 / VIPU5FM / VIPU8FM	1	5604612677503
VIPUC58BL	Set of 2 elbow nozzles for sprayer – Blister	VIPU5 / VIPU8 / VIPU5FM / VIPU8FM	1	5604612677336



VIPUCO10BL



VIPUP016BABL



VIPU16KRBL



VIPUKR1216BL

Reference	Description	Compatible with		Ean
VIPUCO10BL	Set of 10 O-rings for sprayer – Blister	VIPU12	1	5604612739409
VIPUP016BABL	Set of 4 nozzles for battery-powered sprayer – Blister	VIPU16BB1 / VIPU16BC1 / VIPU16FB / VIPU16FBL	1	5604612739492
VIPU16KRBL	Service kit for sprayer – Blister	VIPU16 / VIPU16FM	1	5604612677374
VIPUKR1216BL	Service kit for sprayer – Blister NEW	VIPU12K / VIPU16 / VIPU16FM	1	5604612739430



VIPUMA12BL



VIPUMA12KBL



VIPUMA16BL



VIPUF16BABL



VIPUFD16BABL

Reference	Description	Compatible with		Ean
VIPUMA12BL	Filter for sprayer – Blister	VIPU12	1	5604612677350
VIPUMA12KBL	Filter for sprayer – Blister NEW	VIPU12K / VIPU16FM / VIPU16FB / VIPU16FBL	1	5604612739416
VIPUMA16BL	Filter for sprayer – Blister	VIPU16 / VIPU16FM	1	5604612677367
VIPUF16BABL	Filter for sprayer – Blister NEW	VIPU16BB1 / VIPU16BC1 / VIPU16FB / VIPU16FBL	1	5604612750466
VIPUFD16BABL	Tank filter for battery-powered sprayer – Blister NEW	VIPU16BB1 / VIPU16BC1 / VIPU16FB / VIPU16FBL	1	5604612739669



VIPUT12BL



VIPUT12KBL



VIPUT16BL



VIPUT16FBL



VIPUME58BL

Reference	Description	Compatible with		Ean
VIPUT12BL	Lid for sprayer – Blister	VIPU12	1	5604612677480
VIPUT12KBL	Lid for sprayer – Blister NEW	VIPU12K	1	5604612739423
VIPUT16BL	Lid for sprayer – Blister	VIPU16 / VIPU16BB1 / VIPU16BC1	1	5604612677497
VIPUT16FBL	Lid for Florus sprayer – Blister NEW	VIPU16FM / VIPU16FB / VIPU16FBL	1	5604612778897
VIPUME58BL	Pump membrane for sprayer – Blister NEW	VIPU5 / VIPU8	1	5604612750473



VIPUVB1216BL



VIPUB58BL



VIPUB1216BL



VIPUB16FMBL

Reference	Description	Compatible with	Dim.		Ean
VIPUVB1216BL	Sprayer pump gasket – Blister	VIPU12K / VIPU16	-	1	5604612739447
VIPUB58BL	Pump for sprayer – Blister	VIPU5 / VIPU8	360 x 60 mm	1	5604612677312
VIPUB1216BL	Pump for sprayer – Blister NEW	VIPU12K / VIPU16	430 x 85 mm	1	5604612739454
VIPUB16FMBL	Stainless steel pump for Florus sprayer – Blister NEW	VIPU16FM	500 x 85 mm	1	5604612778903



VIPUP58BL



VIPUP1216BL



VIPUP16BA



VIPUPFBL



VIPU16FMAABL

Reference	Description	Compatible with	Dim.		Ean
VIPUP58BL	Trigger handle for sprayer – Blister	VIPU5 / VIPU8 / VIPU5FM / VIPU8FM	180 mm	1	5604612677459
VIPUP1216BL	Trigger handle for sprayer – Blister NEW	VIPU12K / VIPU16 / VIPU16BB1 / VIPU16BC1	180 mm	1	5604612739461
VIPUP16BA	Trigger handle for battery-powered sprayer – Blister	VIPU16BB1 / VIPU16BC1 / VIPU16FB / VIPU16FBL	205 mm	1	5604612673048
VIPUPFBL	Trigger handle for Florus sprayer – Blister NEW	VIPU5FM / 8FM / 16FM / 16FB / 16FBL	180 mm	1	5604612778910
VIPU16FMAABL	Ambidextrous lever – Blister NEW	VIPU16FM	-	1	5604612778880



VIPUC229BL



VIPUC3512BL



VIPUA16BABL



VIPUA16FBBL



VIPUGA16BABL

Reference	Description	Compatible with		Ean
VIPUC229BL	Conical spray shield – 220 x 90 mm – Blister	Universal	1	5604612739645
VIPUC3512BL	Conical spray shield – 350 x 120 mm – Blister	Universal	1	5604612739652
VIPUA16BABL	Straps for battery-powered sprayer – Blister	VIPU12K / VIPU16 / VIPU16BB1 / VIPU16BC1	1	5604612739638
VIPUA16FBBL	Straps for battery-powered Florus sprayer – Blister NEW	VIPU16FB / VIPU16FBL	1	5604612778927
VIPUGA16BABL	Plastic hook for sprayer shoulder strap – Blister NEW	VIPU12K / 16 / 16BB1 / 16BC1 / 16FM / 16FB / 16FBL	1	5604612739553



VIPUB16BABL



VIPUB16BCBL



VIPUC16BABL



VIPUC16BCBL

Reference	Description	Compatible with		Ean
VIPUB16BABL	Battery for sprayer 12V – 8Ah NEW	VIPU16BB1 / VIPU16FB	1	5604612739515
VIPUB16BCBL	Lithium battery for sprayer 12V – 8Ah NEW	VIPU16BC1 / VIPU16FBL	1	5604612739539
VIPUC16BABL	Charger for battery-powered sprayer 12V – Blister NEW	VIPU16BB1 / VIPU16FB	1	5604612739522
VIPUC16BCBL	Charger for lithium battery-powered sprayer 12V NEW	VIPU16BC1 / VIPU16FBL	1	5604612739546



VIPUM58BL



VIPUM12BL



VIPUM1216BL



VIPUM16BABL



VIPU16BM5BL

Reference	Description	Compatible with	Dim.		Ean
VIPUM58BL	Hose for sprayer – Blister	VIPU5 / VIPU8 / VIPU5FM / VIPU8FM	1425 x 25 mm	1	5604612677428
VIPUM12BL	Hose for sprayer – Blister	VIPU12	1500 x 10 mm	1	5604612677435
VIPUM1216BL	Hose for sprayer – Blister	VIPU12K / VIPU16 / VIPU16FM	1500 x 22 mm	1	5604612739478
VIPUM16BABL	Hose for battery-powered sprayer – Blister	VIPU16BB1 / 16BC1 / 16FB / 16FBL	1200 x 23 mm	1	5604612739508
VIPU16BM5BL	Hose for battery-powered sprayer – Blister NEW	VIPU16BB1 / 16BC1 / 16FB / 16FBL	5000 x 23 mm	1	5604612739614



VIPUL58BL




VIPULC12BL



VIPUL1216BL

Reference	Description	Compatible with	Dim.		Ean
VIPUL58BL	Complete lance for sprayer – Blister	VIPU5 / VIPU8	430 mm	1	5604612677381
VIPULC12BL	Complete lance for sprayer – Blister	VIPU12	530 mm	1	5604612677398
VIPUL1216BL	Complete lance for sprayer – Blister NEW	VIPU12K / VIPU16	710 mm	1	5604612739485



VIPUL16BBBL



VIPU16BLBL



VIPU16FBLIBL

Reference	Description	Compatible with	Dim.		Ean
VIPUL16BBBL	Complete lance for battery-powered sprayer – Blister	VIPU16BB1 / 16BC1 / 5FM / 8FM / 16FM	51 – 91 cm	1	5604612677411
VIPU16BLBL	Telescopic stainless steel lance for sprayer – Blister NEW	VIPU16BB1 / 16BC1 / 5FM / 8FM / 16FM	147 – 270 cm	1	5604612739621
VIPU16FBLIBL	Telescopic stainless steel plus lance for sprayer – Blister NEW	VIPU5FM / 8FM / 16FM / 16FB / 16FBL	72 – 120 cm	1	5604612778934

HAND TOOLS






Portuguese hoe

Features:

> Tempered steel.



Reference	No.	A x B	Ø Eye	Handle		Ean
VI1172	00000	100 x 120 mm	32 mm	VI4058	6	5604612098919
VI1171	0000	110 x 120 mm	32 mm	VI4058	6	5604612096243
VI1170	000	120 x 125 mm	32 mm	VI4058	6	5604612006297
VI1160	00	130 x 140 mm	32 mm	VI4058	6	5604612006303
VI1155	0	140 x 145 mm	32 mm	VI4058	6	5604612006310
VI1175	1	155 x 165 mm	31 mm	VI4055/56	6	5604612006259
VI1180	1.5	165 x 175 mm	36 mm	VI4055/56	6	5604612006266
VI1185	2	185 x 195 mm	37 mm	VI4015	6	5604612006273
VI1190	2.5	200 x 210 mm	36 mm	VI4015	6	5604612006280
VI1195	3	205 x 215 mm	37 mm	VI4015	6	5604612015022
VI1200	3.5	225 x 235 mm	38 mm	VI4015	6	5604612028824

Cancela hoe

Features:

> Tempered steel.



Reference	No.	A x B	Ø Eye	Handle		Ean
VI0430	000	90 x 150 mm	34 mm	VI4055	6	5604612104443
VI0431	00	110 x 170 mm	34 mm	VI4055	6	5604612104412
VI0432	0	130 x 185 mm	34 mm	VI4055	6	5604612104429
VI0433	1	145 x 200 mm	39 mm	VI4055	6	5604612120672
VI0434	2	170 x 225 mm	39 mm	VI4055	6	5604612120689
VI0435	3	190 x 230 mm	39 mm	VI4055	6	5604612139643

Orense hoe

Features:

> Tempered steel.



Reference	No.	A x B	Ø Eye	Handle		Ean
VIENXA1039	00	140 x 155 mm	35 mm	VI4058	6	5604612614539
VIENXA1040	0	150 x 165 mm	35 mm	VI4015	6	5604612614546
VIENXA1041	1	160 x 175 mm	38 mm	VI4015	6	5604612614553
VIENXA1042	2	170 x 170 mm	37 mm	VI4015	6	5604612614560
VIENXA1043	3	190 x 195 mm	37 mm	VI4015	6	5604612614577
VIENXA1044	4	200 x 225 mm	36 mm	VI4015	6	5604612614584

Spanish hoe



Features:

> Tempered steel.



Reference	No.	A x B	Ø Eye	Handle		Ean
VIENXA1000	000	125 x 175 mm	33 mm	VI4058	6	5604612614591
VIENXA1001	00	140 x 190 mm	35 mm	VI4015	6	5604612614607
VIENXA1002	0	150 x 200 mm	35 mm	VI4015	6	5604612614614
VIENXA1003	1	160 x 215 mm	35 mm	VI4015	6	5604612614621
VIENXA1004	1.5	170 x 225 mm	36 mm	VI4015	6	5604612614638
VIENXA1005	2	175 x 235 mm	36 mm	VI4015	6	5604612614645
VIENXA1006	2.5	185 x 255 mm	38 mm	VI4015	6	5604612614652
VIENXA1007	3	195 x 265 mm	36 mm	VI4015	6	5604612614669
VIENXA1008	3.5	205 x 275 mm	38 mm	VI4015	6	5604612614676
VIENXA1009	4	220 x 290 mm	36 mm	VI4015	6	5604612613730
VIENXA1011	5	245 x 320 mm	36 mm	VI4015	6	5604612614683

Moncorvo hoe



Features:

> Tempered steel.



Reference	No.	A x B	Ø Eye	Handle		Ean
VI1249	00	110 x 160 mm	32 mm	VI4058	6	5604612028855
VI1250	0	125 x 180 mm	33 mm	VI4058	6	5604612008963
VI1255	1	125 x 190 mm	32 mm	VI4015	6	5604612005283
VI1260	2	135 x 215 mm	37 mm	VI4015	6	5604612005269
VI1265	3	165 x 235 mm	37 mm	VI4015	6	5604612008970
VI1270	4	175 x 240 mm	36 mm	VI4015	6	5604612008987

Funchal hoe




Features:

> Tempered steel.



Reference	No.	A x B	Ø Eye	Handle		Ean
VIETF0	0	80 x 230 mm	38 mm	VI4015	6	5604612678531
VIETF1	1	90 x 255 mm	38 mm	VI4015	6	5604612678548
VIETF2	2	100 x 270 mm	38 mm	VI4015	6	5604612678555

Algarve hoe




Features:

> Tempered steel.



Reference	No.	A x B	Ø Eye	Handle		Ean
VI1196	3	175 x 255 mm	38 mm	VI4015	6	5604612028817

Southern-type hoe



Features:

> Tempered steel.



Reference	No.	A x B	Ø Eye	Handle		Ean
VI0275	0	140 x 185 mm	37 mm	VI4015	1	5604612116439

Guinea hoe



Features:

> Tempered steel.



Reference	No.	A x B	Ø Eye	Handle		Ean
VI155A	2	185 x 215 mm	43 mm	VI4015	6	5604612627218

Cape Verde large hoe



Features:

> Tempered steel.



Reference	No.	A x B	Ø Eye	Handle		Ean
VI1271	1	135 x 265 mm	37 mm	VI4015	6	5604612105396
VI1272	2	160 x 285 mm	37 mm	VI4015	6	5604612105402
VI1273	3	160 x 320 mm	37 mm	VI4015	6	5604612105419

São Vicente hoe



Features:

> Tempered steel.



Reference	No.	A x B	Ø Eye	Handle		Ean
VIETSV0	0	110 x 200 mm	38 mm	VI4015	6	5604612681005
VIETSV1	1	120 x 230 mm	38 mm	VI4015	6	5604612681012
VIETSV2	2	140 x 255 mm	38 mm	VI4015	6	5604612681029

USA pointed hoe



Features:

> Tempered steel.



Reference	No.	A x B	Ø Eye	Handle		Ean
VI1110	00	140 x 185 mm	32 mm	VI4015	6	5604612142803
VI1105	0	155 x 205 mm	32 mm	VI4015	6	5604612142797
VI1095	1	165 x 225 mm	38 mm	VI4015	6	5604612020095
VI1100	2	190 x 250 mm	38 mm	VI4015	6	5604612024390

Cape Verde grub hoe



Features:

> Tempered steel.



Reference	No.	A x B	Ø Eye	Handle		Ean
VI2024	2	220 x 175 mm	38 mm	VI4015	6	5604612627195
VI2025	3	230 x 185 mm	38 mm	VI4015	6	5604612627201

Grub hoe



Features:

> Tempered steel.



Reference	No.	A x B	Ø Eye	Handle		Ean
VI1220	2.5	205 x 180 mm	38 mm	VI4015	6	5604612017019

Fork hoe 2 prongs



Features:

> Tempered steel.



Reference	No.	A x B	Ø Eye	Handle		Ean
VI1150	2	120 x 245 mm	38 mm	VI4015	6	5604612008994

Two-flat prong fork hoe



Features:

> Tempered steel.



Reference	No.	A x B	Ø Eye	Handle		Ean
VI1090	3	120 x 280 mm	38 mm	VI4015	6	5604612017118

Small two-prong fork hoe



Features:

> Tempered steel.



Reference	No.	A x B	Ø Eye	Handle		Ean
VI1245	0	90 x 220 mm	32 mm	VI4055	6	5604612028848
VI1240	1	100 x 255 mm	38 mm	VI4055	6	5604612017002
VI1235	2	130 x 290 mm	37 mm	VI4015	6	5604612028831

São Miguel type hoe ^{NEW}



Features:

> Tempered steel.



Reference	No.	A x B	Handle		Ean
VIETSM00	00	110 x 160 mm	VI4019	6	5604612762810
VIETSM0	0	140 x 180 mm	VI4019	6	5604612762827
VIETSM1	1	165 x 200 mm	VI4019	6	5604612762834
VIETSM2	2	190 x 230 mm	VI4019	6	5604612762841
VIETSM3	3	200 x 245 mm	VI4019	6	5604612762858

Vine mattock



Features:

> Tempered steel.



Reference	No.	A x B	Ø Eye	Handle		Ean
VI1075	000	75 x 250 mm	32 mm	VI4058	6	5604612028732
VI1076	00	85 x 265 mm	32 mm	VI4058	6	5604612028749

Vila Real hoe



Features:

> Tempered steel.



Reference	No.	A x B	Ø Eye	Handle		Ean
VI1210	0000	110 x 260 mm	32 mm	VI4058	6	5604612130893

Viseu hoe




Features:

> Tempered steel.



Reference	No.	A x B	Ø Eye	Handle		Ean
VI0222	000	90 x 260 mm	34 mm	VI4059	6	5604612116453

Girona double hoe



Features:

> Tempered steel.



Reference	No.	A x B	Ø Eye	Handle		Ean
VI0465	0	70 x 265 mm	32 mm	VI4059	6	5604612139599
VI0466	1	80 x 275 mm	32 mm	VI4059	6	5604612139605
VI0467	2	85 x 290 mm	32 mm	VI4059	6	5604612139612
VI0468	3	95 x 310 mm	35 mm	VI4059	6	5604612139629

Pick mattock hoe



Features:

> Tempered steel.



Reference	No.	A x B	Ø Eye	Handle		Ean
VI1323	1	100 x 290 mm	34 mm	VI4059	6	5604612020637

Moncorvo hoe




Features:

> Tempered steel.



Reference	No.	A x B	Ø Eye	Handle		Ean
VI1750	0	85 x 260 mm	31 mm	VI4059	6	5604612008956
VI1760	1	95 x 260 mm	31 mm	VI4059	6	5604612017026
VI1770	2	100 x 290 mm	31 mm	VI4059	6	5604612005290
VI1780	3	100 x 295 mm	32 mm	VI4059	6	5604612029067

Double hoe 2 prongs



Reference	No.	A x B	Ø Eye	Handle		Ean
VI0004	2	100 x 250 mm	32 mm	VI4059	6	5604612139537

2-flat prong Girona double hoe



Reference	No.	A x B	Ø Eye	Handle		Ean
VI0460	0	65 x 270 mm	33 mm	VI4059	6	5604612139551
VI0461	1	75 x 290 mm	33 mm	VI4059	6	5604612139568
VI0462	2	85 x 310 mm	33 mm	VI4059	6	5604612139575
VI0463	3	100 x 330 mm	33 mm	VI4059	6	5604612139582

2-prong spanish-type double hoe



Features:

> Tempered steel.



Reference	No.	A x B	Ø Eye	Handle		Ean
VISACH1010	0	90 x 270 mm	33 mm	VI4059	6	5604612614485
VISACH1011	1	95 x 280 mm	31 mm	VI4059	6	5604612614492
VISACH1012	2	100 x 305 mm	33 mm	VI4059	6	5604612614508
VISACH1013	3	110 x 320 mm	31 mm	VI4059	6	5604612614515
VISACH1014	4	115 x 340 mm	30 mm	VI4059	6	5604612614522



Double hoe 3 prongs



Features:

> Tempered steel.



Reference	No.	A x B	Ø Eye	Handle		Ean
VI0005	2	100 x 260 mm	32 mm	VI4059	6	5604612139544

Onion digging hoe



Features:

> Tempered steel.



Reference	No.	A x B	Ø Eye	Handle		Ean
VI0311	1	55 x 160 mm	33 mm	VI4059	6	5604612116446

Orense hoe



Features:

> Tempered steel.



Reference	No.	A x B	Ø Eye	Handle		Ean
VI1790	1	80 x 170 mm	32 mm	VI4057	6	5604612653514

Spanish double hoe



Features:

> Tempered steel.



Reference	No.	A x B	Ø Eye	Handle		Ean
VISACH1000	0	85 x 120 mm	32 mm	VI4059	6	5604612614430
VISACH1001	1	95 x 130 mm	30 mm	VI4059	6	5604612614447
VISACH1002	2	105 x 140 mm	32 mm	VI4059	6	5604612614454
VISACH1003	3	110 x 150 mm	30 mm	VI4059	6	5604612614461
VISACH1004	4	120 x 165 mm	33 mm	VI4059	6	5604612614478

Double hoe




Features:

> Tempered steel.



Reference	No.	A x B	Ø Eye	Handle		Ean
VI3350	3	110 x 275 mm	32 mm	VI4059	6	5604612017033

Double hoe 1 prong



Features:

> Tempered steel.



Reference	No.	A x B	Ø Eye	Handle		Ean
VI0002	2	100 x 255 mm	32 mm	VI4059	6	5604612139520

Double hoe



Features:

> Tempered steel.




Reference	No.	A x B	Ø Eye	Handle		Ean
VI0045	2	65 x 280 mm	31 mm	VI4059	6	5604612116422

São Miguel type hoe with handle ^{NEW}

Features:

- > Tempered steel;
- > Wooden handle.




Reference	No.	A x B x C	Handle		Ean
VIETSM00C	00	110 x 180 x 1000 mm	VI4019	1	5604612762865
VIETSMOC	0	140 x 200 x 1000 mm	VI4019	1	5604612762872
VIETSM1C	1	165 x 220 x 1000 mm	VI4019	1	5604612762889
VIETSM2C	2	190 x 250 x 1000 mm	VI4019	1	5604612762896
VIETSM3C	3	200 x 270 x 1000 mm	VI4019	1	5604612762902

Double hoe 1 prong with handle

Features:

- > Tempered steel;
- > Wooden handle.



Reference	No.	A x B x C	Ø Eye	Handle		Ean
VI3350CM	3	110 x 275 x 1300 mm	31 mm	VI4057	6	5604612653491
VI3350C	3	110 x 275 x 1900 mm	32 mm	VI4059	6	5604612020125

Orense hoe with handle

Features:

- > Tempered steel;
- > Wooden handle.




Reference	No.	A x B x C	Ø Eye	Handle		Ean
VI1790C	1	80 x 170 x 1300 mm	32 mm	VI4057	6	5604612653521

2-flat prong Girona double hoe with handle

Features:


- > Tempered steel;
- > Wooden handle.



Reference	No.	A x B x C	Ø Eye	Handle		Ean
VI0463C	3	100 x 330 x 1295 mm	32 mm	VI4057	6	5604612653484



Digging fork 3 tines



Features:

> Tempered steel.



Reference	No.	A x B	Ø Eye	Handle		Ean
VI1425	3	240 x 270 mm	36 mm	VI4018	6	5604612012731

Round eye digging fork



Features:

> Tempered steel.



Reference	No.	A x B	Ø Eye	Handle		Ean
VI1440	3	200 x 230 mm	36 mm	VI4016	6	5604612000806

Digging fork



Features:

> Tempered steel.



Reference	No.	A x B	Ø Eye	Handle		Ean
VI1435	1	145 x 165 mm	38 mm	VI4058	6	5604612028954
VI1430	2	190 x 205 mm	38 mm	VI4058	6	5604612015039
VI1436	3	200 x 235 mm	38 mm	VI4058	6	5604612028961

Digging fork madeira 3 tines



Features:

> Tempered steel.



Reference	No.	A x B	Ø Eye	Handle		Ean
VI1450	4	170 x 310 mm	44 mm	VI4018	6	5604612028978

Digging fork 4 tines




Features:

> Tempered steel.



Reference	No.	A x B	Ø Eye	Handle		Ean
VI1420	3	230 x 255 mm	37 mm	VI4018	6	5604612028947

Manure fork




Features:

> Tempered steel.



Reference	No.	A x B	Ø Eye	Handle		Ean
VI1375	3	205 x 310 mm	33 mm	VI4020	6	5604612128654
VI1380	4	215 x 325 mm	33 mm	VI4020	6	5604612028916
VI1390	5	240 x 320 mm	33 mm	VI4020	6	5604612000585
VI1395	6	300 x 230 mm	33 mm	VI4020	6	5604612028923

Curved-tine manure fork




Features:

> Tempered steel.



Reference	No.	A x B	Ø Eye	Handle		Ean
VI1360	4	220 x 210 mm	34 mm	VI4020	6	5604612016999
VI1365	5	240 x 215 mm	33 mm	VI4020	6	5604612000615
VI1370	6	290 x 215 mm	33 mm	VI4020	6	5604612028909

Combination rake-hoe




Features:

> Tempered steel.



Reference	No.	A x B	Ø Eye	Handle		Ean
VIENXA0365	8	300 x 190 mm	32 mm	VI4056	6	5604612613723

Leiria rake



Features:

> Tempered steel.



Reference	No.	A x B	Ø Eye	Handle		Ean
VI0020	5	235 x 145 mm	35 mm	VI4055	6	5604612116408

Manure fork with wooden handle

Features:

- > Tempered steel.



Reference	Tines	A x B x C		Ean
VIFD4CM	4	230 x 330 x 1800 mm	6	5604612108816
VIFD5CM	5	265 x 330 x 1800 mm	6	5604612108823
VIFD6CM	6	310 x 330 x 1800 mm	6	5604612108830

Manure fork with iron handle

Features:

- > Tempered steel.



Reference	Tines	A x B x C		Ean
VI1340	4	210 x 330 x 1460 mm	6	5604612024406
VI1345	5	240 x 340 x 1465 mm	6	5604612011451
VI1350	6	300 x 330 x 1460 mm	6	5604612024413

Hay fork with iron handle

Features:

- > Tempered steel.



Reference	Tines	A x B x C		Ean
VI1341	2	190 x 345 x 1460 mm	6	5604612022211

Round eye digging fork with handle

Features:

- > Tempered steel;
- > Wooden handle.




Reference	Tines	A x B x C		Ean
VI1440C	3	200 x 230 x 1370 mm	6	5604612653477

Lawn edger

Features:

- > Tempered steel.



Reference	A x B x C		Ean
VI1321	250 x 150 x 1065 mm	1	5604612020613

Fencing spade

Features:

- > Tempered steel.




Reference	A x B x C		Ean
VI1020	185 x 205 x 1140 mm	1	5604612015053

Crossover post hole digger

Features:

- > Tempered steel.




Reference	A x B x C		Ean
VI1025	85 x 235 x 1215 mm	1	5604612008000

Post hole digger Wooden handle

Features:

- > Tempered steel.



Reference	A x B x C		Ean
VICC2	95 x 245 x 1430 mm	1	5604612108939

Post hole digger Iron handle

Features:

- > Tempered steel.



Reference	A x B x C		Ean
VI1021	160 x 240 x 1475 mm	1	5604612028756

Hand auger

Features:

- > Tempered steel.




Reference	A x B x C		Ean
VI1800	150 x 165 x 1225 mm	1	5604612029074



Axe with fiberglass handle

Features:

- › Tempered steel blade;
- › PTFE blade coating.




Reference	A x B x C		Ean
VIMFE600	70 x 120 x 355 mm	6	5604612695453
VIMFE1400	90 x 155 x 710 mm	6	5604612695460
VIMFE2100	110 x 180 x 805 mm	6	5604612703387

Axe with bimaterial handle

Features:

- › Tempered steel blade;
- › Bimaterial handle.



Reference	A x B x C		Ean
VIMCB600	600 x 145 x 340 mm	6	5604612658335
VIMCB1500	130 x 185 x 570 mm	6	5604612658342
VIMCB2000	140 x 200 x 850 mm	6	5604612658359

Axe with wooden handle

Features:

- › Tempered steel blade;
- › Wooden handle.



Reference	A x B x C	Ø Eye		Ean
VIMM600	105 x 150 x 365 mm	44 mm	6	5604612108649

Northern-type axe with handle

Features:

- › Tempered steel blade;
- › Wooden handle.



Reference	A x B x C	Ø Eye		Ean
VIMN2C	130 x 220 x 1000 mm	59 mm	6	5604612023737

Splitting axe with handle


Features:

- › Tempered steel blade;
- › Wooden handle.



Reference	A x B x C	Ø Eye		Ean
VI3311	75 x 210 x 900 mm	48 mm	6	5604612098933

Forestry hatchet with handle




Features:

- > Tempered steel blade;
- > Wooden handle.



Reference	A x B x C	Ø Eye		Ean
VI1520	80 x 120 x 335 mm	33 mm	6	5604612015008

Universal hatchet with handle



Features:

- > Tempered steel blade;
- > Wooden handle.



Reference	A x B x C	Ø Eye		Ean
VI1500	110 x 170 x 370 mm	42 mm	6	5604612000929

Carpenters hatchet with handle




Features:

- > Tempered steel blade;
- > Wooden handle.



Reference	No.	A x B x C	Ø Eye		Ean
VI1550	000	95 x 150 x 400 mm	41 mm	6	5604612028992
VI1540	00	100 x 155 x 505 mm	41 mm	6	5604612017040
VI1530	0	105 x 160 x 400 mm	41 mm	6	5604612028985

Hammer hatchet with handle




Features:

- > Tempered steel blade;
- > Wooden handle.



Reference	A x B x C	Ø Eye		Ean
VI1510	105 x 195 x 370 mm	45 mm	6	5604612000912

Hatchet with nail pulling claw with handle



Features:

- > Tempered steel blade;
- > Wooden handle.



Reference	A x B x C	Ø Eye		Ean
VI1590	105 x 195 x 370 mm	45 mm	6	5604612000905

Northern-type axe




Features:

> Tempered steel blade.



Reference	A x B	Ø Eye	Handle		Ean
VIMN2	130 x 220 mm	53 mm	VI4035	10	5604612617417

Splitting axe




Features:

> Tempered steel blade.



Reference	A x B	Ø Eye	Handle		Ean
VI3310	75 x 210 mm	45 mm	VI3312	5	5604612652395

Carpenters hatchet



Features:

> Tempered steel blade.



Reference	No.	A x B	Ø Eye	Handle		Ean
VI1560	1	110 x 190 mm	46 mm	VI4031	6	5604612029005
VI1570	2	120 x 185 mm	45 mm	VI4031	6	5604612029012
VI1580	3	145 x 220 mm	53 mm	VI4031	6	5604612029029

Southern-type axe



Features:


> Tempered steel blade.



Reference	A x B	Ø Eye	Handle		Ean
VI3301	140 x 240 mm	57 mm	VI4035	6	5604612098926



Sickle




Features:

- › Tempered steel blade;
- › Wooden handle.



Reference	No.	A x B x C		Ean
VIFC000	000	165 x 180 x 285 mm	6	5604612671617
VIFC00	00	185 x 200 x 305 mm	6	5604612671600
VIFC0	0	200 x 200 x 320 mm	6	5604612671594

Knee sickle




Features:

- › Tempered steel blade;
- › Wooden handle.



Reference	A x B x C		Ean
VIFCJ	205 x 200 x 365 mm	6	5604612671624

Smooth-edged sickle




Features:

- › Tempered steel blade;
- › Wooden handle.



Reference	No.	A x B x C		Ean
VI2002	0	240 x 210 x 400 mm	6	5604612142834
VI2003	1	250 x 235 x 395 mm	6	5604612139636
VI2004	2	275 x 265 x 430 mm	6	5604612104436

Portuguese machete



Features:

- > Tempered steel blade;
- > Wooden handle.



Reference	A x B x C		Ean
VI6000P	400 x 120 x 565 mm	6	5604612679903

Machete




Features:

- > Tempered steel blade;
- > Wooden handle.



Reference	A x B x C		Ean
VI6000	400 x 115 x 550 mm	6	5604612156800

Brussels billhook




Features:

- > Tempered steel blade;
- > Wooden handle.



Reference	A x B x C		Ean
VI1650	275 x 180 x 425 mm	6	5604612005245

Banana billhook




Features:

- > Tempered steel blade;
- > Wooden handle.



Reference	No.	A x B x C		Ean
VI1670	1	145 x 110 x 280 mm	6	5604612615697
VI1671	2	155 x 110 x 285 mm	6	5604612029043
VI1673	3	160 x 120 x 290 mm	6	5604612615628

Lamego billhook No. 2




Features:

- > Tempered steel blade;
- > Wooden handle.



Reference	No.	A x B x C		Ean
VI1680	2	255 x 155 x 355 mm	6	5604612017057

Medium-sized billhook




Features:

- > Tempered steel blade;
- > Wooden handle.



Reference	No.	A x B x C		Ean
VI1322	2	120 x 85 x 230 mm	6	5604612020620

Large billhook




Features:

- > Tempered steel blade;
- > Wooden handle.



Reference	No.	A x B x C		Ean
VI1324	3	135 x 100 x 245 mm	6	5604612615864

Wicker billhook




Features:

- > Tempered steel blade;
- > Wooden handle.



Reference		A x B x C		Ean
VI1672		150 x 115 x 265 mm	6	5604612029050

Double-edged billhook




Features:

- > Tempered steel blade;
- > Wooden handle.



Reference	No.	A x B x C		Ean
VI1660	2	230 x 190 x 360 mm	6	5604612029036

Traditional billhook with handle




Features:

- > Tempered steel blade;
- > Wooden handle.



Reference		A x B x C		Ean
VI1290		315 x 105 x 440 mm	6	5604612000721

Penafiel billhook with handle




Features:

- > Tempered steel blade;
- > Wooden handle.



Reference	A x B x C		Ean
VI1315	260 x 90 x 380 mm	6	5604612015060

Minho half moon billhook




Features:

- > Tempered steel.



Reference	A x B x C	Handle		Ean
VI1620	250 x 200 x 380 mm	VI4033	6	5604612012748

Traditional billhook




Features:

- > Tempered steel.



Reference	A x B x C	Handle		Ean
VI1295	210 x 105 x 320 mm	VI4033	6	5604612028879

Lamego billhook




Features:

- > Tempered steel.



Reference	No.	A x B x C	Handle		Ean
VI1309	1	200 x 140 x 305 mm	VI4033	6	5604612096250
VI1310	2	220 x 155 x 325 mm	VI4033	6	5604612017064

Limpa billhook




Features:

- > Tempered steel.



Reference	A x B x C	Handle		Ean
VI1320	220 x 135 x 335 mm	VI4033	6	5604612028893

Half moon billhook




Features:

> Tempered steel.



Reference	A x B x C	Handle		Ean
VI1600	250 x 190 x 400 mm	VI4033	6	5604612001100

Half moon billhook with spike




Features:

> Tempered steel.



Reference	A x B x C	Handle		Ean
VI1610	255 x 265 x 400 mm	VI4033	6	5604612001117

Leiria billhook with spike



Features:

> Tempered steel.



Reference	A x B x C	Handle		Ean
VI1311	230 x 205 x 360 mm	VI4033	6	5604612028886

Bush scythe




Features:

> Tempered steel.



Reference	A x B	Handle		Ean
VI1410	440 x 135 mm	VI4800	6	5604612028930

Square baker's peel



Reference	A x B	Ø	Handle		Ean
VI1035	240 x 240 mm	29 mm	VI4020	6	5604612028763

Scythe handle right/left-hand grip

Features:

- > Tempered steel.



Reference	A x B		Ean
VI4800 (right-hand)	1410 x 165 mm	1	5604612004538
VI4805 (left-hand)	1410 x 165 mm	1	5604612016623

Spanish-model scythe handle

Features:

- > Tempered steel.



Reference	A x B		Ean
VI0054	1375 x 165 mm	1	5604612609092

Wedge for wooden handle



Reference	A x B	Uni.		Ean
VI1010	23 x 40 mm	1	6	5604612114824
VI1010BL (blister)	23 x 40 mm	2	6	5604612142841

Round wedge for wooden handle **NEW**



Reference	Uni.		Ean
VI1010R	1	1	5604612722937
VI1010RBL (blister)	2	1	5604612779061

Wedge



Reference	A x B	Weight		Ean
VI3250	180 x 51 mm	1 Kg	6	5604612006556
VI3255	190 x 51 mm	1.5 Kg	6	5604612006563
VI3260	230 x 51 mm	2 Kg	6	5604612006570
VI3265	225 x 53 mm	2.5 Kg	6	5604612006587
VI3270	270 x 53 mm	3 Kg	6	5604612006594
VI3275	270 x 60 mm	3.5 Kg	6	5604612006600
VI3280	290 x 57 mm	4 Kg	6	5604612006174
VI3285	300 x 70 mm	5 Kg	6	5604612006624



Sieve



Features:

- > Material: steel and pine wood;
- > For sand.

Reference	Ø		Ean
VICR	345 mm	1	5604612649715

Sieve



Features:

- > Material: pine wood;

Reference	No.	Ø		Ean
VIP1	1	180 mm	1	5604612649722
VIP2	2	220 mm	1	5604612649739
VIP3	3	270 mm	1	5604612649746
VIP4	4	310 mm	1	5604612649753
VIP5	5	355 mm	1	5604612649760

Wooden handle for weeding hoe point



Reference	Dim.	Ø Eye		Ean
VI4926E	130 mm	17 mm	25	5604612684785

Wooden handle for sickle



Reference	Dim.	Ø Eye		Ean
VI4033	200 mm	27 mm	25	5604612649203

Wooden handle for hatchet



Reference	Dim.	Ø Eye		Ean
VI4030E	370 mm	42 x 26 mm	25	5604612644840

Wooden handle for hoe/weeding hoe



Reference	Dim.	Ø Eye		Ean
VI4925E	385 mm	28 mm	25	5604612654405

Wooden handle for hatchet



Reference	Dim.	Ø Eye		Ean
VI4031	700 mm	49 mm	25	5604612109363
VI4032	700 mm	51 mm	25	5604612676056

Handle for splitting axe



Reference	Dim.	Ø Eye		Ean
VI3312	900 mm	47 mm	25	5604612654726

Wooden handle for axe



Reference	Dim.	Ø Eye		Ean
VI4035	1000 mm	59 mm	25	5604612004552

Handle for fine fork/hoe



Reference	Dim.	Ø Eye		Ean
VI4059	1400 mm	34 mm	25	5604612618421

Handle for hoe



Reference	Dim.	Ø Eye		Ean
VI4015	1400 mm	36 mm	25	5604612004521
VI4016	1200 mm	41 mm	25	5604612109349
VI4017	1110 mm	38 mm	25	5604612109332
VI4018	1285 mm	41 mm	25	5604612109356

Handle for manure fork



Reference	Dim.	Ø Eye		Ean
VI4020	1400 mm	31 mm	25	5604612006365

Handle for rake



Reference	Dim.	Ø Eye		Ean
VI4010	1400 mm	28 mm	25	5604612004514

Handle for double hoe



Reference	Dim.	Ø Eye		Ean
VI4055	1400 mm	36 mm	25	5604612004569
VI4056	1205 mm	36 mm	25	5604612109424
VI4057	1285 mm	35 mm	25	5604612109431
VI4058	1110 mm	35 mm	25	5604612109417

Handle for São Miguel type hoe ^{NEW}



Reference	Dim.	Ø Eye		Ean
VI4019	1000 mm	40 mm	25	5604612762919

Wooden handle



Reference	Dim.	Ø Eye		Ean
VICM2	2000 mm	31 mm	1	5604612660673

PRUNING AND GRAPE-HARVESTING TOOLS



VITPB16832

Brushless pruning shears

16.8V **NEW**



Main features:

- › Brushless motor;
- › Display showing the number of cuts made;
- › Display showing battery charge;
- › Display with error indication;
- › 2 opening modes (Ø 15 mm / Ø 32 mm);
- › Highly durable blade;
- › Audible start-up signals;
- › Ideal for pruning vines, orchards, shrubs and small trees, and for cutting branches (in gardens).

Technical data

Motor	Brushless
Rated voltage	16.8 V
Battery capacity	2.5 Ah
Battery life	8 h (4 h x 2 batteries)
Charging time	2 h
Maximum branch diameter	32 mm
Sound power level (LWA)	84 dB
Product weight	1 Kg
Product dimensions	290 x 120 x 50 mm
Weight with packaging	3.4 Kg
Packaging dimensions	360 x 280 x 135 mm
Bar code	5604612735043S



Backlit display



Handle with rubber inserts



Charger (two batteries simultaneously)

Packaging content

- › BMC case;
- › Batteries 16.8 V 2.5 Ah (x2);
- › Battery charger;
- › Oil dispenser bottle (empty);
- › Hex keys (x2);
- › Spanners for tightening and loosening the blade.



VIAB168

Brushless tying machine

16.8V **NEW**



Main features:

- › Suitable for gardens, greenhouses and large agricultural plots;
- › Brushless motor;
- › Equipped with two 2.5 Ah batteries and two 200-metre spools of wire;
- › 6 tying adjustment modes;
- › It can be used with paper wire or PVC wire.

Technical data

Motor	Brushless
Rated voltage	16.8 V
Battery capacity	2.5 Ah
Charging autonomy	8 h (4 h x 2 batteries)
Charging time	2 h
Maximum tying diameter	25 mm
Tying levels	6
Wire length	200 metres
Type of wire	Paper
Sound power level (LWA)	81.5 dB
Product weight	1.5 Kg
Product dimensions	370 x 70 x 260 mm
Weight with packaging	4.8 Kg
Packaging dimensions	440 x 350 x 135 mm
Bar code	5604612757557



2 spools of wire (200 m each) included



6 tying adjustment modes



Accessories included

Packaging content

- › Batteries (x2) – compatible with the Brushless Pruning Shears (VITPB16832);
- › Charger;
- › Tweezers;
- › Scissors;
- › Wire spools with 200 m (x2);
- › Rubber wheels (x2).

Accessories P. 148

**Bypass pruner
forged blades**
210mm



Features:

- > Cutting diameter: 15 mm;
- > Forged steel blade;
- > Safety lock.

Accessories P. 148, 149

Reference	Dim.		Ean
VITP07	210 mm	6	5604612682729

Bypass pruner plus
220mm



Features:

- > Cutting diameter: 15 mm;
- > Carbon steel blade;
- > Safety lock.

Accessories P. 148, 149

Reference	Dim.		Ean
VITPP220	220 mm	6	5604612640071

**Bypass pruner
forged SK5 blades**
215mm



Features:

- > Cutting diameter: 15 mm;
- > SK5 carbon steel blade;
- > Safety lock.

Accessories P. 148, 149

Reference	Dim.		Ean
VITP08	215 mm	6	5604612682736

**Cork Edition
SK5 bypass pruner**
210mm



Features:

- > Cutting diameter: 15 mm;
- > Cork-lined handle;
- > SK5 carbon steel blade;
- > Opening regulator;
- > Safety lock.

Reference	Dim.		Ean
VITP11	210 mm	6	5604612703455

**Bypass pruner SK5
blades nylon handle**
215mm



Features:

- > Cutting diameter: 15 mm;
- > SK5 carbon steel blade;
- > Safety lock.

Accessories P. 148, 149

Reference	Dim.		Ean
VITP09	215 mm	6	5604612682743

Traditional pruner



Features:

- > Cutting diameter: 20 mm;
- > Carbon steel blade;
- > Safety lock.

Accessories P. 149

Reference	Dim.		Ean
VITP22	220 mm	20	5604612027049
VITP23	230 mm	20	5604612119294
VITP24	240 mm	15	5604612027056
VITP26	260 mm	15	5604612105464

Titanium bypass pruner

215mm **NEW**



Features:

- > Cutting diameter: 15 mm;
- > SK5 carbon steel blade, titanium-coated;
- > Cast aluminium handle;
- > Safety lock.

Accessories P. 148, 149

Reference	Dim.		Ean
VITPT01	215 mm	6	5604612764609

Bypass pruner

SK5 blades

215mm



Features:

- > Cutting diameter: 15 mm;
- > SK5 carbon steel blade;
- > Safety lock.

Accessories P. 148, 149

Reference	Dim.		Ean
VITP06	215 mm	6	5604612682712

Bypass pruner

210mm



Features:

- > Cutting diameter: 15 mm;
- > Carbon steel blade;
- > Safety lock.

Accessories P. 149

Reference	Dim.		Ean
VITP04	210 mm	6	5604612014469

Bypass pruner SK5 ECO

215mm **NEW**



Features:

- > Cutting diameter: 15 mm;
- > Extra-hard SK5 carbon steel blade;
- > Forged steel hook;
- > Aluminium body;
- > Bypass cut.

Accessories P. 148, 149

Reference	Dim.		Ean
VITP08ECO	215 mm	6	5604612766443

Lopper with bumper



Features:

- > Cutting diameter: 40 mm;
- > Curved blade made of corrosion-resistant forged steel;
- > Aluminium body;
- > Non-slip handle.

Accessories P. 148, 149

Reference	Dim.		Ean
VITPBA	800 mm	8	5604612705084

Bypass anvil lopper



Features:

- > Cutting diameter: 32 mm;
- > Carbon steel blade (75%);
- > High tensile strength and corrosion resistance;
- > Series 6 aluminium body;
- > Non-slip handle.

Reference	Dim.		Ean
VITPBY	735 mm	8	5604612705091

Telescopic bypass lopper



Features:

- > Cutting diameter: 30 mm;
- > Handle length: 620 to 935 mm;
- > Curved blade made of corrosion-resistant forged steel;
- > Aluminium body;
- > Non-slip handle.

Reference	Dim.		Ean
VITTC	620 mm	8	5604612022143

Telescopic anvil lopper



Features:

- > Cutting diameter: 30 mm;
- > Handle length: 630 to 945 mm;
- > Straight carbon steel blade;
- > Aluminium body;
- > Non-slip handle.

Accessories P. 148, 149

Reference	Dim.		Ean
VITTD	630 mm	8	5604612022136



Japanese-teeth pruning saw



Features:

- > SK5 carbon steel blade;
- > Triple-edged teeth;
- > Tempered teeth;
- > Wooden handle.

Reference	Dim.	Blade		Ean
VISP11	435 x 100 mm	11" 275 mm	6	5604612629892
VISP13	480 x 105 mm	13" 325 mm	6	5604612629908

Japanese-teeth pruning saw



Features:

- > SK5 carbon steel blade;
- > Triple-edged teeth;
- > Tempered teeth;
- > Bimaterial handle.

Reference	Dim.	Blade		Ean
VISPB11	430 x 110 mm	11" 275 mm	6	5604612692483
VISPB13	480 x 115 mm	13" 325 mm	6	5604612692490

Japanese-teeth pruning saw with holster ^{NEW}



Features:

- > SK5 carbon steel blade;
- > Triple-edged teeth;
- > Tempered teeth;
- > Wooden handle;
- > Holster included.

Reference	Dim.	Blade		Ean
VISP11C	445 x 100 mm	11" 275 mm	6	5604612744236
VISP13C	490 x 105 mm	13" 325 mm	6	5604612744243

Japanese-teeth pruning saw with holster ^{NEW}



Features:

- > SK5 carbon steel blade;
- > Triple-edged teeth;
- > Tempered teeth;
- > Bimaterial handle;
- > Holster included.

Reference	Dim.	Blade		Ean
VISPB11C	440 x 110 mm	11" 275 mm	6	5604612744250
VISPB13C	490 x 115 mm	13" 325 mm	6	5604612744267

Holster for pruning saw



Features:

- > Material: plastic;
- > Can be attached to a belt.

Reference	Dim.		Ean
VICSP	430 x 40 mm	10	5604612697327

Folding pruning saw



Features:

- > 160 mm blade made of extra-hard tempered steel;
- > Triple-serrated blade.

Reference	Dim.	Blade		Ean
VISP160	380 x 65 mm	160 mm	10	5604612014513

Bow saw



Features:

- > Tempered steel blade.

Reference	Dim.	Blade		Ean
VISA533	610 x 205 mm	533 mm	24	5604612012458
VISA610	690 x 220 mm	610 mm	24	5604612012540
VISA762	840 x 225 mm	762 mm	24	5604612012557
VISA914	990 x 250 mm	914 mm	12	5604612014360

Raker teeth bow saw blade



Features:

- > Tempered steel blade.

Reference	Dim.		Ean
VIFSA533	533 mm	10	5604612012571
VIFSA610	610 mm	10	5604612012595
VIFSA762	762 mm	10	5604612012618
VIFSA914	914 mm	10	5604612012625

Peg teeth bow saw blade



Features:

- > Tempered steel blade.

Reference	Dim.		Ean
VIFSC533	533 mm	10	5604612012564
VIFSC610	610 mm	10	5604612012588
VIFSC762	762 mm	10	5604612012601
VIFSC914	914 mm	10	5604612012632



Telescopic tree pruner

Features:

- > 325 mm carbon steel blade;
- > Japanese triple-edged tempered teeth;
- > Cutting diameter: 25 mm;
- > Handle: VICEA.



Accessories P. 148, 149

Reference	Dim.		Ean
VITPA	565 x 215 mm	6	5604612087227

Tree pruner with wooden handle 2m

Features:

- > 355 mm carbon steel blade;
- > Japanese triple-edged tempered teeth;
- > Handle: VICM2.



Reference	Dim.		Ean
VISP350	2440 x 95 mm	12	5604612657253

Tree pruner without handle

Features:

- > 355 mm carbon steel blade;
- > Japanese triple-edged tempered teeth.



Reference	Dim.		Ean
VISP350SC	355 x 95 mm	12	5604612660666

Tree pruner with telescopic aluminium handle 2.05 m

Features:

- > 400 mm SK5 carbon steel blade;
- > Handle length: 2100 to 2590 mm;
- > Japanese triple-edged tempered teeth.



Reference	Dim.		Ean
VISPA	2100 x 115 mm	6	5604612682767

Saw blade for tree pruner **NEW**

Features:

- > 400 mm SK5 carbon steel blade;
- > Japanese triple-edged tempered teeth;
- > Compatible with: VISPA.



Reference	Dim.		Ean
VISSPA	620 x 115 mm	6	5604612754211



Grafting shears



Features:

- > Replaceable carbon steel blades (x3);

- > Ergonomic handle;
- > Safety lock.

Reference	Dim.		Ean
VITENX	215 mm	6	5604612704353

Plant tying tape tool



Accessories P. 150

Features:

- > Tying capacity up to 45 mm in diameter;
- > Includes a roll of red ribbon and a box of staples;
- > 10 mm tape.

Reference	Dim.		Ean
VIAAT	310 mm	1	5604612726249

Grafting pocket knife



Features:

- > 100 mm carbon steel blade.

Reference	Dim.		Ean
VICTE	190 mm	6	5604612642341



Straight-blade stainless steel harvest shears



Features:

- > Cutting diameter: 15 mm;
- > Stainless steel blade;
- > Safety lock.

Reference	Dim.		Ean
VITVID190	190 mm	20	5604612672652

Curved-blade stainless steel harvest shears



Features:

- > Cutting diameter: 15 mm;
- > Stainless steel blade;
- > Safety lock.

Reference	Dim.		Ean
VITVIC190	190 mm	20	5604612672669

Straight-blade harvest shears



Features:

- > Cutting diameter: 15 mm;
- > Carbon steel blade;
- > Safety lock.

Accessories P. 150

Reference	Dim.		Ean
VITV190B	190 mm	6	5604612001544

Curved-blade harvest shears



Features:

- > Cutting diameter: 15 mm;
- > C55 carbon steel blade;
- > Safety lock.

[Accessories P. 150](#)

Reference	Dim.		Ean
VITV180B	180 mm	6	5604612001537

Curved-blade harvest shears with plastic handle



Features:

- > Cutting diameter: 15 mm;
- > Carbon steel blade;
- > Plastic handle;
- > Safety lock.

[Accessories P. 150](#)

Reference	Dim.		Ean
VITV18	180 mm	12	5604612640057

Straight-blade harvest shears



Features:

- > Cutting diameter: 8 mm;
- > Carbon steel blade;
- > Safety lock.

[Accessories P. 150](#)

Reference	Dim.		Ean
VITVD	190 mm	12	5604612014520

Curved-blade harvest shears



Features:

- > Cutting diameter: 10 mm;
- > Carbon steel blade;
- > Safety lock.

[Accessories P. 150](#)

Reference	Dim.		Ean
VITVC	180 mm	12	5604612014537

Accessories for brushless tying machine



VIAB168.BFP200



VIAB168.BFPVC100

Reference	Description	Compatible with		Ean
VIAB168.BFP200	Paper-coated wire spool for brushless tying machine 16.8 V – 200 m	VIAB168	1	5604612757649
VIAB168.BFPVC100	PVC-coated wire spool for brushless tying machine 16.8 V – 100 m	VIAB168	1	5604612757632

Accessories for pruners and loppers



VILSTP07BL



VILITP07BL



VILTPP220BL

Reference	Description	Compatible with		Ean
VILSTP07BL	Blade for bypass pruner	VITP07	1	5604612776084
VILITP07BL	Hook for bypass pruner	VITP07	1	5604612776107
VILTPP220BL	Blade for bypass pruner plus	VITPP220	1	5604612776077



VILTP08BL



VILTP09BL



VILTPT01B



VICLPT01B



VILTP06BL

Reference	Description	Compatible with		Ean
VILTP08BL	Blade for bypass pruner	VITP08	1	5604612776060
VILTP09BL	Blade for bypass pruner	VITP09	1	5604612776152
VILTPT01B	Blade for titanium bypass pruner NEW	VITPT01	1	5604612772314
VICLPT01B	Hook for titanium bypass pruner NEW	VITPT01	1	5604612772307
VILTP06BL	Blade for bypass pruner	VITP06	1	5604612776091



VILTP08ECO



VILTPBABL



VILTDBL



VILTPABL

Reference	Description	Compatible with		Ean
VILTP08ECO	Blade for bypass pruner 215mm SK5 ECO NEW	VITP08ECO	1	5604612769796
VILTPBABL	Blade for anvil lopper	VITPBA	1	5604612776169
VILTDBL	Blade for telescopic anvil lopper	VITTD	1	5604612776176
VILTPABL	Blade for tree pruner	VITPA	1	5604612776183

Accessories for pruners and loppers



VIMTP0709B



VIMP60B



VIMP80B



VIMTPT01B



VIMTP06B

Reference	Description	Compatible with		Ean
VIMTP0709B	Spring for bypass pruner – 50 mm	VITP07 / VITP09	12	5604612701352
VIMP60B	Spring for bypass pruner plus and TP08 – 60 mm	VITPP220 / VITP08	12	5604612701369
VIMP80B	Spring for bypass pruner – 80 mm	VITP22/23/24/26	12	5604612142063
VIMTPT01B	Spring for titanium bypass pruner – 55 mm NEW	VITPT01	1	5604612772321
VIMTP06B	Spring for bypass pruner – 50 mm	VITP06	1	5604612701376



VILTP04BL



VIMTP08ECO



VIBTPBABL



VIBTTDBL



VIMTPABL

Reference	Description	Compatible with		Ean
VILTP04BL	Spring for bypass pruner – 80 mm	VITP04	1	5604612776145
VIMTP08ECO	Spring for bypass pruner 215mm SK5 ECO – 60 mm NEW	VITP08ECO	1	5604612769802
VIBTPBABL	Bumper for anvil lopper – 95 mm	VITPBA	1	5604612776053
VIBTTDBL	Bumper for anvil lopper – 70 mm	VITTD	1	5604612776114
VIMTPABL	Spring for telescopic tree pruner – 85 mm	VITPA	1	5604612776190



VISTPA



VICEA

Reference	Description	Compatible with		Ean
VISTPA	Saw for tree pruner (carbon steel) – 325 mm	VITPA	6	5604612639990
VICEA	Telescopic handle for tree pruner (aluminium) – 1.22 – 2.40 m	VITPA	12	5604612088910

Accessories for plant tying tape tool



VIFAAT



VIAAAT

Reference	Description	Compatible with		Ean
VIFAAT	Tape for plant tying tape tool – 22 m	VIAAT	20	5604612726256
VIAAAT	Staples for plant tying tape tool – No. 25	VIAAT	10	5604612726263

Accessories for harvest shears



VIMV50B



VIMVI50B

Reference	Description	Compatible with		Ean
VIMV50B	Spring for harvest shears – 50 mm	VITV180 / VITV190B	12	5604612142056
VIMVI50B	Spring for harvest shears – 50 mm	VITV180 / VITV190B	12	5604612701345



VIMV35BL




VILTVBL

Reference	Description	Compatible with		Ean
VIMV35BL	Spring for harvest shears – 35 mm	VITV18	1	5604612776138
VILTVBL	Spring for harvest shears (straight and curved-blade) – 50 mm	VITVC / VITVD	12	5604612776121

WIRE MESH AND NETTING



Plant support netting




Features:

- > Material: high-density polyethylene (HDPE);
- > Grammage: 8 g/m²;
- > UV protection.



Reference	Dim.	Netting		Ean
VIRF25	2 x 5 m	150 mm	25	5604612676568
VIRF210	2 x 10 m	150 mm	25	5604612676575
VIRF225	2 x 25 m	150 mm	12	5604612676582
VIRF250	2 x 50 m	150 mm	6	5604612676599

Anti-bird netting



Features:

- > Material: high-density polyethylene (HDPE);
- > Grammage: 8 g/m²;
- > UV protection.



Reference	Dim.	Netting		Ean
VIRAP25	2 x 5 m	105 mm	36	5604612676520
VIRAP210	2 x 10 m	105 mm	25	5604612676537
VIRAP46	4 x 6 m	105 mm	16	5604612676544
VIRAP412	4 x 12 m	105 mm	12	5604612676551

Shade mesh 80%




Features:

- > Material: polyethylene;
- > Grammage: 80 g/m²;
- > UV-resistant.



Reference	Dim.	Area		Ean
VIRS1	1 x 125 m	125 m ²	125 m ²	5604612037819
VIRS15	1.5 x 125 m	187.5 m ²	188 m ²	5604612094263
VIRS2	2 x 125 m	250 m ²	250 m ²	5604612094287
VIRS2.5	2.5 x 125 m	312.5 m ²	313 m ²	5604612094270
VIRS3	3 x 125 m	375 m ²	375 m ²	5604612094294
VIRS4	4 x 125 m	500 m ²	500 m ²	5604612094300

Green mosquito netting




Features:

- > Material: 100% polyethylene;
- > Grammage: 110 g/m².



Reference	Dim.		Ean
VIRM50V	0.50 x 35 m	35 m	5604612118532
VIRM100V	1.00 x 35 m	35 m	5604612136536
VIRM120V	1.20 x 35 m	35 m	5604612136550

White mosquito netting




Features:

- > Material: 100% polyethylene;
- > Grammage: 110 g/m².



Reference	Dim.		Ean
VIRM50	0.50 x 35 m	35 m	5604612118501
VIRM100B	1.00 x 35 m	35 m	5604612136529
VIRM120B	1.20 x 35 m	35 m	5604612136543

Green plastic mesh




Features:

- › Material: high-density polyethylene;
- › Square mesh;
- › Grammage: 310 g/m².



Reference	Dim.	Netting		Ean
VIRV5V	1 x 25 m	5 mm	25 m	5604612136475
VIRV10V	1 x 25 m	10 mm	25 m	5604612136499
VIRV15V	1 x 25 m	15 mm	25 m	5604612136512

White plastic mesh




Features:

- › Material: high-density polyethylene;
- › Square mesh;
- › Grammage: 310 g/m².



Reference	Dim.	Netting		Ean
VIRV5B	1 x 25 m	5 mm	25 m	5604612136468
VIRV10B	1 x 25 m	10 mm	25 m	5604612136482
VIRV15B	1 x 25 m	15 mm	25 m	5604612136505

PVC-coated iron wire netting




Features:

- › Material: steel;
- › Coating: plastified.



Reference	Dim.	Netting	Ø Int.	Ø Ext.		Ean
VIRCP131305	0.5 x 25 m	13 x 13 mm	0.9 mm	1.3 mm	25 m	5604612122362
VIRCP1313	1 x 25 m	13 x 13 mm	0.9 mm	1.3 mm	25 m	5604612114442
VIRCP191905	0.5 x 25 m	19 x 19 mm	1.2 mm	1.5 mm	25 m	5604612122386
VIRCP1919	1 x 25 m	19 x 19 mm	1.2 mm	1.5 mm	25 m	5604612122379
VIRCP2525	1 x 25 m	25 x 25 mm	1.0 mm	1.4 mm	25 m	5604612122393

Electrowelded wire mesh




Features:

- › Material: steel.



Reference	Dim.	Netting	Ø		Ean
VIRC1313	1 x 25 m	13 x 13 mm	1.05 mm	25 m	5604612037727
VIRC131305	0.5 x 25 m	13 x 13 mm	1.05 mm	25 m	5604612112318
VIRC131315	1.5 x 25 m	13 x 13 mm	1.05 mm	25 m	5604612108021
VIRC1313G	1 x 25 m	13 x 13 mm	1.45 mm	25 m	5604612037734
VIRC1313G05	0.5 x 25 m	13 x 13 mm	1.45 mm	25 m	5604612112325
VIRC1325	1 x 25 m	13 x 25 mm	1.45 mm	25 m	5604612122324
VIRC1919	1 x 25 m	19 x 19 mm	1.05 mm	25 m	5604612037758
VIRC191905	0.5 x 25 m	19 x 19 mm	1.05 mm	25 m	5604612122331
VIRC191915	1.5 x 25 m	19 x 19 mm	1.05 mm	25 m	5604612112332
VIRC1919G	1 x 25 m	19 x 19 mm	1.45 mm	25 m	5604612037765
VIRC1919G05	0.5 x 25 m	19 x 19 mm	1.45 mm	25 m	5604612122348
VIRC2525	1 x 25 m	25 x 25 mm	1.60 mm	25 m	5604612037772
VIRC252522	1 x 25 m	25 x 25 mm	2.20 mm	25 m	5604612122355
VIRC2525G	1 x 25 m	25 x 25 mm	1.80 mm	25 m	5604612037789

Sheep netting




Features:

- > Material: wire;
- > Coating: galvanised;
- > Mesh with progressively smaller holes (larger at the top and smaller at the bottom).



Reference	Dim.		Ean
VIROV10050	1.00 cm x 50 m	50 m	5604612614744
VIROV12050	1.20 cm x 50 m	50 m	5604612614751
VIROV14050	1.40 cm x 50 m	50 m	5604612614768
VIROV100	1.00 cm x 100 m	100 m	5604612114411
VIROV120	1.20 cm x 100 m	100 m	5604612107062
VIROV140	1.40 cm x 100 m	100 m	5604612114831

PVC-coated iron wire mesh




Features:

- > BWG 14/11 | Ø ± 1.80/2.80 mm.



Reference	Dim.	Netting		Ean
VIRP505014	50 cm x 25 m	50 x 50 mm	25 m	5604612105068
VIRP506014	50 cm x 25 m	60 x 60 mm	25 m	5604612109998
VIRP755014	75 cm x 25 m	50 x 50 mm	25 m	5604612114152
VIRP756014	75 cm x 25 m	60 x 60 mm	25 m	5604612102906
VIRP1005014	100 cm x 25 m	50 x 50 mm	25 m	5604612037796
VIRP1006014	100 cm x 25 m	60 x 60 mm	25 m	5604612037802
VIRP1255014	125 cm x 25 m	50 x 50 mm	25 m	5604612115869
VIRP1256014	125 cm x 25 m	60 x 60 mm	25 m	5604612115920
VIRP1505014	150 cm x 25 m	50 x 50 mm	25 m	5604612114404
VIRP1506014	150 cm x 25 m	60 x 60 mm	25 m	5604612102685
VIRP1755014	175 cm x 25 m	50 x 50 mm	25 m	5604612105327
VIRP1756014	175 cm x 25 m	60 x 60 mm	25 m	5604612118518
VIRP2005014	200 cm x 25 m	50 x 50 mm	25 m	5604612105334
VIRP2006014	200 cm x 25 m	60 x 60 mm	25 m	5604612118525

Hexagonal wire netting



Features:

- > Material: steel;
- > Coating: galvanised.



Reference	Dim.	Netting	Ø		Ean
VIRHG50,12	50 cm x 50 m	1/2"	0.71 mm	50 m	5604612102661
VIRHG75,12	75 cm x 50 m	1/2"	0.71 mm	50 m	5604612121891
VIRHG100,12	100 cm x 50 m	1/2"	0.71 mm	50 m	5604612037680
VIRHG150,12	150 cm x 50 m	1/2"	0.71 mm	50 m	5604612121907
VIRHG200,12	200 cm x 50 m	1/2"	0.71 mm	50 m	5604612121914
VIRHG50,1	50 cm x 50 m	1"	0.80 mm	50 m	5604612121938
VIRHG75,1	75 cm x 50 m	1"	0.80 mm	50 m	5604612102678
VIRHG100,1	100 cm x 50 m	1"	0.80 mm	50 m	5604612037703
VIRHG150,1	150 cm x 50 m	1"	0.80 mm	50 m	5604612102630
VIRHG200,1	200 cm x 50 m	1"	0.80 mm	50 m	5604612110086
VIRHG50,2	50 cm x 50 m	2"	0.75 mm	50 m	5604612121983
VIRHG75,2	75 cm x 50 m	2"	0.75 mm	50 m	5604612121990
VIRHG100,2	100 cm x 50 m	2"	0.75 mm	50 m	5604612037710
VIRHG150,2	150 cm x 50 m	2"	0.75 mm	50 m	5604612102647
VIRHG200,2	200 cm x 50 m	2"	0.75 mm	50 m	5604612102654
VIRHG50,34	50 cm x 50 m	3/4"	0.71 mm	50 m	5604612121952
VIRHG100,34	100 cm x 50 m	3/4"	0.71 mm	50 m	5604612037697
VIRHG150,34	150 cm x 50 m	3/4"	0.71 mm	50 m	5604612121969
VIRHG200,34	200 cm x 50 m	3/4"	0.71 mm	50 m	5604612121976
VIRHG75,112	75 cm x 50 m	1 1/2"	0.71 mm	50 m	5604612121921

PVC-coated iron wire



Features:

- > Material: steel;
- > Coating: plastified.



Reference	No.	Ø Int.	Ø Ext.		Ean
VIAP128	12/8	2.77 mm	4.19 mm	30 Kg	5604612094416
VIAP1411	14/11	2.11 mm	3.05 mm	30 Kg	5604612037833

Galvanised iron wire



Features:

- > Material: steel;
- > Coating: galvanised.



Reference	No.	Ø		Ean
VIAZ8	8	4.19 mm	25 Kg	5604612122454
VIAZ9	9	3.76 mm	25 Kg	5604612122461
VIAZ10	10	3.40 mm	25 Kg	5604612120184
VIAZ11	11	3.05 mm	25 Kg	5604612037826
VIAZ12	12	2.77 mm	25 Kg	5604612122478
VIAZ13	13	2.41 mm	25 Kg	5604612122485
VIAZ14	14	2.11 mm	25 Kg	5604612122492
VIAZ15	15	1.83 mm	25 Kg	5604612093532
VIAZ16	16	1.50 mm	25 Kg	5604612122508
VIAZ17	17	1.47 mm	25 Kg	5604612122515
VIAZ18	18	1.25 mm	25 Kg	5604612122522
VIAZ19	19	1.00 mm	25 Kg	5604612122539
VIAZ20	20	0.90 mm	25 Kg	5604612122546
VIAZ21	21	0.80 mm	25 Kg	5604612122553

Galvanised iron wire



Features:

- > Material: steel;
- > Coating: galvanised.



Reference	Roll	Ø		Ean
VIAG11	50 m	1.1 mm	50	5604612679071
VIAG13	50 m	1.3 mm	40	5604612679088
VIAG15	30 m	1.5 mm	40	5604612679095

PVC-coated iron wire



Features:

- > Material: steel;
- > Coating: plastified.



Reference	Roll	Ø Int.	Ø Ext.		Ean
VIAP11	50 m	0.7 mm	1.1 mm	50	5604612679101
VIAP13	50 m	0.9 mm	1.3 mm	40	5604612679118
VIAP15	50 m	1.1 mm	1.5 mm	50	5604612679125

Galvanised barbed wire



Features:

- > Material: galvanised wire;
- > Coating: galvanised;
- > BWG 15/15;
- > Diameter: ± 1.83 mm;
- > Roll: 100 m.



Reference		Ean
VIAFZ100	20	5604612037840

PVC-coated barbed wire



Features:

- > Material: galvanised wire;
- > Coating: plastified;
- > BWG 14/11;
- > Inner diameter: ± 2.11 mm;
- > Outer diameter: ± 3.05 mm;
- > Roll: 100 m.



Reference		Ean
VIAFP100	1	5604612136567

Fencing wire tensioning ratchet



Features:

- > Material: iron;
- > Coating: galvanised.



Reference		Ean
VIER1	50	5604612643263

Lacquered fencing wire tensioning ratchet



Features:

- > Material: iron;
- > Coating: lacquered.



Reference		Ean
VIER2	50	5604612643270

Waterproof tarpaulin



Features:

- > Material: Laminated PE;
- > Grammage: 120 g/m²;
- > Aluminium eyelets at intervals of 1 metre;
- > Waterproof.



Reference	Dim.		Ean
VIOC35	3 x 5 m	8	5604612031084
VIOC46	4 x 6 m	5	5604612031091
VIOC58	5 x 8 m	3	5604612031107
VIOC610	6 x 10 m	2	5604612031114

GARDEN MACHINERY



VIRCR300

Robot lawnmower

300m² **NEW**



Main features:

- > Brushless motor;
- > Smart technology for obstacles and uneven terrain;
- > Protection against dust and water;
- > Manual control and via the app.

Technical data

Rated power – Cutting motor	60 W
Rated power – Motion motor	15 W
Rated voltage	20 V
Battery capacity	2.0 Ah
Blades rotational speed	2800 rpm
Number of cutting blades	3
Cutting width	180 mm
Cutting levels	20 – 60 mm
Cutting mode	Random straight line
Recommended cutting area	300 m ²
Maximum upward angle	24°
Charger supply voltage	230 V 50 Hz
IP rating – Machine	IPX5
IP rating – Charger	IP67
Sound power level (LWA)	55 dB (A)
Product weight	10.2 Kg
Product dimensions	650 x 420 x 230 mm
Weight with packaging	14.9 Kg
Packaging dimensions	730 x 450 x 290 mm
Bar code	5604612747855



Cutting
height selector



Charging station
included



Accessories
included

Packaging content

- > Charger and charging station;
- > Boundary wire (100 m);
- > Set of spare blades and screws (x2);
- > Pegs for boundary wire (x130);
- > Screws for charging station (x6);
- > Dual scale ruler.

Accessories P. 173

VIRCR500

Robot lawnmower

500m² **NEW**



Main features:

- > Brushless motor;
- > Smart technology for obstacles and uneven terrain;
- > Protection against dust and water;
- > Manual control and via the app.

Technical data


Rated power – Cutting motor	60 W
Rated power – Motion motor	15 W
Rated voltage	20 V
Battery capacity	2.0 Ah
Blades rotational speed	2800 rpm
Number of cutting blades	3
Cutting width	180 mm
Cutting levels	20 – 60 mm
Cutting mode	Random straight line
Recommended cutting area	500 m ²
Maximum upward angle	24°
Charger supply voltage	230 V 50 Hz
IP rating – Machine	IPX5
IP rating – Charger	IP67
Sound power level (LWA)	55 dB (A)
Product weight	10.3 Kg
Product dimensions	650 x 420 x 230 mm
Weight with packaging	15,2Kg
Packaging dimensions	730 x 450 x 290 mm
Bar code	5604612747862



Cutting
height selector



Charging station
included



Accessories
included

Packaging content

- > Charger and charging station;
- > Boundary wire (130 m);
- > Set of spare blades and screws (x2);
- > Pegs for boundary wire (x180);
- > Screws for charging station (x6);
- > Dual scale ruler.

Accessories P. 173



VIRCR800

Robot lawnmower

800m² **NEW**



Main features:


- › Brushless motor;
- › Smart technology for obstacles and uneven terrain;
- › Fertilises the soil naturally (mulching);
- › Map and define initial cut points;
- › Protection against dust and water;
- › Manual control and via the app.



Cutting
height selector



Charging station
included



Accessories
included

Packaging content

- › Charger and charging station;
- › Set of spare blades and screws (x2);
- › Screws for charging station (x6);
- › Boundary wire (170 m);
- › Pegs for boundary wire (x230);
- › Dual scale ruler.

Technical data

Rated power – Cutting motor	60 W
Rated power – Motion motor	15 W
Rated voltage	20 V
Battery capacity	4.0 Ah
Blades rotational speed	2800 rpm
Number of cutting blades	3
Cutting width	180 mm
Cutting levels	20 – 60 mm
Cutting mode	Random straight line
Recommended cutting area	800 m ²
Maximum upward angle	24°
Charger supply voltage	230 V 50 Hz
IP rating – Machine	IPX5
IP rating – Charger	IP67
Sound power level (LWA)	55 dB (A)
Product weight	10.7 Kg
Product dimensions	650 x 420 x 230 mm
Weight with packaging	16.4 Kg
Packaging dimensions	730 x 450 x 280 mm
Bar code	5604612747879

Accessories P. 173

VIMR1200

Lawnmower 1200W



Main features:

- > Ideal for small gardens;
- > Induction motor;
- > 3 cutting levels.

Technical data

Motor	Induction
Motor power	1200 W
Rotational speed	2800 rpm
Supply voltage	230 V 50 Hz
Cutting diameter	320 mm
3 cutting levels	25, 45, 65 mm
Recommended cutting area	300 m ²
Collection bag capacity	30 L
Wheel diameter	130 mm
Sound power level (LWA)	93 dB
Product weight	12 Kg
Product dimensions	375 x 1100 x 1000 mm
Weight with packaging	13.3 Kg
Packaging dimensions	615 x 380 x 270 mm
Bar code	5604612677909



Switch with safety
button



Transport handle

Packaging content

- > 30-litre grass bag;
- > Blade tightening spanner.

Accessories P. 173

VIMR1400

Lawnmower 1400W



Main features:

- > Suitable for domestic use;
- > Induction motor;
- > 5 cutting levels.

Technical data

Motor	Induction
Motor power	1400 W
Rotational speed	2850 rpm
Supply voltage	230 V 50 Hz
Cutting diameter	340 mm
5 cutting levels	20, 30, 38, 48, 68 mm
Recommended cutting area	600 m ²
Collection bag capacity	35 L
Wheel diameter	170 – 200 mm
Sound power level (LWA)	96 dB
Product weight	16 Kg
Product dimensions	440 x 1200 x 1010 mm
Weight with packaging	17 Kg
Packaging dimensions	755 x 470 x 345 mm
Bar code	5604612677916



Centralised adjustment
of cutting height



Transport handle



Full bag indicator

Packaging content

- > 35-litre collection bag;
- > Blade tightening spanner.

Accessories P. 173



VIMR1800

Lawnmower 1800W



Main features:

- › Ideal for domestic use, in medium to large gardens;
- › Induction motor;
- › 5 cutting levels.



Centralised adjustment
of cutting height



Transport handle



Full bag indicator

Packaging content

- › 50-litre grass bag;
- › Blade tightening spanner.

Accessories P. 173

Technical data

Motor	Induction
Motor power	1800 W
Rotational speed	2850 rpm
Supply voltage	230 V 50 Hz
Cutting diameter	420 mm
5 cutting levels	25, 35, 45, 55, 75 mm
Recommended cutting area	800 m ²
Collection bag capacity	50 L
Wheel diameter	170 – 250 mm
Sound power level (LWA)	94 dB
Product weight	22 Kg
Product dimensions	500 x 1240 x 1050 mm
Weight with packaging	23.2 Kg
Packaging dimensions	800 x 525 x 390 mm
Bar code	5604612677923

VIMR45

Lawnmower with traction 4.5hp **NEW**



Main features:

- > Metal housing;
- > Rear and side discharge;
- > Mulching;
- > 6 cutting levels.

Technical data

Engine	4-stroke combustion
Engine power	4.5 hp / 3.3 kW
Engine displacement	144 cc
Fuel	Petrol
Fuel tank	0.9 L
Rotational speed	3600 rpm
Cutting diameter	460 mm
6 cutting levels	25 – 75 mm
Recommended cutting area	1250 m ²
Collection bag capacity	60 L
Wheel diameter	180 – 200 mm
Engine oil	15W40
Engine oil sump	0.5 L
Sound power level (LWA)	94 dB
Product weight	28 Kg
Product dimensions	1550 x 545 x 1115 mm
Weight with packaging	32 Kg
Packaging dimensions	790 x 580 x 430 mm
Bar code	5604612759278



Side discharge



Air filter



Allows connection
of a hose for washing

Packaging content

- > 60-litre grass bag;
- > Blade;
- > Spark plug wrench.

VIMR5D

Lawnmower with traction 5hp



Main features:

- > Metal housing;
- > Rear discharge;
- > Mulching;
- > 6 cutting levels.

Technical data

Engine	4-stroke combustion
Engine power	5 hp / 3.7 kW
Engine displacement	144 cc
Fuel	Petrol
Fuel tank	1 L
Rotational speed	2800 rpm
Cutting diameter	480 mm
6 cutting levels	25 – 75 mm
Recommended cutting area	1500 m ²
Collection bag capacity	65 L
Wheel diameter	177 – 203 mm
Engine oil	15W40
Engine oil sump	0.6 L
Sound power level (LWA)	96 dB
Product weight	36 Kg
Product dimensions	540 x 1565 x 1030 mm
Weight with packaging	37.7 Kg
Packaging dimensions	785 x 565 x 485 mm
Bar code	5604612717247



Cutting height
adjustment



Throttle lever



Allows connection
of a hose for washing

Packaging content

- > 65-litre grass bag;
- > Blade;
- > Blade tightening spanner.

Accessories P. 173

VIMR55

Lawnmower with traction

5.5hp **NEW**



Main features:

- › Metal housing;
- › Rear and side discharge;
- › Mulching;
- › 6 cutting levels.

Technical data

Engine	4-stroke combustion
Engine power	5.5 hp / 4 kW
Engine displacement	190 cc
Fuel	Petrol
Fuel tank	1.2 L
Rotational speed	3600 rpm
Cutting diameter	510 mm
6 cutting levels	25 – 75 mm
Recommended cutting area	1500 m ²
Collection bag capacity	60 L
Wheel diameter	200 – 220 mm
Engine oil	15W40
Engine oil sump	0.55 L
Sound power level (LWA)	95 dB
Product weight	29.5 Kg
Product dimensions	1550 x 570 x 1103 mm
Weight with packaging	36.5 Kg
Packaging dimensions	870 x 600 x 430 mm
Bar code	5604612759285



Side discharge



Throttle lever

Allows connection
of a hose for washing

Packaging content

- › 60-litre grass bag;
- › Blade;
- › Spark plug wrench.

VIMR65B

Lawnmower with traction

6.5hp



Main features:

- › Metal housing;
- › Rear and side discharge;
- › Mulching;
- › 6 cutting levels;
- › CHOKE lever – opens and closes the air intake.

Technical data

Engine	4-stroke combustion
Engine power	6.5 hp / 4.8 kW
Engine displacement	196 cc
Fuel	Petrol
Fuel tank	1 L
Rotational speed	2800 rpm
Cutting diameter	525 mm
6 cutting levels	25 – 75 mm
Recommended cutting area	2000 m ²
Collection bag capacity	65 L
Wheel diameter	203 – 279 mm
Engine oil	15W40
Engine oil sump	0.6 L
Sound power level (LWA)	98 dB
Product weight	42 Kg
Product dimensions	560 x 1590 x 1045 mm
Weight with packaging	43.2 Kg
Packaging dimensions	855 x 570 x 500 mm
Bar code	5604612703219

Cutting height
adjustment

Side discharge

Allows connection
of a hose for washing

Packaging content

- › 65-litre grass bag;
- › Blade;
- › Blade tightening spanner.

Accessories P. 173

VIMRRG65

Lawnmower with traction and swivel wheels

6.5hp



Main features:

- › Metal housing;
- › Rear and side discharge;
- › Mulching;
- › 6 cutting levels;
- › Multi-directional wheels – 360°.

Technical data

Engine	4-stroke combustion
Engine power	6.5 hp / 4.8 kW
Engine displacement	196 cc
Fuel	Petrol
Fuel tank	1 L
Rotational speed	2800 rpm
Cutting diameter	508 mm
6 cutting levels	25 – 75 mm
Recommended cutting area	2000 m ²
Collection bag capacity	65 L
Wheel diameter	203 – 279 mm
Engine oil	15W40
Engine oil sump	0.6 L
Sound power level (LWA)	98 dB
Product weight	41 Kg
Product dimensions	550 x 1600 x 1100 mm
Weight with packaging	43.2 Kg
Packaging dimensions	855 x 570 x 500 mm
Bar code	5604612721800



Cutting height adjustment



Side discharge



360° wheels

Packaging content

- › 65-litre collection bag.

Accessories P. 173

VIE54

Scarifier

5.4hp



Main features:


- › Metal housing;
- › Safety lever;
- › Depth regulator;
- › 2 rotating blades;
- › Belt drive.

Technical data

Engine	4-stroke combustion
Engine power	5.4 hp / 4.0 kW
Engine displacement	212 cc
Fuel	Petrol
Fuel tank	3.6 L
Rotational speed	3600 rpm
Cutting width	400 mm
Maximum working depth	5 / -15 mm
Collection bag capacity	45 L
Wheel diameter	203 mm
Engine oil	15W40
Engine oil sump	0.6 L
Sound power level (LWA)	105 dB (A)
Product weight	37 Kg
Product dimensions	610 x 1040 x 1300 mm
Weight with packaging	43 Kg
Packaging dimensions	636 x 660 x 570 mm
Bar code	5604612721817



Depth regulator



Permanent lifting lever



Spring tines shaft and blade shaft

Packaging content

- › 45-litre collection bag;
- › Spring tines shaft and blade shaft;
- › Spark plug wrench.

Accessories P. 174



VITCRH86

Hydrostatic lawn tractor 860mm **NEW**



Main features:

- › Ideal for medium-sized and large lawns;
- › 7 cutting height settings;
- › Tuff Torq hydrostatic transmission – smooth and practical driving;
- › Ergonomic steering wheel;
- › Low-vibration seat;
- › Easy to empty using a lever.



Cutting height
adjustment lever



Drive pedal
for traction



Accessories
included

Packaging content

- › Steering shaft and splined hub;
- › Steering shaft cover;
- › Steering wheel;
- › Bumpers (and 2 brackets);
- › Seat;
- › Rear reflector plate;
- › Set of spark plug wrenches and spanners;
- › Set of screws and washers;
- › Grass box;
- › Ignition keys (x2).

Technical data

Engine	4-stroke combustion
Rated power	10.5 hp / 7.8 kW
Engine displacement	452 cc
Fuel	Petrol
Fuel tank	7.5 L
No-load rotational speed	2600 rpm
Maximum speed – Front	8.8 km/h
Maximum speed – Reverse	4.5 km/h
Transmission	Hydrostatic
Cutting diameter	860 mm
Cutting levels	7: 30 – 90 mm
Recommended cutting area	3500 m ²
Capacity of the collection bag	245 L
Engine brand	Loncin
Engine oil	15W40
Engine oil sump	1.2 L
Sound power level (LWA)	100 dB (A)
Product weight	208 Kg
Product dimensions	2400 x 1100 x 1000 mm
Weight with packaging	238 Kg
Packaging dimensions	1700 x 1150 x 850 mm
Bar code	5604612747398

VIAC350

Grass trimmer

350W – 22 cm **NEW**



VIAC550

Grass trimmer

550W – 30 cm **NEW**



Main features:

- > Lightweight and ergonomic design;
- > Adjustable auxiliary handle.

Technical data

Power	350 W
No-load rotational speed	12000 rpm
Max. cutting diameter	220 mm
Line diameter	1.4 mm
Line length	2 x 3 m
Supply voltage	230 V 50 Hz
Sound power level (LWA)	96 dB
Sound pressure level (LPA)	85 dB
Auto-feed	Yes
Product weight	1.3 Kg
Product dimensions	1000 x 220 x 235 mm
Weight with packaging	1.6 Kg
Packaging dimensions	405 x 135 x 200 mm
Bar code	5604612749163



Cutting line



Auxiliary handle

Packaging content

- > Guard.

Accessories P. 174

Main features:

- > Lightweight and ergonomic design;
- > Swivel head and support wheel: adjustment of the cutting angle;
- > Adjustable auxiliary handle;
- > Height-adjustable extendable shaft.

Technical data

Power	550 W
No-load rotational speed	10000 rpm
Max. cutting diameter	300 mm
Line diameter	1.6 mm
Line length	2 x 5 m
Supply voltage	230 V 50 Hz
Sound power level (LWA)	96 dB
Sound pressure level (LPA)	85 dB
Auto-feed	Yes
Product weight	2.4 Kg
Product dimensions	1350 x 270 x 350 mm
Weight with packaging	3.2 Kg
Packaging dimensions	980 x 120 x 350 mm
Bar code	5604612749170



Adjustable auxiliary handle



Rotating head



Cutting guide

Packaging content

- > Adjustable auxiliary handle;
- > Guard;
- > Support wheel.

Accessories P. 174



VICS550

Hedge trimmer 550W



Main features:

- > Two-way blade;
- > Auxiliary handle with safety switch;
- > For hedges with medium-sized branches.

Technical data

Motor power	550 W
Rotational speed	1600 rpm
Cutting diameter	18 mm
Blade length	510 mm
Teeth height	22 mm
Teeth gap	18 mm
Supply voltage	230 V 50 Hz
Sound power level (LWA)	102 dB
Product weight	2.4 Kg
Product dimensions	140 x 460 x 170 mm
Weight with packaging	2.9 Kg
Packaging dimensions	920 x 150 x 180 mm
Bar code	5604612664312S



Blade cover



Guard

Packaging content

- > Guard;
- > Cutting blade;
- > Blade cover.

Accessories P. 174

VICS600A

Hedge trimmer 600W



Main features:

- > Two-way blade;
- > Auxiliary handle with safety switch;
- > For hedges with medium-sized branches.

Technical data

Motor power	600 W
Rotational speed	1600 rpm
Cutting diameter	18 mm
Blade length	590 mm
Teeth height	28 mm
Teeth gap	20 mm
Supply voltage	230 V 50 Hz
Sound power level (LWA)	100 dB
Product weight	2.9 Kg
Product dimensions	185 x 460 x 170 mm
Weight with packaging	3.4 Kg
Packaging dimensions	980 x 200 x 180 mm
Bar code	5604612676339



Blade cover



Guard

Packaging content

- > Guard;
- > Cutting blade;
- > Blade cover.

Accessories P. 174




VICS25

Petrol hedge trimmer 25cc




Main features:

- › Two-way blade;
- › Safety trigger;
- › 90° adjustable handle;
- › For hedges with thick branches.



Blade cover



Guard



90° adjustable handle

Packaging content

- › Guard;
- › Cutting blade;
- › Guide bar cover;
- › Tool kit.

Technical data

Engine	2-stroke combustion
Engine power	1.1 hp / 0.85 kW
Engine displacement	25 cc
Fuel	Mixture 1:40
Fuel tank	0.33 L
Rotational speed	10500 rpm
Cutting diameter	18 mm
Blade length	550 mm
Teeth height	35 mm
Teeth gap	20 mm
Adjustable handle	90°
Sound power level (LWA)	110 dB
Product weight	5.6 Kg
Product dimensions	220 x 510 x 210 mm
Weight with packaging	7.5 Kg
Packaging dimensions	1112 x 240 x 220 mm
Bar code	5604612642013

Accessories P. 174

VIAS3000A

Leaf blower vacuum 3000W



Main features:

- › Easy to use;
- › Collection bag with a maximum capacity of 35 litres;
- › Adjustable auxiliary handle;
- › Front wheel for maximum convenience.

Technical data

Motor power	3000 W
Rotational speed	15000 rpm
Maximum air speed	75 m/s
Maximum air flow rate	0.22 m ³ /s
Maximum suction flow rate	0.22 m ³ /s
Collection bag	35 L
Supply voltage	230 V 50 Hz
Sound power level (LWA)	105 dB
Product weight	3 Kg
Product dimensions	160 x 1200 x 340 mm
Weight with packaging	3.9 Kg
Packaging dimensions	440 x 255 x 325 mm
Bar code	5604612704131



Mode selector



Blowing and suction



Accessories included

Packaging content

- › 35-litre collection bag;
- › Suction/blower tube;
- › Carrying strap;
- › Screws (x3).

Accessories P. 174

VISA25

Leaf blower vacuum 25cc **NEW**




Main features:

- › Easy to use;
- › Collection bag with a maximum capacity of 40 litres;
- › Blowing, suction and shredding functions in a single unit;
- › Start/stop switch ('On/Off');
- › Regulation of the motor's rotational speed.

Technical data

Engine	2-stroke combustion
Engine power	1 hp / 0.75 kW
Engine displacement	25.4 cc
Fuel	Mixture 1:40
Fuel tank	0.45 L
Maximum rotational speed	3000 rpm
Maximum air speed	62.7 m/s
Maximum air flow rate	0.17 m ³ /s
Maximum suction speed	47.5 m/s
Maximum suction flow rate	0.24 m ³ /s
Collection bag	40 L
Sound power level (LWA)	108 dB
Product weight	5.2 Kg
Product dimensions	250 x 1120 x 350 mm
Weight with packaging	8.4 Kg
Packaging dimensions	555 x 285 x 385 mm
Bar code	56004612731120



Lock lever
and throttle trigger



Grinding blades




Tool kit included

Packaging content

- › Set of blower and suction tubes;
- › Elbow tube;
- › 40-litre collection bag;
- › Fuel mixing bottle;
- › Tool kit;
- › Strap.

Accessories P. 174

VISM52A

Backpack blower52cc **NEW****Main features:**

- › Easy to use;
- › Ergonomic design with padded, comfortable straps;
- › Start/stop switch ('On/Off').

Technical data

Engine	2-stroke combustion
Engine power	1.9 hp / 1.4 kW
Engine displacement	52 cc
Fuel	Mixture 1:30
Fuel tank	1 L
Rotational speed (Ralenti)	2800 ± 200 rpm
Maximum rotational speed	7500 ± 200 rpm
Maximum air speed	67 m/s
Maximum air flow rate	0.25 m³/s
Sound power level (LWA)	115 dB
Product weight	7.9 Kg
Product dimensions	380 x 1700 x 420 mm
Bar code	5604612729394



Padded straps



Multifunction control

Packaging content

- › Flexible hose;
- › Connecting tubes (x3);
- › Clamps (x2);
- › Fuel mixing bottle;
- › Set of spanners.


VISM76

Backpack blower76cc **NEW****Main features:**

- › Easy to use;
- › Ideal for large areas;
- › Maximum comfort guaranteed.

Technical data

Engine	2-stroke combustion
Engine power	3.6 hp / 2.7 kW
Engine displacement	76 cc
Fuel	Mixture 1:30
Fuel tank	2 L
Autonomy	1 h
Rotational speed (Ralenti)	2800 ± 200 rpm
Maximum rotational speed	7000 ± 200 rpm
Max. air speed	92 m/s
Maximum air flow rate	0.43 m³/s
Sound power level (LWA)	110 dB
Product weight	12 Kg
Product dimensions	500 x 550 x 1450 mm
Weight with packaging	14 Kg
Packaging dimensions	580 x 400 x 500 mm
Bar code	5604612740245

Padded straps
with chest adjustmentAdjustable
multifunction control

Dual air filter

Packaging content

- › Flexible hose;
- › Connecting tubes (x3);
- › Clamps (x2);
- › Fuel mixing bottle.



VITR2500

Garden shredder 2500W



Main features:

- › For shredding thin branches;
- › Dual safety switch;
- › Collection box with a maximum capacity of 45 litres;
- › Includes a waste push stick;
- › Transport wheels for greater mobility.



Plate with two cutting
blades



Easy-to-open blade
compartment



Safety switch

Technical data

Motor power	2500 W
Rotational speed	4500 rpm
Supply voltage	230 V AC 50 Hz
Max. branch diameter	45 mm
Collection box capacity	45 L
IP rating	IP24
Vibration	< 2.5 m/s ²
Sound power level (LWA)	106 dB
Product weight	12 Kg
Product dimensions	545 x 1015 x 444 mm
Weight with packaging	13.4 Kg
Packaging dimensions	530 x 370 x 510 mm
Bar code	5604612709730

Packaging content

- › 45-litre collection box;
- › Push stick.

Accessories for robot lawnmower



VIRCR.C10EB



VIRCR.C100EB



VIRCR.C100E



VIRCR.C10C



VIRCR.C15L

Reference	Description	Compatible with		Ean
VIRCR.C10EB	Set of 10 pegs for robot lawnmower charging station NEW	VIRCR300 / VIRCR500 / VIRCR800	1	5604612762766
VIRCR.C100EB	Set of 100 pegs for robot lawnmower charging station NEW	VIRCR300 / VIRCR500 / VIRCR800	1	5604612750633
VIRCR.C100E	Set of 100 pegs for robot lawnmower NEW	VIRCR300 / VIRCR500 / VIRCR800	1	5604612750626
VIRCR.C10C	Set of 10 gel connectors for robot lawnmower NEW	VIRCR300 / VIRCR500 / VIRCR800	1	5604612750671
VIRCR.C15L	Set of 15 blades and screws for robot lawnmower NEW	VIRCR300 / VIRCR500 / VIRCR800	1	5604612750657



VIRCR.CBASE



VIRCR.BASE



VIRCR.COB



VIRCR.BF100M

Reference	Description	Compatible with		Ean
VIRCR.CBASE	Set of mounting parts for robot lawnmower cover NEW	VIRCR300 / VIRCR500 / VIRCR800	1	5604612750688
VIRCR.BASE	Chargin station for robot lawnmower NEW	VIRCR300 / VIRCR500 / VIRCR800	1	5604612759452
VIRCR.COB	Chargin station cover for robot lawnmower NEW	VIRCR300 / VIRCR500 / VIRCR800	1	5604612750664
VIRCR.BF100M	100 m boundary wire spool for robot lawnmower NEW	VIRCR300 / VIRCR500 / VIRCR800	1	5604612750640

Accessories for electric lawnmower



VIMR1200.1.01.027



VIMR1400.1.01.018



VIMR1800.1.01.021

Reference	Description	Dim.	Compatible with		Ean
VIMR1200.1.01.027	Blade for electric lawnmower	320 x 40 mm	VIMR1200	1	5604612680428
VIMR1400.1.01.018	Blade for electric lawnmower	340 x 50 mm	VIMR1400	1	5604612680435
VIMR1800.1.01.021	Blade for electric lawnmower	420 x 50 mm	VIMR1800	1	5604612680442

Accessories for combustion lawnmower



VIMR5C.C.C11



VIMR65B.C.C11



VIMRRG65.1.C.C10

Reference	Description	Dim.	Compatible with		Ean
VIMR5C.C.C11	Blade for combustion lawnmower	480 x 50 mm	VIMR5C / VIMR5D	1	5604612729271
VIMR65B.C.C11	Blade for combustion lawnmower	525 x 50 mm	VIMR65B	1	5604612708177
VIMRRG65.1.C.C10	Blade for combustion lawnmower	508 x 50 mm	VIMRRG65	1	5604612729288

Accessories for scarifier



VIE54VA



VIE54VL

Reference	Description	Dim.	Compatible with		Ean
VIE54VA	Spring tines shaft for scarifier	400 mm	VIE54	1	5604612726683
VIE54VL	Blade shaft for scarifier	400 mm	VIE54	1	5604612726676

Accessories for grass trimmers



VICBAC250A



VICBAC450A



VICBAC350

Reference	Description	Ø	Compatible with		Ean
VICBAC250A	Grass trimmer head cover	65 mm	VIAC250A	1	5604612672799
VICBAC450A	Grass trimmer head cover	80 mm	VIAC450A	1	5604612672805
VICBAC350	Set of 2 grass trimmer head covers NEW	53 mm	VIAC350	1	5604612749385



VICBAC550



VIBFAC250A



VIBFAC350



VIBFAC450A



VIBFAC550

Reference	Description	Ø	Compatible with		Ean
VICBAC550	Set of 2 grass trimmer head covers NEW	80 mm	VIAC550	1	5604612749408
VIBFAC250A	Set of 2 nylon line spools for grass trimmer - 4.5 m	1.2 mm	VIAC250A	1	5604612672768
VIBFAC350	Set of 2 nylon line spools for grass trimmer - 3 m NEW	1.4 mm	VIAC350	1	5604612749354
VIBFAC450A	Set of 2 nylon line spools for grass trimmer - 4.5 m	1.5 mm	VIAC450A	1	5604612672775
VIBFAC550	Set of 2 nylon line spools for grass trimmer - 5 m NEW	1.6 mm	VIAC550	1	5604612749361

Accessories for hedge trimmer



VICS550.1.01.004



VICS600A.1.01.068



VICS25.1.02.030



VICS25.1.02.030A

Reference	Description	Dim.	Compatible with		Ean
VICS550.1.01.004	Blade for electric hedge trimmer	640 x 55 mm	VICS550	1	5604612690557
VICS600A.1.01.068	Complete blade for electric hedge trimmer	715 x 75 mm	VICS600A	1	5604612680497
VICS25.1.02.030	Blade for combustion hedge trimmer	700 x 60 mm	VICS25	1	5604612680480
VICS25.1.02.030A	Complete blade for combustion hedge trimmer	720 x 90 mm	VICS25	1	5604612729400

Accessories for leaf blower vacuum



VIAS3000.1.01.019




VISA25.A.119

Reference	Description	Compatible with		Ean
VIAS3000.1.01.019	Vacuum bag for leaf blower vacuum - 35 L	VIAS3000A	1	5604612713669
VISA25.A.119	Collection bag for leaf blower vacuum - 40 L	VISA25	1	5604612713669

GARDEN TOOLS



Small garden trowel




Features:

- > Tempered steel;
- > Wooden handle.



Reference	A x B x C		Ean
VI0050	95 x 155 x 305 mm	6	5604612157067

Small transplanting trowel




Features:

- > Stainless steel;
- > Wooden handle.



Reference	A x B x C		Ean
VIPTP	65 x 135 x 315 mm	6	5604612170653

Big transplanting trowel




Features:

- > Stainless steel;
- > Wooden handle.



Reference	A x B x C		Ean
VIPTG	90 x 150 x 330 mm	6	5604612170646

Small double hoe




Features:

- > Stainless steel;
- > Wooden handle.



Reference	A x B x C		Ean
VISPQ	70 x 150 x 255 mm	6	5604612170677

Rake 5 teeth



Features:


- > Stainless steel;
- > Wooden handle.



Reference		A x B x C		Ean
VIA5D	5	85 x 65 x 260 mm	6	5604612170660

Small leaf rake


9 teeth

**Features:**

- > Stainless steel;
- > Wooden handle.




Reference	A x B		Ean
VIVRM	130 x 400 mm	6	5604612170684

Bulb planter**Features:**

- > Stainless steel;
- > Wooden handle.




Reference	A x B	Ø		Ean
VIPB	225 x 100 mm	55 mm	6	5604612170707

Bulb planter**Features:**

- > Plastic.



Reference	A x B	Ø		Ean
VIPBP	240 x 130 mm	60 mm	10	5604612709020

Hand dibber**Features:**

- > Stainless steel;
- > Wooden handle.



Reference	A x B		Ean
VIPBB	115 x 285 mm	6	5604612170691


Hand dibber with wooden handle**Features:**

- > Steel;
- > Wooden handle.



Reference	A	Ø		Ean
VIPBBM	380 mm	43 mm	10	5604612709013

Double hoe with handle




Features:

- > Tempered steel;
- > Wooden handle.



Reference	A x B x C		Ean
VI1710	80 x 220 x 400 mm	6	5604612004484

Double hoe with handle 2 prongs




Features:

- > Tempered steel;
- > Wooden handle.



Reference	A x B x C		Ean
VI0013	80 x 215 x 400 mm	6	5604612139506

Double hoe with handle 3 tines




Features:

- > Tempered steel;
- > Wooden handle.



Reference	A x B x C		Ean
VI0014	80 x 220 x 400 mm	6	5604612139513

Weeding hoe with handle



Features:

- > Tempered steel;
- > Wooden handle.



Reference	A x B x C		Ean
VI1015	85 x 220 x 400 mm	6	5604612000318

Pointed garden hoe



Features:

- > Tempered steel;
- > Wooden handle.



Reference	A x B x C		Ean
VI1000	60 x 130 x 360 mm	6	5604612000219



Gardening kit 3 pieces



Features:

- > S235 JR steel;
- > Thermosetting paint;
- > Beech wood handle.

Content:

- > Transplanting trowel;
- > Double hoe;
- > Rake 5 teeth.



Reference	Dim. Box		Ean
VIKJ3C	220 x 75 x 295 mm	1	5604612714048

Pointed garden hoe




Features:

- > S235 JR steel;
- > Thermosetting paint;
- > Beech wood handle.



Reference	A x B x C		Ean
VIBJMS	55 x 160 x 330 mm	12	5604612710699

Double hoe




Features:

- > S235 JR steel;
- > Thermosetting paint;
- > Beech wood handle.



Reference	A x B x C		Ean
VISPBMS	50 x 150 x 160 mm	12	5604612710637

Small double hoe




Features:

- > S235 JR steel;
- > Thermosetting paint;
- > Beech wood handle.



Reference	A x B x C		Ean
VISPQMS	75 x 170 x 250 mm	12	5604612710644

Transplanting trowel



Features:

- > S235 JR steel;
- > Thermosetting paint;
- > Beech wood handle.



Reference	A x B x C		Ean
VIPTPMS	75 x 130 x 270 mm	12	5604612710613
VIPTGMS	90 x 160 x 300 mm	12	5604612710682

Weeding lifter




Features:

- > S235 JR steel;
- > Thermosetting paint;
- > Beech wood handle.



Reference	A	Ø		Ean
VIAREMS	330 mm	40 mm	12	5604612710668

Cultivator 3 tines



Features:


- > S235 JR steel;
- > Thermosetting paint;
- > Beech wood handle.



Reference	A x B x C		Ean
VIC3DMS	100 x 120 x 300 mm	12	5604612710620

Rake

3 teeth



Features:

- > S235 JR steel;
- > Thermosetting paint;
- > Beech wood handle.



Reference	A x B x C		Ean
VIA3DMS	85 x 140 x 295 mm	12	5604612710651

Rake

5 teeth




Features:

- > S235 JR steel;
- > Thermosetting paint;
- > Beech wood handle.



Reference	A x B x C		Ean
VIA5DMS	85 x 65 x 245 mm	12	5604612710675

Fruit picker



Features:

- > Carbon steel.




Reference	A x B	Handle		Ean
VIAFA	325 x 150 mm	VICM2	16	5604612703929



Scarifier

Features:

- > Tempered steel.




Reference	No.	A x B	Ø	Handle		Ean
VIES12	12	320 x 85 mm	25 mm	VI4010	24	5604612649876

Traditional rake

Features:

- > Tempered steel.




Reference	No.	A x B	Ø	Handle		Ean
VIA6	6	190 x 100 mm	28 mm	VI4010	6	5604612028770
VIA8	8	260 x 100 mm	28 mm	VI4010	6	5604612108892
VIA10	10	235 x 100 mm	28 mm	VI4010	6	5604612108908
VIA12	12	395 x 100 mm	28 mm	VI4010	6	5604612108922
VIA14	14	460 x 100 mm	28 mm	VI4010	6	5604612108915

Rake

Features:

- > Tempered steel.




Reference	No.	A x B	Ø	Handle		Ean
VIAJ8	8	205 x 100 mm	34 mm	VI4010	6	5604612108847
VIAJ10	10	260 x 100 mm	34 mm	VI4010	6	5604612108854
VIAJ12	12	320 x 100 mm	34 mm	VI4010	6	5604612108861
VIAJ14	14	375 x 100 mm	34 mm	VI4010	6	5604612108878

Rake with handle

Features:

- > Tempered steel;
- > Wooden handle.



Reference		A x B x C		Ean
VIAJ10C	10	260 x 100 x 1420 mm	6	5604612119645
VIAJ12C	12	320 x 100 x 1430 mm	6	5604612119652
VIAJ14C	14	380 x 100 x 1440 mm	6	5604612639020

Garden scraper

Features:

- > CK47 steel blade;
- > Wooden handle.





Reference	A x B x C		Ean
VIRPJ	160 x 255 x 1570 mm	6	5604612709150



Galvanised steel fixed-teeth lawn rake 21 teeth

Features:

- > Zinc alloy;
- > Wooden handle.




Reference	A x B x C		Ean
VIVRZF21CM	415 x 420 x 1545 mm	6	5604612693251

Galvanised steel adjustable lawn rake 21 teeth

Features:

- > Zinc alloy;
- > Length: 300 to 500 mm;
- > Wooden handle.




Reference	A x B x C		Ean
VIVRZR21CM	300 (a 500) x 430 x 1550 mm	6	5604612693268

Fixed-teeth lawn rake 22 teeth

Features:

- > Lacquered metal;
- > Wooden handle.




Reference	A x B x C		Ean
VIVR200	410 x 400 x 1550 mm	24	5604612008536

Round fixed-teeth lawn rake

22 teeth

Features:

- > Lacquered metal;
- > Wooden handle.




Reference	A x B x C		Ean
VIVR179	450 x 410 x 1550 mm	1	5604612709037

Large-head fixed-teeth lawn rake

22 teeth

Features:

- > Lacquered metal;
- > Wooden handle.




Reference	A x B x C		Ean
VIVR199	555 x 450 x 1575 mm	18	5604612011239

Adjustable lawn rake

22 teeth

Features:

- > Zinc alloy;
- > Length: 370 to 490 mm;
- > Wooden handle.




Reference	A x B x C		Ean
VIVR202	370 (a 490) x 390 x 1535 mm	24	5604612008543

Plastic lawn rake

22 teeth

Features:

- > Plastic;
- > Wooden handle.




Reference	A x B x C		Ean
VIVR208	540 x 400 x 1540 mm	18	5604612021108

Lawn rake with leaf picker ^{NEW}

25 teeth

Features:

- > Plastic.





Reference	A x B x C		Ean
VIVRAF	500 x 115 x 1600 mm	10	5604612745622

Adjustable lawn rake with telescopic handle 15 teeth

Features:

- > Aluminium;
- > Length: 185 to 630 mm.




Reference	A x B		Ean
VIVRRE	185 (a 630) x 900 (a 1450) mm	12	5604612699642

Traditional garden broom


Features:

- > 400 mm mypren-pp bristles;
- > Iron ring.



Reference	A x B x C		Ean
VIVJT	320 x 405 x 1510 mm	1	5604612717841

Galvanised steel fixed-teeth lawn rake 21 teeth




Features:

- > Zinc alloy.



Reference	A x B	Ø	Handle		Ean
VIVRZF21	415 x 420 mm	25 mm	VICJ101	6	5604612691882

Galvanised steel adjustable lawn rake 21 teeth




Features:

- > Zinc alloy;
- > Length: 300 to 500 mm.



Reference	A x B	Ø	Handle		Ean
VIVRZR21	300 (to 500) x 430 mm	25 mm	VICJ103	6	5604612691899

Fixed-teeth lawn rake without handle 22 teeth



Features:


- > Lacquered metal.



Reference	A x B	Ø	Handle		Ean
VIVR200SC	410 x 400 mm	22 mm	VICJ101	24	5604612693145

Round fixed-teeth lawn rake without handle

22 teeth



Features:


> Lacquered metal.



Reference	A x B	Ø	Handle		Ean
VIVR179SC	450 x 410 mm	22 mm	VICJ101	36	5604612712488

Large-head fixed-teeth lawn rake without handle

22 teeth



Features:


> Lacquered metal.



Reference	A x B	Ø	Handle		Ean
VIVR199SC	555 x 450 mm	22 mm	VICJ101	36	5604612693169

Adjustable lawn rake without handle

22 teeth



Features:

> Zinc alloy;



> Length: 370 to 490 mm;



Reference	A x B	Ø	Handle		Ean
VIVR202SC	370 (to 490) x 390 mm	22 mm	VICJ101	25	5604612693152

Plastic lawn rake without handle

22 teeth



Features:

> Plastic.



Reference	A x B	Ø	Handle		Ean
VIVR208SC	540 x 400 mm	25 mm	VICJ102	50	5604612693138

Garden rake handle



Features:

> With a threaded tip (VICJ102);

> For metal garden brooms (VICJ103).



Reference	Dim.	Ø		Ean
VICJ101	1200 x 17 mm	26 mm	25	5604612017088
VICJ102	1200 x 26 mm	26 mm	25	5604612692421
VICJ103	1200 x 26 mm	26 mm	25	5604612692438



Nickel-plated hedge shears



Features:

- > Nickel-plated carbon steel blade;
- > Maximum cutting length: 180 mm (VITCSN10) and 210 mm (VITCSN12).

Reference	Dim.	Blade		Ean
VITCSN10	510 mm	250 mm	6	5604612641658
VITCSN12	550 mm	300 mm	6	5604612641665

Hedge shears with cast aluminium handle



Features:

- > 275 mm blade made from carbon-enriched steel;
- > Non-slip handle.

Reference	Dim.		Ean
VITCSA11	620 mm	6	5604612690373

Hedge shears with bimaterial handle



Features:

- > 275 mm blade made from carbon-enriched steel;
- > Non-slip handle.

Reference	Dim.		Ean
VITCS11	645 mm	6	5604612690380

Hedge shears with force multiplier and bimaterial handle ^{NEW}



Features:

- > 275 mm blade made from carbon-enriched steel;
- > Multiplier mechanism;
- > Non-slip handle.

Reference	Dim.		Ean
VITCDSM	680 mm	6	5604612745509

Shaping hedge shears with bimaterial handle ^{NEW}



Features:

- > 225 mm blade made from carbon-enriched steel;
- > Non-slip handle.

Reference	Dim.		Ean
VITCSDT	480 mm	6	5604612745523

Hedge shears with bimaterial handle **NEW**



Features:

- > 275 mm blade made from carbon-enriched steel;
- > Component with a single blade;
- > Non-slip handle.

Reference	Dim.		Ean
VITCSP	660 mm	6	5604612745493

Ultra-light anvil lopper **NEW**



Features:

- > Cutting diameter: 35 mm;
- > Blade made from carbon-enriched steel;
- > Super lightweight.

Reference	Dim.		Ean
VITPUL	400 mm	6	5604612745530

Rose shears



Features:

- > Cutting diameter: 10 mm;
- > Carbon steel blade;
- > Safety lock.

Reference	Dim.		Ean
VITPR	200 mm	6	5604612038151

Swivel grass shears 180° **NEW**



Features:

- > Carbon steel blade (5 positions);
- > Ergonomic handle;
- > Position lock.

Reference	Dim.		Ean
VITCS180	350 mm	12	5604612738419

Swivel grass shears 360°



Features:

- > Carbon steel blade;
- > Ergonomic handle;
- > Position lock.

Reference	Dim.		Ean
VITCS360	255 mm	4	5604612709006

IRRIGATION



Irrigation kit with hose

Features:

- > Quick-fit accessories;
- > Flexible PVC;
- > Braided layers (x3);
- > UV-resistant.



Reference	Ø	Dim.	Bar		Ean
VIK1215	12 mm 1/2"	15 m	17	1	5604612712471
VIK6010	15 mm 5/8"	10 m	20	1	5604612011079
VIK6015	15 mm 5/8"	15 m	20	1	5604612011086
VIK6020	15 mm 5/8"	20 m	20	1	5604612011093
VIK1915	19 mm 3/4"	15 m	20	1	5604612644574
VIK1925	19 mm 3/4"	25 m	20	1	5604612644581

Braided green garden hose

Features:

- > Flexible PVC;
- > Layers (x3);
- > Braided mesh (x1).



Reference	Ø	Dim.	Bar		Ean
VIMVJ15	15 mm 5/8"	50 m	20	1	5604612653927
VIMVJ1525	15 mm 5/8"	25 m	20	1	5604612726874
VIMVJ19	19 mm 3/4"	50 m	20	1	5604612648770
VIMVJ1915	19 mm 3/4"	15 m	20	1	5604612653958
VIMVJ1925	19 mm 3/4"	25 m	20	1	5604612653965
VIMVJ25	25 mm 1"	50 m	20	1	5604612653934
VIMVJ2525	25 mm 1"	25 m	20	1	5604612748449
VIMVJ32	32 mm 1 1/4"	50 m	20	1	5604612653941

Reinforced hose

Features:

- > Flexible PVC;
- > Layers (x3);
- > Braided mesh (x1).



Reference	Ø	Dim.	Bar		Ean
VIMTF15	15 mm 5/8"	50 m	21	1	5604612653880
VIMTF1525	15 mm 5/8"	25 m	21	1	5604612667566
VIMTF19	19 mm 3/4"	50 m	21	1	5604612653897
VIMTF1925	19 mm 3/4"	25 m	21	1	5604612667573
VIMTF25	25 mm 1"	50 m	21	1	5604612653903
VIMTF2525	25 mm 1"	25 m	21	1	5604612685607

Garden hose 5 layers blue/black

Features:

- > Flexible PVC;
- > Layers (x5);
- > Braided mesh (x1).




Reference	Ø	Dim.	Bar		Ean
VIMAP1520	15 mm 5/8"	20 m	8 - 20	1	5604612710835
VIMAP1920	19 mm 3/4"	20 m	8 - 20	1	5604612710842

Garden hose 5 layers grey/gold

Features:

- > Flexible PVC;
- > Layers (x5);
- > Braided mesh (x1).



Reference	Ø	Dim.	Bar		Ean
VIMCD1520	15 mm 5/8"	20 m	8 - 20	1	5604612710859
VIMCD1920	19 mm 3/4"	20 m	8 - 20	1	5604612710866

Stainless steel hose holder



Features:

- Material: stainless steel.



Reference	No.	Dim.		Ean
VISMI2	2	380 mm	6	5604612026233
VISMI1	1	500 mm	6	5604612026226
VISMI0	0	540 mm	6	5604612700812

Stainless steel painted hose holder



Features:

- Material: stainless steel;
- Finish: painted.



Reference	No.	Dim.		Ean
VISMP2	2	380 mm	6	5604612026257
VISMP1	1	500 mm	6	5604612026240
VISMP0	0	540 mm	6	5604612700829

Hose holder



Features:

- Material: plastic.



Reference	Dim.		Ean
VIPEMA	250 x 121 x 151 mm	10	5604612010898

Hose reel cart



Features:

- Aluminium quick coupling;
- Compatible with hoses with:
 - Ø 13 mm | 1/2" (up to 50 m);
 - Ø 16 mm | 5/8" (up to 40 m);
 - Ø 19 mm | 3/4" (up to 25 m).



Reference		Ean
VIEM6006	5	5604612011062



VICEMG

Hose reel cart with guide **NEW**



Main features:

- › Equipped with a guide system for quick and easy winding;
- › Adjustable telescopic handle and crank;
- › Tap adapter included;
- › Wheels for easy transport and mobility;
- › Compatible with hoses up to 45 metres (1/2").

Technical data

Rated/maximum pressure	8/24 bar
Tap connection	1/2" – 3/4"
Temperature	-5 / +45° C
Product weight	2.5 Kg
Product dimensions	400 x 450 x 800 mm
Weight with packaging	3.2 Kg
Packaging dimensions	385 x 150 x 530 mm
Bar code	5604612762315



Adjustable telescopic
handle



Extension to connect
to a tap



Wheels that improve
mobility

VIEAM20

Automatic hose reel **NEW****Main features:**

- › Equipped with a 20-metre PVC hose;
- › Includes a 2 metre extension to connect to a tap;
- › Practicality ensured by the automatic retraction system;
- › Automatic stop function: allowing you to control the coiling and uncoiling of the hose;
- › Removable bracket that allows you to hang the equipment on the wall;
- › Handle for easy transport.

Technical data

Hose length	20 m + 2 m
Hose diameter	1/2"
Hose material	PVC
Rated/maximum pressure	8/24 bar
Tap connection	1/2" – 3/4"
Temperature	-5 / +45° C
Swivel	180°
Product weight	7.4 Kg
Product dimensions	420 x 200 x 360 mm
Weight with packaging	8.2 Kg
Packaging dimensions	450 x 220 x 380 mm
Bar code	5604612762292



Handle



Automatic stop function



20-metre PVC hose

VIEMPP

2-in-1 hose reel **NEW****Main features:**


- › 2-in-1: Portable reel that can be attached to the wall;
- › Equipped with a crank handle, ensuring practicality;
- › Includes extension to connect to a tap;
- › Compatible with hoses up to 20 metres.

Technical data

Rated/maximum pressure	8/24 bar
Tap connection	1/2" – 3/4"
Temperature	-5 / +45° C
Product weight	1.3 Kg
Product dimensions	300 x 540 x 360 mm
Weight with packaging	1.7 Kg
Packaging dimensions	300 x 120 x 360 mm
Bar code	5604612762308



Handle

Extension to connect
to a tap

Crank handle



Digital water timer 9V



Features:

- > Quick fitting;
- > 15 combinations of days and 8 watering intervals per day;
- > Tap connections: 3/4 – 1”;
- > Operating pressure: 0.5 – 8 bar;
- > Operating temperature: 5 – 60° C;
- > Automatic and manual modes.

Reference	Dim.		Ean
VIPRDI	110 x 100 x 145 mm	6	5604612694098

Water timer



Features:

- > Quick fitting;
- > Working hours: 2 h;
- > Tap connections: 3/4 – 1”;
- > Operating temperature: 5 – 60° C.

Reference	Dim.		Ean
VIPR2H	145 x 90 x 235 mm	6	5604612661984

Dual tap connector



Features:

- > Material: ABS and TPR;
- > Quick coupling.

Reference	Ø Connection		Ean
VIRDTB	3/4 - 1"	48	5604612666675

Garden spray gun (8 functions)



Features:

- > Material: ABS, PP and TPR;
- > Quick fitting;
- > 8 spray settings.



Reference		Ean
VIPR8J	12	5604612665784

Adjustable garden water gun with rubber handle



Features:

- > Material: ABS, PP and TPR;
- > Quick coupling.

Reference		Ean
VIPRPBA	12	5604612659424

Adjustable garden water gun



Features:

- > Material: ABS, PP and TPR;
- > Quick coupling.

Reference		Ean
VIPRA	12	5604612665791

Garden water gun with rubber handle kit



Features:

- > Material: ABS, PP and TPR;
- > Quick coupling.

Reference	Ø - Connector	Ø - Quick Coup.		Ean
VIKR3A	3/4 - 1"	1/2 - 5/8	12	5604612666682

2-way hose connector



Features:

- > Material: ABS;
- > Quick coupling.

Reference		Ean
VILRD	24	5604612010942

3-way hose connector



Features:

- > Material: ABS;
- > Quick coupling.

Reference		Ean
VILRT	24	5604612010959

Female tap connector



Features:

- > Material: ABS;
- > Quick coupling.

Reference	Ø Connection		Ean
VIRF1234	1/2 - 3/4"	24	5604612662288
VIRF341	3/4 - 1"	24	5604612010935
VIRF1	1"	24	5604612680725

Hose repair connector



Features:

- > Material: ABS and PP.

Reference	Ø Connection		Ean
VIRM1258	1/2 - 5/8"	24	5604612662899
VIRM34	3/4"	24	5604612662912
VIRM1	1"	24	5604612680732

Quick-coupling hose connector



Features:

- > Material: ABS, PP and TPR;
- > Quick coupling.

Reference	Ø Connection		Ean
VIJR1258	1/2 - 5/8"	24	5604612662905
VIJR34	3/4"	24	5604612662882
VIJR1	1"	24	5604612680718

Water-stop hose connector



Features:

- > Material: ABS, PP and TPR;
- > Quick coupling.

Reference	Ø Connection		Ean
VIJR1258S	1/2 - 5/8"	24	5604612662936
VIJR34S	3/4"	24	5604612662929

Adjustable spray nozzle



Features:

- > Material: ABS, PP and TPR;
- > Quick coupling.

Reference	Ø Connection		Ean
VIARER	3/4" – 5/8"	12	5604612010782
VIARER1	1"	12	5604612680701

Irrigation kit 5 pieces



Features:

- > Material: ABS, PP and TPR;
- > Quick coupling.

Reference	Ø - Connector	Ø - Quick Coup.		Ean
VIKR1B	3/4 – 1"	1/2 – 5/8	12	5604612666699

Brass 2-way hose connector



Features:

- > Material: brass;
- > Quick coupling.

Reference		Ean
VILRDM	6	5604612022075

Brass 3-way hose connector



Features:

- > Material: brass;
- > Quick coupling.

Reference		Ean
VILRTM	6	5604612022082

Brass tap connector



Features:

- > Material: brass;
- > Quick coupling.

Reference	Ø Connection		Ean
VIRFAM2	3/4 – 1"	6	5604612022105

Brass hose repair con- nector



Features:

- > Material: brass;
- > Quick coupling.

Reference	Ø Connection		Ean
VIRMM1258	1/2 – 5/8"	6	5604612664077
VIRMM26	3/4"	6	5604612117511

Brass quick-coupling hose connector



Features:

- > Material: brass;
- > Quick coupling.

Reference	Ø Connection		Ean
VIJR34M	3/4"	6	5604612022099
VIJR58M	5/8"	6	5604612117498

Adjustable brass spray nozzle



Features:

- > Material: brass;
- > Quick coupling.

Reference	Ø Connection		Ean
VIARM34	3/4"	6	5604612022068

Brass irrigation kit



Features:

- > Quick coupling.

Reference	Ø - Connector	Ø - Quick Coup.		Ean
VIKRM341	3/4 - 1"	3/4	6	5604612026134
VIKRM581	3/4 - 1"	5/8	6	5604612664022

Water ball valve tap



Features:

- > Material: brass.

Reference	Ø Connection		Ean
VITPE1	1" - 25 mm	16	5604612660611
VITPE12	1/2" - 13 mm	20	5604612663926
VITPE34	3/4" - 19 mm	20	5604612660628

Service water tap with quick connector



Features:

- > Material: brass;
- > Quick coupling.

Reference	Ø Connection		Ean
VITS1	1" - 25 mm	8	5604612665807
VITS12	1/2" - 13 mm	15	5604612660635
VITS34	3/4" - 19 mm	10	5604612660642



Impact sprinkler on aluminium tripod



Features:

- > Material: zinc, ABS and aluminium;
- > Quick fitting;
- > 360° function;
- > Diameter: 3/4" – 19 mm 14m/624m²;
- > Pressure: 2 – 4 bar;
- > Maximum pressure: 4 bar

Reference	Ean
VIACTRIA	6 5604612665777

Impact sprinkler with spike



Features:

- > Material: zinc, ABS and aluminium;
- > Quick fitting;
- > 360° function;
- > Pressure: 2 – 4 bar;
- > Maximum pressure: 4 bar
- > Flow: 18 l/min max.

Reference	Ean
VIACHESP	6 5604612010850

3-arm rotary sprinkler with spike



Features:

- > Material: ABS/PP;
- > Quick fitting;
- > 360° function;
- > Pressure: 2 – 4 bar;
- > Maximum pressure: 4 bar;
- > Flow: 30L/min 14m/125m².

Reference		Ean
VIARBE	6	5604612010881

Sprinkler with spike



Features:

- > Material: ABS;
- > Quick fitting;
- > 360° function;
- > Diameter: 3/4" 19 mm;
- > Pressure: 2 – 4 bar;
- > Maximum pressure: 4 bar;
- > Flow: 30L/min max.

Reference		Ean
VIACESP	6	5604612010836

Multifunction sprinkler (8 jets)



Features:

- > Material: ABS;
- > Pressure: 2 – 4 bar;
- > Maximum pressure: 4 bar;
- > Quick coupling.



Reference		Ean
VIARMF	6	5604612666668

LUBRICATION



Multipurpose lubricant



Features:

- > Anti-humidity;
- > Penetrating and unlocking;
- > Lubricant;
- > Protective.

Reference	Cap.		Ean
VILM400	400 ml	12	5604612626747

Grease



Features:

- > General lubrication;
- > Water-resistant;
- > Protection against rust;
- > Excellent holding power.

Reference	Cap.		Ean
VIMC400	400 gr	24	5604612626877
VIMCL1	1 Kg	12	5604612644918
VIMC5	5 Kg	4	5604612626884

Oil for 4-stroke engine



Features:

- > 15W40;
- > Suitable for high-performance engines;
- > Optimises engine performance and extends its service life;
- > ACEA E2; API CH-4; MB Approval 228.1; CAT TO-2 (Level);
- > Mack EO-M.

Reference	Cap.		Ean
VIOM4T	1 L	6	5604612177263

Chainsaw chain oil



Features:

- > Oil formulated with highly refined paraffinic base stocks;
- > Recommended for the lubrication of chains with cutting blades.

Reference	Cap.		Ean
VIOCM1	1 L	6	5604612626860
VIOCM5	5 L	4	5604612639259

Oil for 2-stroke engine with dispenser



Features:

- > Semi-synthetic lubricant;
- > Extends the life of engines and prevents the build-up of deposits and smoke;
- > JASO FC, API TC, ISO-L-EGC.

Reference	Cap.		Ean
VIOM2TD	1 L	1	5604612690588

Oil for 2-stroke engine



Features:

- > Semi-synthetic lubricant;
- > Extends the life of engines and prevents the build-up of deposits and smoke;
- > JASO FC, API TC, ISO-L-EGC.

Reference	Cap.		Ean
VIOM2T100	100 ml	12	5604612639723
VIOM2T	1 L	6	5604612177256
VIOM2T5	5 L	4	5604612644932

Combi jerrycan



Features:

- > Capacity: 5 litres of petrol + 3 litres of oil;
- > Made from high-density polyethylene;
- > Lid with fastening mechanism;
- > Includes a flexible tube.

Reference	Cap.		Ean
VIJCC53	5 L + 3 L	4	5604612670733

Jerrycan for petrol



Features:

- > Made from high-density polyethylene;
- > Lid with fastening mechanism;
- > Includes a flexible tube.

Reference	Cap.		Ean
VIJCG3	3 L	12	5604612670726
VIJCG5	5 L	10	5604612135782
VIJCG10	10 L	6	5604612135799
VIJCG20	20 L	6	5604612135805

PLANOGRAMS



VITO

VITO

VITO



Simple modular display stand



Features:

> Module designed for wall cladding in combination with other modules.

Reference	Name	Dim.	Qty.
VIEXB	Base	9.7 x 44.7 x 3.0 cm	1
VIEXPFB	Base front panel	97 x 10 cm	1
VIEXSB	Base support	9.5 x 51.7 x 6.5 cm	2
VIEXP1,5	Profile	1.5 m (1.65 m)	2
VIEX0,3	Profile	0.6 m (1.65 m)	2
VIEXTI	Illuminated upper section	96.5 x 25 cm	1
VIEXPPP	Black perforated panel	96 x 30 cm	6
VIEXGC	Chrome hook	5 mm x 25 cm	10
VIEXGCPP	Chromed hook with price tag holder	5 mm x 25 cm	40
VIEXPP1,5	Foot for profile	-	4
VIEXVAGI	Acrylic + skirting board VITO AGRO/GARDEN	96 x 27 cm – 96 x 16 cm	1

Double-sided modular display stand



Features:

> Module designed for islands.

Reference	Name	Dim.	Qty.
VIEXB	Base	9.7 x 44.7 x 3.0 cm	2
VIEXPFB	Base front panel	97 x 10 cm	2
VIEXSBD	Double base support	9.5 x 51.7 x 6.5 cm	2
VIEXP1,5	Profile	1.5 m (1.65 m)	2
VIEX0,3	Profile	0.6 m (1.65 m)	2
VIEXTI	Illuminated upper section	96.5 x 25 cm	2
VIEXPPP	Black perforated panel	96 x 30 cm	12
VIEXGC	Chrome hook	5 mm x 25 cm	20
VIEXGCPP	Chromed hook with price tag holder	5 mm x 25 cm	80
VIEXPP1,5	Foot for profile	-	6
VIEXVAGI	Acrylic + skirting board VITO AGRO/GARDEN	96 x 27 cm – 96 x 16 cm	2

Chrome hook

Features:

> Dim. 5 mm x 25 cm



Chrome hook with price tag holder

Features:

> Dim. 5 mm x 25 cm



Hammer holder 1

Features:

> Dim. 23 x 19 x 7.5 cm



Hammer holder 2

Features:

> Dim. 23 x 19 x 7.5 cm



Shelf

Features:

> Dim. 96.5 x 40 x 3.0 cm



Ref.		Ean
VIEXGC	1	5604612649517

Ref.		Ean
VIEXGCPP	1	5604612649524

Ref.		Ean
VIEXSM1	1	5604612649593

Ref.		Ean
VIEXSM2	1	5604612649609

Ref.		Ean
VIEXPRA	1	5604612649616

VITO AGRO spraying

VITO GARDEN
irrigationVITO GARDEN
accessories

VITO AGRO
cutting and pruning



VITO AGRO/GARDEN
agricultural/garden tools



Brushcutter
display



Ref.		Ean
VIEXROC	1	5604612658410

Chainsaw
display



Ref.		Ean
VIEMV	1	5604612656492

www.vito-tools.com



CATVITOAGIN26