



RFD

THE FRONTIER OF SURVIVAL TECHNOLOGY

Survitec was formerly known as the Inflatable Systems Division of Wardle Storeys Ltd. Its history dates to 1920, when RFD was formed and named after its founder - Reginald Foster Dagnall. Today, the RFD brand is world renowned and a frontier of marine safety.

RFD products and technologies play a pioneering role in the marine safety industry, offering an uncompromising commitment to deliver robust, reliable and safe solutions which surpass the highest standards.

With a wealth of over 90 years' experience, RFD remains at the forefront of survival technology, offering both cutting edge design and manufacturing excellence, ensures availability of technologically advanced and award winning safety products for marine customers worldwide. Key milestones in RFD history include the introduction of the first welded inflatable liferaft, shortly followed by the development of the first Marine Evacuation System (MES).



KEY FEATURES

- ✓ MED approved
- ✓ Fully enclosed double-skinned high-visibility canopy complete with retro-reflective tape
- ✓ Non-inflatable easy access boarding ramp
- ✓ High volume water pockets to ensure maximum stability when inflating
- ✓ Canopy fitted with LED light ensuring maximum visibility
- ✓ Fully insulated floor to ensure maximum thermal protection
- ✓ Stowed in lightweight, streamlined Glass Reinforced Plastic (GRP) containers enabling maximum deck space utilisation – various container options available
- ✓ Available with SOLAS 'A' and 'B' emergency pack configuration
- ✓ Sizes 12-25 also available as davit launch options
- ✓ Grey and black container colour options available on request

RFD SURVIVA

4, 6, 8, 10,
12, 16, 20, 25
persons



MANUFACTURED TO THE HIGHEST QUALITY STANDARDS


The RFD Surviva liferaft is manufactured to the highest quality standards, using corrosion and abrasion resistant Polyurethane coated textile ensuring maximum durability and longevity.

Available in both throw over and davit launch options and approved for storage in a variety of different designed GRP containers, the RFD Surviva range offers customers unparalleled flexibility when utilising space onboard vessels.


Certified to meet all major flag requirements the RFD Surviva liferaft is approved for a max stowage height of up to 46 metres and is additionally supported by an extensive global service station network, helping to ensure your RFD Surviva liferaft will continue to be maintained to the highest standards by full trained and approved service technicians no matter the location.

OPTIONS AVAILABLE


MK10 Cylindrical Container



MK14 Cylindrical Container



Flat Pack Container



SOLAS A PACK

Rated Capacity	Length mm	Diameter mm	Weight Approx Operational Kg
4*	1160	435	56
6	1262	485	76
8	1262	485	80
10	1390	535	100
12	1390	535	109
16	1540	535	137
20	1636	585	158
25	1636	585	178
12 DL	1390	535	114
16 DL	1540	535	139
20 DL	1636	585	160
25 DL	1636	585	183

SOLAS B PACK

Rated Capacity	Length mm	Diameter mm	Weight Approx Operational Kg
4*	1160	435	48
6	1160	435	57
8	1160	435	57
10	1262	485	80
12	1262	485	85
16	1390	535	103
20	1540	535	109
25	1540	535	128
12DL	1262	485	90
16DL	1390	535	107
20DL	1540	535	120
25DL	1540	535	133

SOLAS A PACK

Rated Capacity	Length mm	Diameter mm	Weight Approx Operational Kg
6	1066	556	76
10	1156	584	99
12	1156	584	108
16	1308	685	139
20	1308	685	160
25	1308	685	180
12DL	1156	584	113
16DL	1308	685	141
20DL	1308	685	174
25DL	1308	685	184

SOLAS B PACK

Rated Capacity	Length mm	Diameter mm	Weight Approx Operational Kg
6	1066	556	57
10	1156	584	74
12	1156	584	79
16	1156	584	101
20	1156	584	106
25	1308	685	130
12 DL	1156	584	92
16 DL	1156	584	106
20 DL	1308	685	123
25 DL	1308	685	135

SOLAS A PACK



Rated Capacity	Length mm	Width mm	Height mm	Weight Kg
4*	900	646	310	53
6	985	670	435	76
8	985	670	435	86
10	1190	650	315	101
12	1190	650	315	110
20DL	1525	820	505	160
25DL	1525	820	505	183

SOLAS B PACK

Rated Capacity	Length mm	Width mm	Height mm	Weight Kg
4*	900	646	310	45
6	900	646	310	57
8	985	670	435	62
10	1190	650	315	85
12	1190	650	315	91
20DL	-	-	-	-
25DL	1525	820	505	153

All dimensions are appropriate values

Davit Launch Raft Heights



Rated Capacity	A mm	B mm	C mm	D mm	E mm
12	1600	1000	2860	1891	1300
16	1700	1000	3270	2065	1420
20	1800	1000	4070	2065	1400
25	1800	1000	4070	2270	1540

*4 person is non SOLAS

All dimensions are appropriate values