



FRITZ!Powerline 1260E WLAN Set 1200 Mbit/s Ethernet/LAN Weiß

Marke : AVM

Produktfamilie:
FRITZ!Powerline

Artikel-Code: 20002795

Produktname :

FRITZ!Powerline 1260E WLAN
Set



FRITZ!Powerline 1260E WLAN Set, 1200 Mbit/s, 1 x Gigabit LAN, Wi-Fi, 230 V, 50 Hz
FRITZ!Powerline 1260E WLAN Set. Maximale Datenübertragungsrate: 1200 Mbit/s, Netzstandard: IEEE 802.11a, IEEE 802.11b, IEEE 802.11g, IEEE 802.11h, IEEE 802.11i, Stecker: Typ F. AC Eingangsspannung: 230 V, AC Eingangsfrequenz: 50 Hz. Produktfarbe: Weiß, LED-Anzeigen: LAN, Leistung. Unterstützt Windows-Betriebssysteme: Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10.... Breite: 67 mm, Tiefe: 32 mm, Höhe: 132 mm

Leistungen		Leistungen	
Maximale Datenübertragungsrate *	1200 Mbit/s	Unterstützte Sicherheitsalgorithmen	128-bit AES
Ethernet/LAN *	✓	Energie	
Schnittstellentyp Ethernet-LAN	Gigabit Ethernet	AC Eingangsspannung	230 V
Ethernet LAN Datentransferraten	10,100,1000 Mbit/s	AC Eingangsfrequenz	50 Hz
Kupfer Ethernet Verkabelungstechnologie	10BASE-T, 100BASE-T, 1000BASE-T	Design	
Anzahl Ethernet-LAN-Anschlüsse (RJ-45)	1	LED-Anzeigen	LAN, Leistung
WLAN *	✓	Produktfarbe *	Weiß
WLAN-Standards	802.11a, 802.11b, 802.11g	Systemanforderung	
Datenübertragungsgeschwindigkeit WLAN	866 Mbit/s	Unterstützt Windows-Betriebssysteme Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64	
Netzstandard *	IEEE 802.11a, IEEE 802.11b, IEEE 802.11g, IEEE 802.11h, IEEE 802.11i		
Stecker *	Typ F		
Eingebaute Steckdose *	✓		
PowerLine-Standard	HomePlug AV2		
Gewicht und Abmessungen			
Breite	67 mm		
Tiefe	32 mm		
Höhe	132 mm		
Gewicht	200 g		

Lieferumfang

Schnellinstallationsanleitung	✓
Mitgelieferte Kabel	LAN (RJ-45)



4023125027956

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 07-AUG-2024. Prints or copies of Information are only valid on the printed Publication date