



TP-Link 8-Port Gigabit Easy Smart Switch mit 4-Port PoE+

Marke : TP-Link

Artikel-Code: TL-SG108PE V2

Produktname : 8-Port Gigabit Easy Smart Switch mit 4-Port PoE+



8 10/100/1000Mbps RJ45 Ports, AUTO Negotiation/AUTO MDI/MDIX, IEEE 802.3i/u/ab/af/x, IEEE 802.1q/p, 158 x 101 x 25 mm

TP-Link 8-Port Gigabit Easy Smart Switch mit 4-Port PoE+. Switch-Typ: Managed, Switch-Ebene: L2. Basic Switching RJ-45 Ethernet Ports-Typ: Gigabit Ethernet (10/100/1000), Anzahl der basisschaltenden RJ-45 Ethernet Ports: 8. MAC-Adressentabelle: 4000 Eintragungen, Routing-/Switching-Kapazität: 16 Gbit/s. Netzstandard: IEEE 802.1Q, IEEE 802.1p, IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x. Power over Ethernet (PoE)




Management-Funktionen		Design	
Switch-Typ *	Managed	Zertifizierung	FCC, CE, RoHS
Switch-Ebene	L2	Energie	
Quality of Service (QoS) Support	✓	Energiequelle *	Gleichstrom
Web-basiertes Management	✓	Netzteil enthalten *	✓
Anschlüsse und Schnittstellen		Eingangsstrom	1.25 A
Anzahl der basisschaltenden RJ-45 Ethernet Ports *	8	Eingangsspannung	48 V
Basic Switching RJ-45 Ethernet Ports-Typ *	Gigabit Ethernet (10/100/1000)	Stromverbrauch (max.)	65,2 W
Anzahl Gigabit Ethernet (Kupfer) Anschlüsse	8	Power over Ethernet (PoE)	
Netzwerk		Power over Ethernet (PoE) *	✓
Netzstandard *	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x	Anzahl Power over Ethernet (PoE) Anschlüsse	4
10G-Unterstützung *	✗	Power over Ethernet (PoE) Leistung pro Anschluss	15,4 W
unterstützte Kabeltypen	Cat3, Cat4, Cat5, Cat5e, Cat6	Gesamtleistung Power over Ethernet (PoE)	64 W
Port-Spiegelung	✓	Betriebsbedingungen	
Link Aggregation	✓	Betriebstemperatur	0 - 40 °C
Broadcast-Sturmkontrolle	✓	Temperaturbereich bei Lagerung	-40 - 70 °C
Auto MDI/MDI-X	✓	Relative Luftfeuchtigkeit in Betrieb	10 - 90%
Auto-Negotiation-Funktion	✓	Luftfeuchtigkeit bei Lagerung	5 - 95%
VLAN-Unterstützung	✓	Wärmeableitung	256,19 BTU/h
Virtuelle LAN-Funktionen	Port-based VLAN	Gewicht und Abmessungen	
Anzahl der VLANs	32	Breite	158 mm
Datenübertragung		Tiefe	101 mm
Routing-/Switching-Kapazität *	16 Gbit/s	Höhe	25 mm
Transferrate	11,9 Mpps	Verpackungsdaten	
MAC-Adressentabelle *	4000 Eintragungen	Mitgelieferte Kabel	AC
Store-and-Forward	✓	Benutzerhandbuch	✓
Jumbo Frames Unterstützung	✓	Verpackungsart	Box
Jumbo-Frames	15000	Verpackungsbreite	131 mm
Datenpaket-Pufferspeicher	1,5 MB	Verpackungstiefe	196 mm
Sicherheit		Verpackungshöhe	121 mm
IGMP-Snooping	✓	Paketgewicht	890 g
Loop Protection	✓	Logistikdaten	
		Warentarifnummer (HS)	85176990

Design

Produktfarbe	Schwarz
LED-Anzeigen	Aktivität, Link, PoE, Leistung, Geschwindigkeit, Status



6935364094744



0845973094744



845973094744



6935364094751

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.