

ZYXEL

Zyxel DX3301-T0 WLAN-Router Gigabit Ethernet Dual-Band (2,4 GHz/5 GHz) Weiß

Marke : Zyxel

Artikel-Code: DX3301-T0-DE01V1F

Produktname : DX3301-T0

Zyxel DX3301-T0. WAN-Verbindungstyp: RJ-45. WLAN-Band: Dual-Band (2,4 GHz/5 GHz), Top WLAN-Standard: Wi-Fi 6 (802.11ax), WLAN-Standards: Wi-Fi 6 (802.11ax). Schnittstellentyp Ethernet-LAN: Gigabit Ethernet, Ethernet LAN Datentransferraten: 1000 Mbit/s, Netzstandard: IEEE 802.1Q. Produkttyp: Tabletop-Router, Produktfarbe: Weiß. Antennen-Design: Intern



WAN-Verbindung		Management-Funktionen	
Ethernet-WAN *	✓	WLAN-Multimedia (WMM)/(WME)	✓
DSL-WAN *	✓	Quality of Service (QoS) Support	✓
SIM-Karten-Slot *	✗	Reset-Knopf	✓
3G/4G USB Modem-Kompatibilität *	✗	MU-MIMO-Technologie	✓
WAN-Verbindungstyp	RJ-45	MIMO	✓
Wireless LAN Funktionen		Sicherheit	
WLAN-Band *	Dual-Band (2,4 GHz/5 GHz)	Firewall	✓
Top WLAN-Standard *	Wi-Fi 6 (802.11ax)	MAC Adressen Filtern	✓
WLAN-Standards	Wi-Fi 6 (802.11ax)	Protokolle	
Netzwerk		DHCP-Client	✓
Ethernet/LAN *	✓	DHCP-Server	✓
Schnittstellentyp Ethernet-LAN *	Gigabit Ethernet	Universal Plug and Play (UPnP)	✓
Ethernet LAN Datentransferraten	1000 Mbit/s	Design	
Netzstandard	IEEE 802.1Q	Produktfarbe	Weiß
Auto MDI/MDI-X	✓	Anzeigelicht	✓
Portweiterleitung	✓	Ein-/Ausschalter	✓
Dynamisches DNS (DDNS)	✓	Produkttyp *	Tabletop-Router
Mobiles Netzwerk		Antenne	
3G	✗	Antennen-Design *	Intern
4G	✗	Energie	
5G	✗	Energiequelle *	Gleichstrom
DSL-Funktionen		Betriebsbedingungen	
ADSL	✓	Betriebstemperatur	0 - 40 °C
ADSL2+	✓	Temperaturbereich bei Lagerung	-30 - 70 °C
VDSL	✓		

Anschlüsse und Schnittstellen		Betriebsbedingungen	
Anzahl Ethernet-LAN-Anschlüsse (RJ-45) *	4	Relative Luftfeuchtigkeit in Betrieb	10 - 90%
USB Anschluss *	✓	Luftfeuchtigkeit bei Lagerung	10 - 95%
Anzahl USB 2.0 Anschlüsse	1	Gewicht und Abmessungen	
RJ-11 ports Quantität	1	Breite	220 mm
Gleichstrom-Anschluss (DC)	✓	Tiefe	35 mm
Management-Funktionen		Höhe	153 mm
Web-basiertes Management	✓	Gewicht	387 g
		Logistikdaten	
		Warentarifnummer (HS)	85176990



4718937623723

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.