



Z.A
72300 PARCE SUR SARTHE


VS3638

EMBOUTS (06/2012)

Articles concernés par cette fiche : 3638 / 3640 / 3641 / 3642 / 3643 / 3644 / 3645 / 3646 / 36470.



3638 → Embout HC avec téton pour vis inviolable

S/P	L
2	25
2,5	25
3	25
4	25
5	25
6	25




3640 → Embout snake eyes pour inviolable

Snake - Eyes	H	P
4	3	1,5
6	4	2
8	5	2,5
10	6	3,5
14	8	4,5
L = 25		




3640 → Embout 6 lobes avec téton pour inviolable

L	6 Lobes
25	10
25	15
25	20
25	25
25	30
25	40
25	45




3641 → Embout Pozi

Pozi n°	L
N°1	25
N°1	50
N°1	90
N°2	25
N°2	50
N°2	75
N°2	150
N°3	25
N°3	100



3641 → Embout Phillips

Phillips n°	L
N°1	25
N°2	50
N°2	75
N°2	100
N°3	25
N°3	50




3641 → Embout Involutur

Involutur n°	L
N° 10	25





3642 → Embout 6 lobes

6 Lobes n°	L
8	25
10	25
10	50
10	70
15	25
15	50
20	25
20	50
25	25
25	50
30	25
30	50
40	25
40	50




3643 → Embout plat

Plat	L
4	25
5	25
6	25
7	25




3644 → Embout hexagonal

HC	L
2	25
3	25
4	25
5	25
6	25
8	25
10	25




3645 → Adaptateur magnétique 1/4"

L
60
100




3646 → Embout carré

Carré	L	Sur-plat
N°1	25	2,5
N°1	50	2,5
N°1	90	2,5
N°2	25	3
N°2	50	3
N°2	75	3
N°3	50	3,5



3647 → Noix de serrage magnétique 1/4"

L	S/p
45	5,5
	7
	8
	10
	13
	17



Document non contractuel, la tenue en stock dépend de la demande des clients.