











ActiveLink™ All-in-One Cargo Solution

The ActiveLink system allows you to quickly attach and detach cargo accessories without the hassle of getting under the vehicle to remove the shank.

Simply install the ActiveLink shank once, and you can easily swap out accessories as needed. No more hunkering under the vehicle to fiddle with grimy components or tediously line up the hitch pin holes.

One System. Multiple Accessories







ActiveLink™ All-in-One Cargo Solution

Click. Load. Go!



2. Snap your ActiveLink accessory of choice into the shank



3. Easily swap out accessories with hassle-free pin and clip. No tools required.

1. Install ActiveLink shank once into your hitch receiver





Aluminum Tray-Style Bike Rack #18088


- Padded arms and tray-style cradles keep bikes fully secure with 3 contact points
- Zero frame contact to avoid nicks and scratches
- Molded cradles accommodate different bike tire diameters
- Highly adjustable to fit various bike sizes and styles, including e-bikes
- Ratcheting arms nest below tray for more compact storage and easy handling
- Safety trigger latch in handle eliminates unintended release







Aluminum Tray-Style Bike Rack #18088









Steel Tray-Style Bike Racks

- Tray-style arms provide three points of contact to keep bikes fully secure
- Ratcheting arms lock down onto the frames and will not loosen during travel
- Key-operated ratchets also deter theft while the vehicle is left unattended
- Highly adjustable arms easily fits various bike sizes and styles
- Tray-style design allows for easy loading and unloading of bikes
- Protected by a durable black powder coat finish







Tray-Style Bike Rack Cradles for Fat Tires #18091

- 4-7/8" inside width accepts most types of fat bike tires
- Add-on cradles are designed to replace existing cradles
















Standard Hitch-Mounted Bike Racks

- Adapter sleeve allows mounting on either 1-1/4" or 2" receiver tube
- Adjustable rubber cradles will not scratch bike frames
- Tilts away for convenient rear vehicle access
- Arms fold down when not in use for compact storage
- Threaded anti-wobble shank helps prevent bikes from swaying during travel
- Protected by a durable black powder coat finish








Premium Hitch-Mounted Bike Racks

- Tapered arms accommodate multiple bike sizes, including kids' bikes
- Adjustable rubber cradles will not scratch bike frames
- Tilts away for convenient rear vehicle access
- Arms fold down when not in use for compact storage
- Threaded anti-wobble shank prevents bikes from swaying during travel
- Built-in reflectors for added safety
- Protected by a durable black powder coat finish







Clamp-On Bike Rack #18013

- Clamps onto a 2" x 2" ball mount shank (ball mount not included)
- Securely holds up to three bikes with a max weight capacity of 135 lbs.
- Adjustable rubber cradles will not scratch bike frames
- Easily accessible release handle allows for fast installation and removal
- Safety latch helps prevents pinching and collapse when removing from shank
- Arms fold down when not in use for compact storage
- Built-in reflectors for added safety
- Protected by a durable black powder coat finish







Aluminum Cargo Carrier with Ramp #18112

- Double-folding ramp for ergonomic operation and less wind resistance
- Threaded anti-rattle shank to resist sway and suppress noise
- Non-skid ridges provide enhanced traction when moving up or down the ramp
- Built-in reflectors add visibility for increased safety
- 8-bolt assembly for fast, easy installation
- Mounts onto any 2" x 2" receiver tube opening
- Fully welded aluminum construction with durable carbide powder coat finish
- 50" x 30-1/2" x 4"







Aluminum Cargo Carrier with Ramp #18112

Three-position ramp can be extended, folded vertically or stowed in the carrier



Extended for easier loading of snow plows, scooters and other heavy cargo



Folded in half vertically for travel; half-fold creates less wind resistance and drag



Folded up and stowed in the cargo carrier for compact storage











Aluminum Basket-Style Cargo Carrier #18113

- Weighs only 25 lbs. for easy moving and handling (500-lb. capacity)
- One-piece, welded aluminum basket with durable E-coat finish
- Built-in reflectors add visibility for increased safety
- 4-bolt assembly for fast, easy installation
- Mounts onto any 2" x 2" receiver tube opening
- 49" x 22-1/2" x 4"







Basket-Style Cargo Carriers

- 6" tall sides keep items more secure during travel
- Constructed from heavy-duty, tubular steel
- Mesh base for easy cleanup
- Built-in reflectors add visibility for increased safety
- Protected by a highly durable E-coat and carbide black powder coat finish
- Folding shank and angled shank options available














Tray-Style Cargo Carriers

- Easily bolts together for quick assembly
- Folding shank and angled shank options available
- Mesh base for easy cleanup
- Protected by a highly durable E-coat and carbide black powder coat finish
- #18100 is constructed from lightweight aluminum (shank made from powder-coated steel)













Auxiliary LED Indicator Lights #53201

- For increased safety on cargo carriers or bike racks
- Double row of LEDs in each strip correspond with brake, turn and running lights
- Industry-standard 4-way flat connector for quick installation
- 3M adhesive backing for secure, convenient mounting
- Durable, waterproof construction for lasting weather resistance









Weather-Resistant Cargo Bags

- Keeps cargo protected from water, dirt, wind damage and more
- Made from thick, 500 x 500 denier, UV-resistant vinyl
- Features welded seams to be truly waterproof
- Zip closure with hook-and-loop flap keeps inside completely dry
- Zippers feature large holes to accept a padlock
- Tie-down straps securely attach to cargo carrier frame
- Available to fit basket-style and roof rack cargo carriers
















Cargo Nets

- Secures cargo from dislodging during travel
- Provides more reliable security than bungee cords
- Attachment hooks feature holes for easy handling
- Elastic netting fits over a variety of cargo














Roof Rack Cargo Carrier

- Frees up space inside the vehicle for passengers and cargo
- Mounts to most roof rack base rails
- Lightweight and easy to install with included mounting brackets
- Two-piece design easily bolts together for quick assembly
- Protected by a durable E-coat and carbide black powder coat finish















Roof Rack Crossbars #18118

- Lightweight, E-coated aluminum construction (150-lb. capacity)
- Adjustable, universal design mounts to roof side rails with up to 50" span
- Rubber-coated clamps quickly secure with no tools required
- Integrated rubber strip on top of bars to protect and help secure cargo
- Sleek, oval-shaped cross bars to match the OE style of modern vehicles
- Compatible with CURT roof rack cargo carrier and kayak racks








Roof Rack Kayak Holders #18320

- Lightweight aluminum construction with 75-lb. capacity
- Rotating arms pivot to fit virtually any size kayak
- Notched pivot points for precise positioning and locking
- Universal brackets mount on any roof rack crossbars with no tools required
- Foam padding protects kayak from scuffs and scratches
- Straps loop around the kayak for secure travel
- Arms fold up in seconds for convenient, compact storage











Universal Truck Bed Extender #18325

- Universal design fits most full-size truck beds, including short and long beds
- Innovative pin-latch system for fast installation and removal as needed
- No drilling or bed modifications required
- Extends 6-1/2' beds to 8-1/2' and 8' beds to over 10'
- Adds 26-1/2" to overall truck bed length (26-1/2" x 58-3/4" x 19-3/4" I.D.)
- Compatible with most tonneau covers
- Strong tubular steel construction with durable carbide black powder coat finish
- Limited lifetime warranty (one-year finish, one-year parts)







Universal Truck Bed Extender #18325

Unique advantages of the CURT truck bed extender



Folding tailgate for easier cargo access, no flip-up required



Squared off corners maximize cargo space, unlike rounded models



3-piece design easily breaks down for compact storage



Seat Defender™ Removable Seat Covers

- Use-as-needed, universal design with dual-layer, non-skid protection
- Fast and easy to install, remove, clean and store
- Thermoplastic rubber grips the seat, providing added comfort and safety
- Woven 600-denier terylene fabric blocks spills, dirt and more
- 100% waterproof and machine washable (air dry recommended)
- Allows for side airbag deployment
- Maintains seat belt access for safety







Seat Defender™ Seat Covers

- XL bench seat model designed to fit larger bench seats in full-size trucks
- Cargo area blanket for picnics, sporting events, work under the car and more











ATV Cargo Carrier #18101

- Universal design fits most ATV cargo racks
- 6" tall sides keep items more secure during travel
- Lightweight for easy installation and use
- Mesh base for easy cleanup
- Constructed from heavy-duty, tubular steel
- Protected by a highly durable E-coat and carbide black powder coat finish
- Includes universal mounting hardware











Cargo Straps

- Perfect for securing cargo in trailers, truck beds and more
- Cambuckle mechanism allows for direct tension on lighter loads
- Ratchet mechanism allows for greater tension on heavy loads
- Straps constructed from highstrength, woven nylon
- Cinching components protected by a durable yellow zinc-plated finish



























Limited Lifetime Warranty

- CURT provides limited lifetime warranty coverage against defects in factory workmanship and materials for CURT products sold by authorized CURT dealers for use by retail (end use) consumers.
- https://storage.googleapis.com/curt-groupwarranties/CURT_Warranty_2018.02.09.pdf

Product	Workmanship & Materials	Components & Parts	Finishings & Coatings
Hitches	Lifetime	One-year	One-year
Brake controls	Lifetime	One-year	One-year
Electrical and wiring	One-year	One-year	One-year
Other accessories	Lifetime	One-year	One-year

EXECUTE

LIMITED LIFETIME WARRANTY

CURT VANUITACTURING, LLC (CURT) provides limited licture warranty coverage against defects in factory workmanship and materials for CURTI® products if Products' sed by authorized CURT dealers for use by retail (end use) const. Ters. This Limited Warranty is provided only to the original Installation. This Limited Warranty is not transferable and does not extend or caply to arryone observed to the original curtical constitutions and constitutions of the product of the original product constitutions. For constitution, and the original force of the original constitution or original constitution original constitution or original constitution original constitution or original constitution original constitution or original consti

This Limited Warranty is the sole and exclusive warranty provided by CURT, and all other warranties and conditions are accluded and allocations. DUBER THE LAW OF CERTAIN STATES, THERE MAY BE NO IMPLIED CONDITIONS OR WARRANTIES FROM CURT APPLICABLE TO YOUR PRODUCT, AND ALL IMPLIED CONDITIONS OR WARRANTIES (INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE) ARE EXCLUDED AND DISCLAIMED WHERE ALLOWED BY LAW. If implied warranties are imposed under any applicated state law, all such implied warrant es are limited to the duration of the applicable provisions of this Limited Warranty. Some states on violatic immigration and warranty lasts, so the above limitation may not payling by you.

COVERED PRODUCTS AND LIMITATIONS

CURT prevides the following Limited Warranty coverage:

s & Coatings
ar One-year
ar One-year
ar One-year
ar One-year

Each of the warranty coverage periods runs from the case of purchase or the Product (proof of purchase is required) and applies only to warranted defects that first occur and are reported to CURT within the applicable warranty period. CURT retains the right to determine to its reasonable a satisfaction whether any calmed defect is covered by this Limited Warranty.

Certain Items are excluded from Limited Warranty coverage by CURT, and this Limited Warranty coverage does not apply to:

- Wear and tear from normal use, including damage from road debris
- Improper product selection, application, installation or maintenance

- Modifications, including the attachment of other hardware or components
- Misuse, acuss, overloading, improper trailering or having, accident.
- Corrosion or damage due to environmental conditions.

REMEDIES UNDER THIS LIMITED WARRANTY

If a delived coveract by this verifier occurs, CUFT will require or replace the Product, or refund the purchase price, in its sole discretion. This repair, replacement or return't remay is the sole and exclusive remedy under this Limited Warranty. CUFT has no responsibility or liability for any incidental or consequential damages, such as loss of use of vehicles or traillers, towing charges, storage charges, the carrage, both as vivide charges to removing or reinstalling products, loss of or damage to personal property, or interest or finance charges, all of which are specifically excluded and disclaimed from this Limited Warranty. Some states do not allow the explanation or incidental or consequential damages, so the above limitation or exclusion may not apply to you.

RESPONSIBILITY OF PURCHASER

The Pucchaser mush lawe proof of purchase to obtain service under this Limited Warranty, Contact OURT for a Returned Goods Authorization (IGA) and return instructions, CULR, will not accept Products unless an RGA has been issued. The Puchaser must delive title Placutatio CURT or an authorized CURT dealer along with the RGA number and proof of purchase.

The CURT Limited Warranty policy in effect or the date you purchased your Product ofdermines the application warranty coverage and subsequent or prior CURT warrant se are not applicable to your Product. The terms of this Limited Warranty cannot be charged or modified, except by a written agreement signed by an "office" of CURT incorved the right of increwing products through changes in design or materials without design obligators to the owners of the Products of the same or similar modes.

Contact information: CURT Headquarters 6208 Industrial Drive Eau Claire, WI 54701 800.798.0813

