

A large, semi-transparent version of the CURT logo is centered over the image. It includes the orange ball hitch icon and the word "CURT" in a large, bold, orange font.

Flat Towing



Rambler™ Steel Tow Bar #70001

- Patent-pending, non-binding latches for easy release on inclines, declines and turns
- Automatic, hands-free locking mechanism ensures you are ready to tow
- Extended arm length for extra hookup radius and clearance
- Weighs less than 40 pounds for easy handling and setup – competitor models are heavier!
- Rigorous physical testing for proven safety and performance
- Rated for 7,500 lbs. gross towed vehicle weight
- Standard 2" x 2" shank
- Compatible with CURT or Blue Ox base plates (sold separately)



Safety cables and pin & clip included

Rambler™ Steel Tow Bar #70001

- Active slide resistance provides enhanced control when extending the arms
- Polymer isolator washers reduce friction for smooth, anti-rattle operation
- Fully sealed design and rubber sleeves protect against dirt and debris
- Premium textured black finish for lasting corrosion and wear resistance
- Two hitch pin holes for adjustable length and added clearance as needed



Folded apart




Folded to the right



Folded to the left

Three stowing positions to avoid obstructions and maximize versatility

Tow Bar Terminology



Superior Strength & Testing

- Milled steel locking tabs and tow bar lugs ensure better strength compared to cast alternatives
- Passes SAE J684 testing
 - Longitudinal and compressive loading
 - Transverse loading
- Passes CURT internal fatigue testing
 - Longitudinal compression and tension loading for 175,000 cycles



Milled steel
Rambler™ lug



Cast steel
competitor lug





Drop / Rise Hitch Adapters

- Provides drop or rise for level dinghy towing
- 2" and 4" options available
- Rated for 7,500 lbs. gross towed vehicle weight
- Fits any industry-standard 2" x 2" hitch receiver tube



The height of the vehicle base plates and RV hitch must be within 3" of each other



Rambler™ Lock Set #70005

- Secures Rambler™ tow bar vehicle and RV attachment points
- Helps protect dinghy setup when left unattended
- Locks keyed alike for convenient one-key operation
- Protected by a durable chrome-plated finish
- Easy-to-operate, 1/4-turn lock activation
- Watertight dust cap prevents internal corrosion
- Includes six keys for added convenience



Tow Bar Base Plates

- Twist-lock tabs for easy installation and removal as needed
- Spreads towing forces equally for reduced stress on the vehicle frame
- Physically tested to gross vehicle weight rating (GVWR)
- Engineered with a vehicle-specific design for a custom fit
- Concealed main body for OE look and seamless integration with the vehicle
- Protected by a dual-coat high-gloss black powder coat and liquid Bonderite® finish
- Tabs machined from billet alloy steel





FLAT TOWING



Unique Advantages of CURT Base Plates

- Stronger, Higher-Quality Components
 - Larger spacers inside the vehicle frame to better distribute the load
 - Grade-8 hardware for superior strength
 - Flange nuts for faster installation with fewer hardware pieces
 - No Loctite required
 - Fishwire hardware to eliminate the need for bending and trimming wire nuts



Strong, grade-8 hardware



Fishwire instead of wire nuts

Unique Advantages of CURT Base Plates

- Comprehensive Physical Testing
 - Rigorous physical testing vs FEA computerized testing
 - Tested in real-world, physical conditions, instead of relying on a computer alone



Adjustable Tow Bar #19745

- Adjusts in width from 26" to 41"
- Features a 2" heavy-duty coupler
- Rated for up to 5,000 lbs.
- Brackets mount to the frame of the vehicle (trimming may be required)



RV Trailer Hitches

- Designed for towing a trailer or small vehicle behind an RV
- Built with a 3-piece, adjustable design
- Available to fit up to 72" wide frames
- Bumper hitches available to fit 2" x 4" or 4" x 4" bumper beams



Towed-Vehicle RV Harnesses

- Connects a towed vehicle to an RV using a standard 4-way flat trailer plug
- Simple plug-and-play design eliminates the need for cutting or splicing
- Integrated block diodes isolate sensitive vehicle electronics from RV signals
- Uses towed vehicle's existing taillights, brake lights and turn signals
- Includes harness, 4-flat extension, mounting bracket and hardware
- Towing lights also available



Limited Lifetime Warranty

- CURT provides limited lifetime warranty coverage against defects in factory workmanship and materials for CURT products sold by authorized CURT dealers for use by retail (end use) consumers.
- https://storage.googleapis.com/curt-group-warranties/CURT_Warranty_2018.02.09.pdf

Product	Workmanship & Materials	Components & Parts	Finishings & Coatings
Hitches	Lifetime	One-year	One-year
Brake controls	Lifetime	One-year	One-year
Electrical and wiring	One-year	One-year	One-year
Other accessories	Lifetime	One-year	One-year



LIMITED LIFETIME WARRANTY

CURT MANUFACTURING, LLC (CURT) provides limited lifetime warranty coverage against defects in factory workmanship and materials for CURT products (Product) sold by authorized CURT dealers for retail (end use) consumers. This Limited Warranty is provided only to the original Product consumer and applies only to the original individual. This Limited Warranty is not transferable and does not extend or apply to anyone else. For consumers in the U.S., this Limited Warranty gives you access to legal rights you also may have under other laws, which vary from state to state.

This Limited Warranty is the sole and exclusive warranty provided by CURT, and all other warranties that can be, and are, excluded are disclaimed. **UNDER THE LAW OF CERTAIN STATES, THERE MAY BE NO IMPLIED CONDITIONS OR WARRANTIES FROM CURT APPLICABLE TO YOUR PRODUCT, AND ALL IMPLIED CONDITIONS OR WARRANTIES (INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE) ARE EXCLUDED AND DISCLAIMED WHERE ALLOWED BY LAW.** If implied warranties do in fact exist under any applicable state law, all such implied warranties are limited to the duration of the applicable provisions of this Limited Warranty. Some states do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you.

COVERED PRODUCTS AND LIMITATIONS

CURT provides the following Limited Warranty coverage:

Product	Workmanship & Materials	Components & Parts	Finishings & Coatings
Hitches	Lifetime	One-year	One-year
Brake controls	Lifetime	One-year	One-year
Electrical and wiring	One-year	One-year	One-year
Other accessories	Lifetime	One-year	One-year

Each of the warranty coverage periods runs from the date of purchase of the Product (year of purchase commences), and applies only to warranted defects that first occur and are reported to CURT within the applicable warranty period. CURT retains the right to determine to its reasonable satisfaction whether any covered defect is covered by this Limited Warranty.

Certain items are excluded from Limited Warranty coverage by CURT, and this Limited Warranty coverage does not apply to:

- Wear and tear from normal use, including damage from road debris
- Improper product selection, application, installation or maintenance

- Modifications, including the attachment of other hardware or components
- Abuse, abuse, overloading, improper installation or handling, accident
- Corrosion or damage due to environmental conditions

REMEDIES UNDER THIS LIMITED WARRANTY

If a defect covered by this warranty occurs, CURT will repair or replace the Product, or refund the purchase price, in its sole discretion. This repair, replacement, or refund remedy is the sole and exclusive remedy under this Limited Warranty. CURT has no responsibility or liability for any incidental or consequential damages, such as loss of use or value of trailers, towing charges, storage charges, the charges, labor and service charges for removing or reinstalling products, loss of or damage to personal property, or interest or finance charges, all of which are specifically excluded and disclaimed under this Limited Warranty. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

RESPONSIBILITY OF PURCHASER

The Purchaser must have proof of purchase to obtain service under this Limited Warranty. Contact CURT for a Returned Goods Authorization (RGA) and return instructions. CURT will not accept Products unless an RGA has been issued. The Purchaser must deliver the Product to CURT or an authorized CURT dealer along with the RGA number and proof of purchase.

The CURT Limited Warranty policy is based on the date you purchased your Product (year of purchase commences), and subsequent repairs under CURT warranty are not applicable to your Product. The terms of this Limited Warranty cannot be changed or modified, except by a written agreement signed by an authorized CURT dealer. You will not improve your products through changes in design or materials without being shipped to the owners of the Product or the owner of similar models.

Contact Information:
CURT Headquarters
 6811 Industrial Drive
 Eau Claire, WI 54601
 800.961.0113

