



# Bring It<sup>®</sup>



## CARGO MANAGEMENT

Scan for live  
digital version




Our cargo carriers and roof racks are a must-have for those long weekend excursions, providing extra space for coolers, sleeping bags, hunting gear, whatever your customers might take with them ... and whatever they might bring back. CURT cargo carriers are perfect for hauling home that trophy buck.


Make sure your customers keep their cargo safe and secure with our cargo nets and cargo straps. Not only are they excellent add-on items to help boost your sales, but they are also smart investments over makeshift bungees and ropes.

Camping on the lake shore, hunting in the northwoods, biking down a mountain trail – wherever they are headed this weekend and whichever toys they choose to bring along for the ride, help your customers Bring It<sup>®</sup> with CURT cargo management products. From our expanding line of bike racks to our new and improved cargo straps, we offer cargo management solutions to fit the lifestyle of each and every one of your customers.

### New to CURT cargo management!



Towable bike racks



Cargo straps



Cargo bags





Any bike rack used with a 1 1/4" receiver tube requires the use of a support strap (CURT# 18050). Failure to use a support strap will void the warranty of the trailer hitch and / or bike rack.



**1 1/4**  
INCH

**&**


**2**  
INCH

## HITCH-MOUNTED TRAY-STYLE BIKE RACKS


- Tilts away for rear vehicle access
- Adjustable arms for various bike heights and styles
- Sides fold up when not in use for compact storage
- Anti-wobble shank
- Durable powder coat finish
- Attractive, full-color retail packaging
- Do not install on a trailer or other towed vehicle




18090 locking knobs  
fully secure arms



Easily adjusts for  
various bike styles



Tilts away for rear  
vehicle access




Threaded shank  
prevents wobble



Sides fold up for  
compact storage



Padded arms adjust  
for varying bike sizes



18086 has removable  
2-bike extension



Attractive, full-color  
retail packaging

Pkg#	# of Bikes	Max Load	Shank Size	Description
18084	2	90 lbs.	1 1/4" x 1 1/4"	2-bike bike rack
			2" x 2"	
18086	4	180 lbs.	2" x 2"	Extendable 4-bike bike rack
18090 <b>NEW</b>	--	--	--	Locking knobs, set of two

**2**  
INCH

## CLAMP-ON BIKE RACK

- Clamps onto a 2" x 2" ball mount shank
- Adjustable rubber cradles will not scratch bike frame
- Easily accessible release handle
- Support straps included
- Durable powder coat finish
- Attractive, full-color retail packaging
- Do not install on a trailer or other towed vehicle



Fits 2" x 2" ball  
mount shank



Adjustable  
rubber cradle



Easily accessible  
release handle



Support strap  
included



18013

Pkg#	# of Bikes	Max Load	Tilt	Description
18013	3	135 lbs.	No	3-bike clamp-on bike rack



Any bike rack used with a 1 1/4" receiver tube requires the use of a support strap (CURT# 18050). Failure to use a support strap will void the warranty of the trailer hitch and / or bike rack.



## 1 1/4" & 2" HITCH-MOUNTED BIKE RACKS


- Tilts away for rear vehicle access
- Adjustable rubber cradles will not scratch bike frame
- Arms fold down when not in use
- Support strap included
- Towable shank bike racks allow the customer to tow a trailer while using the bike rack
- Compact package makes part numbers 18029 and 18030 retail-friendly
- Anti-wobble shank
- Durable powder coat finish
- Attractive, full-color retail packaging
- Do not install on a trailer or other towed vehicle



18029 Packaged, easily fits on the shelf



18008 towable shank




Tow a trailer while using the bike rack



Tilts away for rear vehicle access



Adjustable rubber cradles



Threaded shank prevents wobble



Support strap included



Removable arm extenders save space



Bolt-together post for compact storage



18029



18030



18031



18033



18034



18035

Pkg#	# of Bikes	Max Bike Capacity	Shank Size	Towable shank	Towable Shank GTW / TW	Description
<b>Hitch-Mounted Bike Racks</b>						
18029	2	90 lbs.	1 1/4" x 1 1/4" and 2" x 2"	No	--	2-bike bike rack
18030	2 or 4	90 / 180 lbs.	1 1/4" x 1 1/4" and 2" x 2"	No	--	Extendable 2 or 4-bike bike rack
18033	3	135 lbs.	1 1/4" x 1 1/4" and 2" x 2"	No	--	3-bike bike rack
18034	4	180 lbs.	1 1/4" x 1 1/4" and 2" x 2"	No	--	4-bike bike rack
<b>Towable Hitch-Mounted Bike Racks</b>						
18031 <b>NEW</b>	2 or 4	90 / 180 lbs.	2" x 2"	Yes	2,000 / 200 lbs.	Extendable 2 or 4-bike bike rack with towable shank
18035 <b>NEW</b>	4	180 lbs.	2" x 2"	Yes	2,000 / 200 lbs.	4-bike bike rack with towable shank
<b>Towable Bike Rack Shank</b>						
18008 <b>NEW</b>	--	--	2" x 2"	--	2,000 / 200 lbs.	Towable bike rack shank



2


INCH

## HITCH-MOUNTED PREMIUM BIKE RACKS


- Tilts away for rear vehicle access
- Adjustable rubber cradles will not scratch bike frame
- Arms fold down when not in use
- Tapered arms for easy mounting of smaller bikes
- Built-in reflectors
- Anti-wobble shank
- Durable powder coat finish
- Attractive, full-color retail packaging
- Do not install on a trailer or other towed vehicle



Tilts away for rear vehicle access



Threaded shank prevents wobble



Tapered arms fit a range of bike sizes



18063



18064



18065

Pkg#	# of Bikes	Max Load	Shank Size	Description
18063	3	135 lbs.	2" x 2"	Premium 3-bike bike rack
18064	4	180 lbs.	2" x 2"	Premium 4-bike bike rack
18065	5	225 lbs.	2" x 2"	Premium 5-bike bike rack

## BOLT-ON BIKE RACK

- Tilts away for rear vehicle access
- Bolts onto any ball mount or step bumper with a 3/4" hole (ball mount not included)
- Accepts up to two bikes
- Coated arms will not scratch bike frame
- Durable powder coat finish
- Attractive, full-color retail packaging
- Do not install on a trailer or other towed vehicle



Tilts away for rear vehicle access



Bolts on to any ball mount with 3/4" hole



Lockable arms



18011



Pkg#	# of Bikes	Max Load	Bolt Size	Description
18011	2	70 lbs.	3/4"	Bolt-on 2-bike bike rack





Any bike rack used with a 1 1/4" receiver tube requires the use of a support strap (CURT# 18050). Failure to use a support strap will void the warranty of the trailer hitch and / or bike rack.




2

INCH

## SINGLE-ARM BIKE RACK

- Tilts away for rear vehicle access
- Rubber-lined cradles will not scratch bike frame
- Lockable
- Durable powder coat finish
- Attractive, full-color retail packaging
- Do not install on a trailer or other towed vehicle
- **Limited lifetime warranty**



Tilts away for rear vehicle access



Accepts bike frames up to 1 1/4" diameter



18019

Pkg#	# of Bikes	Max Load	Shank Size	Description
18019*	4	150 lbs.	2" x 2"	Single-arm 4-bike bike rack

\* Continued while supplies last

## BIKE RACK ACCESSORIES

- Great add-on items
- Allows bike rack use with angled frame bicycles (18016)
- Protective vinyl coating will not scratch bike frame (23666)
- Support strap required for all 1 1/4" hitch-mounted bike racks (18050)
- Attractive, full-color retail packaging



18016 helps mount angled-frame bikes



23666 locks bikes to prevent theft



18050 supports hitch-mounted racks



18016

Pkg#	Length	Description
18016	Extends from 22 1/2" to 31"	Adjustable bike beam for carrying various bike frames
23666	6'	Heavy-duty security cable
18050	1" wide by 61" long	Bike rack support strap



23666



18050

2

INCH

## SPECIALTY MOUNTS

- Increases ground clearance for cargo carriers or hitch-mounted bike racks (45794)
- Not for towing use (45794)
- Provides two receiver tubes for multiple accessories, such as cargo carriers and bike racks (45792)
- Ideal for carrying a bike rack while towing with a trailer (45810)
- Top receiver not for towing use (45792, 45810)



45794

45792

45810



45810 provides a ball mount and receiver tube to tow a trailer and an additional accessory



45792 provides two receiver tubes



45794 gives added ground clearance

Bulk#	Drop	Rise	Length	GTW / TW	Hole Size	Finish	Description
45794	--	4 1/4"	5 1/4"	Not for towing use / 350 lbs.	--	Gloss black	Raised receiver adapter
45792	--	5 13/16"	8"	3,500 / 350 lbs.	--	Gloss black	Dual receiver extender
45810	2"	5 13/16"	12 1/4"	7,500 / 750 lbs.	1"	Gloss black	Multi-use ball mount



## ANTI-RATTLE KITS & LOCKS

- Use with CURT cargo carriers and hollow-shank accessories
- Stops rattling and prevents swaying of load when using hollow-shank towing accessories
- Attractive, full-color retail packaging



22315

22321




23530




23590


Pkg#	Fits Receiver Tube Opening	Lock Diameter	Finish
<b>Anti-Rattle Kits</b>			
22315	1 1/4" x 1 1/4"	--	Yellow zinc-plated
22321	2" x 2"	--	Yellow zinc-plated
<b>Anti-Rattle Hitch Locks</b>			
23530 <b>NEW</b>	2" x 2"	5/8"	Chrome-plated
23590*	2" x 2"	5/8"	Stainless
* Continued while supplies last			






22315 in use in a 1 1/4" receiver tube



22321 in use in a 2" receiver tube



23530 in use in a 2" receiver tube




# 1 1/4" & 2" INCH TRAY-STYLE CARGO CARRIERS

- Frees up space inside the vehicle for passengers and other cargo
- Folding design allows carrier to be tilted up when not in use
- Easy, bolt-together assembly
- Attractive, full-color retail packaging



Easy-to-store fold-away design



18100



18108



18109



18110

Pkg#	Capacity	Shank Size	Dimensions	Shank	Finish	Description
18100*	500 lbs.	2" x 2"	60" x 20" x 2 3/4"	Folding	Lightweight aluminum	Bolt-together carrier
18108	500 lbs.	2" x 2"	60" x 20" x 2 3/4"	Fixed	Carbide	Bolt-together carrier
18109*	500 lbs.	2" x 2"	60" x 20" x 2 3/4"	Folding	Carbide	Bolt-together carrier
18110	300 lbs.	1 1/4" x 1 1/4" 2" x 2"	48" x 20" x 2 3/4"	Fixed	Carbide	Bolt-together carrier with adapter sleeve

\* Rear-mounted spare tire may interfere with the folding feature

## ROOF-MOUNTED CARGO BASKET

- Frees up space inside the vehicle for passengers and other cargo
- Mounts to most roof rack base rails
- Lightweight and easy to install
- Easy, bolt-together assembly
- Attractive, full-color retail packaging



Mounts to most roof rack base rails



Free up space inside the vehicle



18115



18117

Pkg#	Capacity	Inside Dimensions	Storage Area	Finish	Description
18115	Limited to vehicle	41 1/2" x 37" x 4"	10 5/8 square feet	Carbide	Roof basket
18117	Limited to vehicle	21" x 37" x 4"	Adds 5 3/8 square feet	Carbide	Extension



# 1 1/4" & 2" INCH BASKET-STYLE CARGO CARRIERS

- Frees up space inside the vehicle for passengers and other cargo
- Folding design allows carrier to be tilted up when not in use
- Built-in reflectors add visibility for increased safety
- Angled shank elevates carrier for more ground clearance
- Heavy-duty, tubular steel construction
- 6" tall sides for added security
- Attractive, full-color retail packaging



Easy-to-store fold-away design



Frees up space inside the vehicle



18150



18151



18145



18152



18153

Pkg#	Capacity	Shank Size	Dimensions	Shank	Finish	Description
18150	500 lbs.	2" x 2"	60" x 20" x 6"	Fixed	Carbide	Bolt-together basket carrier
18151*	500 lbs.	2" x 2"	60" x 20" x 6"	Folding	Carbide	Bolt-together basket carrier
18152	500 lbs.	2" x 2"	60" x 24" x 6"	Fixed	Carbide	Bolt-together basket carrier
18153*	500 lbs.	2" x 2"	60" x 24" x 6"	Folding	Carbide	Bolt-together basket carrier
18145	500 lbs.	1 1/4" x 1 1/4"	48" x 20" x 6"	Fixed	Carbide	Bolt-together basket carrier with adapter sleeve
		2" x 2"				

\* Rear-mounted spare tire may interfere with the folding feature

## UNIVERSAL ATV CARGO CARRIER

- For hauling more cargo on your ATV
- Lightweight for easy use and installation
- Mesh base for easy clean up
- Heavy-duty, tubular steel construction
- 6" tall sides for added security
- Includes mounting hardware
- Attractive, full-color retail packaging



18101



Easy installation



Easily carries a wide variety of common cargo



Pkg#	Capacity	Finish	Dimensions
18101	Limited to ATV	Carbide	41" x 26" x 6 1/4"

# CARGO BAGS

**NEW**

- Waterproof bag folds up for compact storage
- Zip closure with hook-and-loop flap
- Tie-down straps included
- Attractive, full-color retail packaging



18210




18211



18220



18221



Waterproof exterior keeps cargo dry



Secure zip closure, hook-and-loop flap



Fits into the CURT roof-mounted basket



Fits into most CURT cargo carriers




Folds up for compact storage




Pkg#		Dimensions	Storage	Straps	Description
18210	<b>NEW</b>	56" x 18" x 21"	12.25 cubic feet	6	Cargo carrier bag
18211	<b>NEW</b>	56" x 22" x 21"	15.00 cubic feet	6	Cargo carrier bag
18220	<b>NEW</b>	38" x 34" x 18"	13.50 cubic feet	4	Rooftop basket cargo bag
18221	<b>NEW</b>	59" x 34" x 18"	21 cubic feet	6	Rooftop basket cargo bag

# CARGO NETS


- A simple way to quickly secure cargo
- Durable, netted storage bag
- Attractive, full-color retail packaging




18202



18200



18201



Secures cargo from dislodging during travel

Pkg#	Dimensions	Description
18202	43" x 24"	Standard cargo net for 60" wide carriers
18200	44" x 38"	Roof basket cargo net
18201	65" x 38"	Extended roof basket cargo net

**1 1/4**  
INCH

&

**2**  
INCH

## TRAILER HITCH RECEIVER TUBE EXTENDERS

- Extends receiver tube, providing additional clearance
- Durable powder coat finish




45789



45791



45795



45796

Bulk#	Shank Size	Extends	GTW / TW
45789	1 1/4"	7"	Not for towing use / 350 lbs.
45791	2"	8"	3,500 / 350 lbs.
45795	2"	14"	3,500 / 350 lbs.
45796	2"	18"	3,500 / 350 lbs.

### Measuring extenders and adapters

Length is measured between pin-holes, from center to center



**1 1/4**  
INCH

→

**2**  
INCH

←

**2 1/2**  
INCH

## TRAILER HITCH RECEIVER TUBE ADAPTERS

- Adapts receiver tube opening to a different size
- 45048 can be cut down from 34" to 24"
- 45048 has integrated safety chain loops and electrical bracket



45048



45048 - 24" or 36"



45048 - cut to 24"



45785



45013



45790



45770

Bulk#	Adapts From	Adapts To	Length	GTW / TW	WD GTW / TW
45785	1 1/4"	2"	6 1/4"	Not for towing use / 350 lbs.	--
45790	1 1/4"	2"	10"	Not for towing use / 350 lbs.	--
45770	2"	1 1/4"	4"	3,500 / 350 lbs.	--
45775	2"	1 1/4"	9 1/2"	3,500 / 350 lbs.	--
45780	2"	1 1/4"	15"	3,500 / 350 lbs.	--
45013	Vertical 2"	Standard 2"	4 1/4"	5,000 / 500 lbs.	--
45048	2 1/2"	2"	24"	6,000 / 600 lbs.	8,000 / 800 lbs.
			34"	4,500 / 450 lbs.	6,000 / 600 lbs.



45775



45780

**2 1/2**  
INCH

→

**2**  
INCH

## REDUCER SLEEVE

- Reduces a 2 1/2" x 2 1/2" receiver tube opening to a 2" x 2" opening

Bulk#	Length	Reduces From	Reduces To	Finish
45405	5 1/2"	2 1/2"	2"	Carbide



45405



2" Ball Mount

2 1/2" Rec. Tube



# CARGO STRAPS

**NEW**

- Cambuckle and ratchet cinching mechanisms
- Durable nylon strapping and yellow zinc-plated mechanisms
- Attractive, full-color retail packaging



83015

83016



83019

83020



83036



83001

83002



83025

83026



83047



83009

83010



83027

83028



83048

Pkg#	Work Load	Break Strength	Strap Color	Strap Length	Strap Width	Hook Style	Hook Finish	Pack Quantity	Mechanism
83015 <b>NEW</b>	300 lbs.	900 lbs.	Dark green	15'	1"	S-hook	Rubber-coated	2	Cambuckle
83016 <b>NEW</b>	300 lbs.	900 lbs.	Dark green	16'	1"	S-hook	Rubber-coated	4	Cambuckle
83001 <b>NEW</b>	500 lbs.	1,500 lbs.	Red	10'	1"	S-hook	Rubber-coated	2	Ratchet
83002 <b>NEW</b>	500 lbs.	1,500 lbs.	Red	16'	1"	S-hook	Rubber-coated	4	Ratchet
83009 <b>NEW</b>	500 lbs.	1,500 lbs.	Black	10'	1"	S-hook	Rubber-coated	2	Ratchet
83010 <b>NEW</b>	500 lbs.	1,500 lbs.	Black	16'	1"	S-hook	Rubber-coated	4	Ratchet
83019 <b>NEW</b>	733 lbs.	2,200 lbs.	Blue	16'	1"	J-hook	Rubber-coated	1	Ratchet
83020 <b>NEW</b>	733 lbs.	2,200 lbs.	Blue	16'	1"	J-hook	Rubber-coated	2	Ratchet
83025 <b>NEW</b>	1,100 lbs.	3,300 lbs.	Orange	16'	1"	J-hook	Rubber-coated	1	Ratchet
83026 <b>NEW</b>	1,100 lbs.	3,300 lbs.	Orange	16'	1"	J-hook	Rubber-coated	2	Ratchet
83027 <b>NEW</b>	1,100 lbs.	3,300 lbs.	Lime green	16'	1"	S-hook	Rubber-coated	1	Ratchet
83028 <b>NEW</b>	1,100 lbs.	3,300 lbs.	Lime green	16'	1"	S-hook	Rubber-coated	2	Ratchet
83036 <b>NEW</b>	1,667 lbs.	5,000 lbs.	Yellow	14'	1 1/2"	J-hook	Yellow zinc-plated	1	Ratchet
83047 <b>NEW</b>	3,333 lbs.	10,000 lbs.	Yellow	27'	2"	J-hook	Yellow zinc-plated	1	Ratchet
83048 <b>NEW</b>	3,333 lbs.	10,000 lbs.	Yellow	27'	2"	Flat hook	Yellow zinc-plated	1	Ratchet



## HAND WINCHES

**NEW**

- High quality steel construction provides superior pinion strength and eliminates gear-to-shaft binding failures
- A broached pinion shaft securely engages the pinion gears
- Attractive, full-color retail packaging



29423



29433



29424



29435



29425



29427



29428




29438




29429


Pkg#	Capacity	Gear Ratio	Hub Diameter	Handle Length	Strap
29423 <b>NEW</b>	900 lbs.	3.25:1	3/4"	6 1/2"	No
29433 <b>NEW</b>	900 lbs.	3.25:1	3/4"	6 1/2"	Yes, 15' (29450)
29424 <b>NEW</b>	1,200 lbs.	4.2:1	3/4"	7 1/2"	No
29425 <b>NEW</b>	1,400 lbs.	4.2:1	3/4"	7 1/2"	No
29435 <b>NEW</b>	1,400 lbs.	4.2:1	3/4"	7 1/2"	Yes, 20' (29451)
29427 <b>NEW</b>	1,700 lbs.	5.1:1	1"	8"	No
29428 <b>NEW</b>	1,900 lbs.	5.1:1	1"	8"	No
29438 <b>NEW</b>	1,900 lbs.	5.1:1	1"	8"	Yes, 20' (29451)
29429 <b>NEW</b>	2,100 lbs.	5.1:1	1"	9 3/4"	No



23423 pinion gear



23424 pinion gear



23427 crank handle



23438 locking lever



## WINCH STRAPS

- Strong nylon webbing
- Zinc-plated snap hook for easy hookup
- Attractive, full-color retail packaging



29007



29450



29451

Bulk#	Pkg#	Work Load	Break Strength	Strap Width	Strap Length
29007	--	1,333 lbs.	4,000 lbs.	2"	20'
--	29450 <b>NEW</b>	1,100 lbs.	3,300 lbs.	2"	15'
--	29451 <b>NEW</b>	1,100 lbs.	3,300 lbs.	2"	20'

# FOLD-AWAY ROPE HOOK

- Adds a convenient anchor point to trucks, trailers and vans for ropes or cords
- Fold-away design provides a clean, finished look
- Chrome-plated finish



Bulk#	Pkg#	Capacity	Finish
83060	83061	1,200 lbs.	Chrome-plated

# ROPE RINGS & TIE-DOWNS

- Anchor points for ropes or cables
- Sturdy, steel-constructed plates and rings
- Rubber trim ring provides a clean, finished look



Bulk#	2-Pack#	Capacity	Finish	Base Size	Mount Hole Size	Mounting Holes*	Recessed	Description
<b>Tie Down and Recessed Rope Rings</b>								
83600	--	5,000 lbs.	Zinc-plated	4 7/8" x 4 1/2"	3/8"	3 3/8" x 2 7/8"	Yes	Tie-down
83601	--	1,200 lbs.	Zinc-plated	5" x 3 1/2"	1/4"	4 1/16" x 1/4"	Yes	Rope ring
83710**	--	1,000 lbs.	Zinc-plated	3 1/2"	1/4"	1 3/16"	Yes	Rope ring, for 1/4" plywood
<b>Trim Ring</b>								
83720	--	--	Plastic	--	--	--	--	Trim ring for 83710
<b>Rope D-Rings</b>								
83730	83731	1,200 lbs.	Zinc-plated	2 1/4" x 13/16"	1/4"	1 1/2"	No	Rope D-ring
83732	--	1,200 lbs.	Stainless	2 1/4" x 13/16"	1/4"	1 1/2"	No	Rope D-ring
<b>Backing Plate</b>								
83607	--	--	Gloss black	6" x 6"	7/16"	3" x 3 1/4"	--	For use with 83600
					7/16"	2"		

\* Mounting holes are measured center-to-center

\*\* 1/4" dish design, 1 piece, two mounting holes for 1/4" screws



# FORGED D-RINGS AND LASHING RINGS WITH BRACKETS

- Lashing rings come with weld-on mounting brackets
- D-ring brackets have square holes to accept 3/8" carriage bolts
- Sturdy steel construction




Bulk#	Capacity	Finish	Bracket Dimensions (W x H x D)	Ring Dimensions (W x H)	Ring Diameter	Base Size	Mount Hole Size	Mounting Holes*
D-Rings								
83740	11,000 lbs.	Yellow zinc-plated	1 3/4" x 3 11/16" x 7/8"	3 1/2" x 3 1/2"	1/2"	--	7/16"	2"
83742	11,000 lbs.	Zinc-plated	1 3/4" x 3 11/16" x 7/8"	3 1/2" x 3 1/2"	1/2"	--	7/16"	2"
Backing Plates								
83607	--	Gloss black	For use with 83740 and 83742			6" x 6"	7/16"	3" x 3 1/4"
							7/16"	2"
83610	--	Zinc-plated	For use with 83740 and 83742			6 5/8"	13/32"	2"
Lashing Rings with Brackets								
83750	18,000 lbs.	Raw	2 1/4" x 1 5/8" x 1 1/4"	4 1/4" x 4 1/4"	5/8"	--	--	--
83760	26,500 lbs.	Raw	2 1/4" x 1 5/8" x 1 1/4"	4 1/4" x 4 1/2"	3/4"	--	--	--
83770	46,760 lbs.	Raw	2 1/4" x 2 1/8" x 1 3/4"	5" x 5"	1"	--	--	--
83780	46,760 lbs.	Raw	2 1/4" x 2 1/8" x 1 3/4"	6" x 5"	1"	--	--	--
* Mounting holes are measured center-to-center								

## WELD-ON POCKET ANCHOR

- Adds a tie-down point for cargo straps and binder chains
- Perfectly sized to accept a 2" x 4" stud

Bulk#	Finish	Inside Width	Inside Depth
83072	Raw	3 1/2"	1 5/8"



83072